

Galena Complex Drill Results - January 20, 2026

Drill Hole ID	Prospect	East (ft)	North (ft)	Elevation (ft amsl)	hole_length (ft)	azimuth (degrees)	dip (degrees)
52-520	Central	10109.9	10000.76	-2094	1000	330	-15
52-521	Central	10109.9	10000.76	-2094	1000	335	-10
52-523	Central	10109.9	10000.76	-2094	1000	340	-15
52-526	Central	10091	10004	-2094	1200	320	-5
52-527	Central	10091	10004	-2094	1664	310	-5
52-528	Central	10091.8	9999.8561	-2095.6	1597	305	-5
52-529	Central	10089.6	9997.5435	-2095.9	1804	300	-5
52-530	Central	10089.6	9997.5435	-2095.9	1700	295	-5
52-531	Central	10091.8	9999.8561	-2095.6	1414	305	-15
52-532	Central	10091.8	9999.8561	-2095.6	1282	305	-25
52-533	Central	10089.6	9997.5435	-2095.9	1320	310	-15
52-534	Central	10089.6	9997.5435	-2095.9	1444	310	-25
52-535	Central	10089.6	9997.5435	-2095.9	1400	320	-15
52-536	Central	10089.6	9997.5435	-2095.9	1467	300	-15
52-537	Central	10089.6	9997.5435	-2095.9	1750	300	-25
52-581	Central	10094.3	10000.482	-2095	705	302	-20
52-582	Central	10094.3	10000.482	-2095	705	302	-30
52-583	Central	10094.3	10000.482	-2095	735	295	-20
52-584	Central	10094.3	10000.482	-2095	800	295	-30
52-585	Central	10094.3	10000.482	-2095	900	290	-25
52-586	Central	10094.3	10000.482	-2095	830	292	-15
52-587	Central	10094.3	10000.482	-2095	650	305	5
52-588	Central	10094.3	10000.482	-2095	705	305	15
52-589	Central	10094.3	10000.482	-2095	735	300	10
52-590	Central	10094.3	10000.482	-2095	770	300	2
52-591	Central	10094.3	10000.482	-2095	740	300	10

Galena Complex Drill Results - January 20, 2026

hole	vein_code	From (ft)	To (ft)	Width (ft)	True Width (ft)	ag (opt)	Pb (%)	Cu (%)	Sb (%)
52-520		6	11	5	0	3	0.1	0.036	
52-520		16	21	5	0	1.47	0.1	0.02	
52-520		21	26	5	0	0.5	0.1	0.01	
52-520		34.3	36.8	2.5	0	0.5	0.1	0.01	
52-520		160	165	5	0	0.5	0.1	0.01	
52-520		181.7	186.5	4.8	0	0.601	0.1	0.015	
52-520		304.9	306.8	1.9	0	0.531	0.1	0.015	
52-520		766.5	769.4	2.9	0	0.5	0.1	0.01	
52-520	030_100	772.7	774.5	1.8	1.7	27.2	0.1	0.807	
52-520		829.4	833.4	4	0	0.5	0.1	0.01	
52-520		833.4	835	1.6	0	0.5	0.1	0.01	
52-520		196.8	197.3	0.5	0	5.52	0.1	0.092	
52-520		31	34.3	3.3	0	1.64	0.1	0.027	
52-520		155.5	160	4.5	0	0.5	0.1	0.01	
52-520	035_100	11	16	5	0	4.4	0.1	0.058	
52-520		60	64.5	4.5	0	0.5	0.1	0.01	
52-520		290.7	291.8	1.1	0	0.5	0.1	0.01	
52-520	034hw3_100	292.3	296.1	3.8	3.57	0.507	0.1	0.017	
52-520	034hw3_100	296.1	296.6	0.5	0.47	111	0.1	4.48	
52-520		296.6	301.1	4.5	0	0.5	0.1	0.014	
52-520		301.1	304.9	3.8	0	5.55	0.1	0.201	
52-520	034hw_100	312	312.5	0.5	0.47	193	0.165	6.26	5.61
52-520	034hw_100	312.5	315.6	3.1	2.91	2.29	0.1	0.109	
52-520		761.9	764.2	2.3	0	0.5	0.1	0.01	
52-520		769.4	772.7	3.3	0	0.576	0.1	0.019	
52-520		837.2	837.7	0.5	0	17.2	0.1	1.23	
52-520		837.7	841.7	4	0	0.5	0.1	0.024	
52-520		240.1	243.4	3.3	0	13.9	0.1	0.358	
52-520	034hw3_100	291.8	292.3	0.5	0.47	35.6	0.1	1.42	1.04
52-520		306.8	312	5.2	0	0.5	0.1	0.01	
52-520		746	750	4	0	0.5	0.1	0.01	
52-520		750	751.6	1.6	0	0.5	0.1	0.029	
52-520		751.6	754.7	3.1	0	0.5	0.1	0.01	
52-520		754.7	756.9	2.2	0	0.5	0.1	0.017	
52-520		756.9	761.9	5	0	0.506	0.1	0.018	
52-520		764.2	766.5	2.3	0	0.5	0.1	0.01	
52-520		835	835.5	0.5	0	1.5	0.1	0.145	
52-520		835.5	837.2	1.7	0	0.5	0.1	0.01	
52-520		191.4	191.9	0.5	0	38.2	0.1	0.88	0.475
52-520		26	31	5	0	0.778	0.1	0.012	
52-520		64.5	69	4.5	0	0.5	0.1	0.01	
52-520		69	72.1	3.1	0	0.866	0.1	0.024	

Galena Complex Drill Results - January 20, 2026

52-520		165	169.7	4.7	0	0.5	0.1	0.01	
52-520		243.4	248.4	5	0	1.3	0.1	0.034	
52-520	034hw_100	315.6	316.1	0.5	0.47	225	0.1	12.6	9.85
52-520		316.1	317.7	1.6	0	2.25	0.1	0.141	
52-520		774.5	778.4	3.9	0	0.5	0.1	0.018	
52-521		14	17.5	3.5	0	3.26	0.1	0.045	
52-521		160.3	164.6	4.3	0	1.96	0.1	0.051	
52-521		182	185.4	3.4	0	3.01	0.1	0.076	
52-521		265	270	5	0	0.646	0.1	0.027	
52-521		194.4	195	0.6	0	36	0.1	0.845	0.448
52-521		631.8	632.9	1.1	0	0.5	0.1	0.01	
52-521		733	734.3	1.3	0	4.6	0.443	0.209	
52-521		17.5	21.3	3.8	0	0.5	0.1	0.01	
52-521		21.3	24	2.7	0	2.84	0.1	0.04	
52-521		159.3	160.3	1	0	0.5	0.1	0.01	
52-521	034hw3_100	275	280	5	0	0.5	0.1	0.025	
52-521		743.4	748.4	5	0	0.5	0.1	0.01	
52-521		789.4	792	2.6	0	0.967	0.1	0.058	
52-521		795.5	800	4.5	0	0.947	0.1	0.091	
52-521		833.6	834.7	1.1	0	0.5	0.1	0.018	
52-521		837.9	838.9	1	0	1.48	0.1	0.069	
52-521		838.9	840	1.1	0	0.5	0.1	0.01	
52-521		920.1	924.5	4.4	0	0.5	0.1	0.01	
52-521		10.7	14	3.3	0	2.54	0.1	0.043	
52-521		215.9	216.6	0.7	0	5.47	0.1	0.311	
52-521		748.4	753.4	5	0	0.5	0.1	0.01	
52-521		792	795.5	3.5	0	2.01	0.1	0.1	
52-521		800	805	5	0	0.5	0.1	0.071	
52-521		805	809.5	4.5	0	0.5	0.1	0.026	
52-521		809.5	814.5	5	0	0.5	0.1	0.01	
52-521		840	841.1	1.1	0	0.5	0.1	0.088	
52-521		863	863.9	0.9	0	2.27	0.1	0.102	
52-523		31.4	31.9	0.5	0	0.5	0.1	0.01	
52-523		151	151.5	0.5	0	6.91	0.1	0.136	
52-523		151.5	155	3.5	0	0.5	0.1	0.01	
52-523		185.8	186.3	0.5	0	51	0.1	1.31	
52-523	new_100	214.5	215.1	0.6	0.4	168	0.1	4.75	3.38
52-523		222.7	225	2.3	0	6.39	0.1	0.16	
52-523		240	244.8	4.8	0	0.791	0.1	0.024	
52-523		245.4	247	1.6	0	1.02	0.1	0.031	
52-523	034hw_100	300.3	300.8	0.5	0	24.4	0.1	0.852	0.315
52-523		702	704	2	0	0.5	0.1	0.029	
52-523		721.2	725.8	4.6	0	0.5	0.1	0.01	
52-523		745.7	749.5	3.8	0	0.748	0.1	0.031	

Galena Complex Drill Results - January 20, 2026

52-523		763.9	767.5	3.6	0	0.805	0.1	0.037	
52-523		790.8	792.6	1.8	0	0.5	0.1	0.029	
52-523		828.7	829.8	1.1	0	3.36	0.1	0.185	
52-523		15	20	5	0	1.43	0.1	0.019	
52-523		20	22.8	2.8	0	0.805	0.1	0.013	
52-523		144	146.5	2.5	0	0.5	0.1	0.01	
52-523		165	170	5	0	0.933	0.1	0.021	
52-523		244.8	245.4	0.6	0	26	0.1	0.802	0.378
52-523		749.5	752.7	3.2	0	0.5	0.1	0.022	
52-523		752.7	755.2	2.5	0	0.5	0.1	0.01	
52-523		755.2	760	4.8	0	0.5	0.1	0.01	
52-523		978.2	982.9	4.7	0	0.5	0.1	0.021	
52-523		994.4	994.9	0.5	0	0.649	0.1	0.104	
52-523		994.9	998.7	3.8	0	1.13	0.1	0.248	
52-523		10	15	5	0	2.99	0.1	0.042	
52-523		744.7	745.7	1	0	0.5	0.1	0.012	
52-523		760	763.3	3.3	0	0.5	0.1	0.01	
52-523		763.3	763.9	0.6	0	0.5	0.1	0.015	
52-523		767.5	768.2	0.7	0	3.1	0.1	0.105	
52-523		859	861.5	2.5	0	0.5	0.1	0.021	
52-523		982.9	987.8	4.9	0	0.5	0.1	0.028	
52-523		146.5	151	4.5	0	0.5	0.1	0.01	
52-523		265	270	5	0	0.5	0.1	0.01	
52-523		882.9	887.9	5	0	0.5	0.1	0.035	
52-523		957.3	958.4	1.1	0	1.5	0.1	0.096	
52-523		992.6	994.4	1.8	0	0.5	0.1	0.015	
52-526		30	35	5	0	1.33	0.1	0.021	
52-526		198.5	200.5	2	0	0.5	0.1	0.01	
52-526		360.5	365	4.5	0	0.542	0.1	0.028	
52-526		409.7	412	2.3	0	0.5	0.1	0.01	
52-526		565	570	5	0	0.5	0.1	0.01	
52-526		615	620	5	0	8	0.1	0.135	
52-526		5	9	4	0	0.528	0.1	0.01	
52-526		15	20	5	0	1.42	0.1	0.024	
52-526		25	29	4	0	1.91	0.1	0.026	
52-526		43	45	2	0	15.8	0.1	0.463	
52-526		76	79	3	0	0.576	0.1	0.014	
52-526	034hw_100	360	360.5	0.5	0	20.8	0.1	1.06	
52-526		370	375	5	0	0.5	0.1	0.01	
52-526		402	407	5	0	0.947	0.1	0.033	
52-526		425	430	5	0	0.688	0.1	0.03	
52-526	034_100	430	435	5	0	3.93	0.1	0.15	
52-526		445	450	5	0	2.04	0.1	0.053	
52-526	034fw2_100	525	527.5	2.5	0	1.46	0.1	0.03	

Galena Complex Drill Results - January 20, 2026

52-526	580	584	4	0	2.09	0.607	0.022
52-526	600	605	5	0	2.22	0.1	0.034
52-526	836	836.7	0.7	0	3.32	0.1	0.045
52-526	879.5	882.5	3	0	1.25	0.1	0.015
52-526	995.5	1000	4.5	0	0.5	0.1	0.01
52-526	1010	1015	5	0	0.5	0.1	0.01
52-526	1085	1090	5	0	0.5	0.1	0.01
52-526	1125	1130	5	0	3.4	0.1	0.196
52-526	1174	1178	4	0	0.5	0.1	0.01
52-526	0	5	5	0	0.5	0.1	0.01
52-526	11	15	4	0	0.5	0.1	0.01
52-526	216.5	220.5	4	0	0.5	0.1	0.01
52-526	355	360	5	0	0.752	0.1	0.058
52-526	365	370	5	0	0.5	0.1	0.01
52-526	409	409.7	0.7	0	3.2	0.1	0.112
52-526	450	455	5	0	0.574	0.1	0.015
52-526	455	460	5	0	2.17	0.1	0.055
52-526	460	465	5	0	0.52	0.1	0.013
52-526	605	610	5	0	0.667	0.1	0.01
52-526	610	615	5	0	1.18	0.1	0.022
52-526	980	984.5	4.5	0	0.5	0.1	0.01
52-526	984.5	988.5	4	0	0.5	0.1	0.013
52-526	1000	1005	5	0	0.849	0.1	0.03
52-526	1030	1035	5	0	0.5	0.1	0.014
52-526	1105	1110	5	0	1.49	0.1	0.062
52-526	1115	1120	5	0	0.5	0.1	0.016
52-526	1120	1125	5	0	0.5	0.1	0.01
52-526	1135	1140	5	0	0.5	0.1	0.01
52-526	1160	1165	5	0	0.5	0.1	0.011
52-526	697	699	2	0	2.11	0.1	0.039
52-526	975	976	1	0	1.01	0.1	0.019
52-526	1015	1020	5	0	0.5	0.1	0.01
52-526	20	25	5	0	2.07	0.1	0.029
52-526	35	39.5	4.5	0	1.4	0.1	0.022
52-526	39.5	43	3.5	0	0.782	0.1	0.026
52-526	45	47	2	0	0.5	0.1	0.01
52-526	73	76	3	0	0.95	0.1	0.021
52-526	407	409	2	0	0.5	0.1	0.01
52-526	570	575	5	0	0.5	0.1	0.01
52-526	575	580	5	0	2.4	0.1	0.043
52-526	659.5	660	0.5	0	33.3	1.52	0.513
52-526	825	825.5	0.5	0	15	0.87	0.394
52-526	988.5	992	3.5	0	0.5	0.1	0.01
52-526	992	995.5	3.5	0	0.5	0.1	0.01

Galena Complex Drill Results - January 20, 2026

52-526		1005	1010	5	0	0.5	0.1	0.01	
52-526		1025	1030	5	0	0.5	0.1	0.01	
52-526		1035	1040	5	0	0.5	0.1	0.01	
52-526		1095	1100	5	0	0.5	0.1	0.01	
52-526		1130	1135	5	0	0.5	0.1	0.073	
52-526		1140	1145	5	0	0.5	0.1	0.01	
52-526		1150	1155	5	0	0.5	0.1	0.01	
52-526		1155	1160	5	0	0.5	0.1	0.011	
52-526		1187	1192	5	0	0.5	0.1	0.01	
52-526		1192	1196	4	0	0.5	0.1	0.01	
52-526		1020	1025	5	0	0.5	0.1	0.01	
52-526		1090	1095	5	0	4.6	0.167	0.351	
52-526		1100	1105	5	0	0.5	0.1	0.01	
52-526		1110	1115	5	0	0.5	0.1	0.01	
52-526		1145	1150	5	0	0.5	0.1	0.01	
52-526		1165	1170	5	0	0.5	0.1	0.01	
52-526		1170	1174	4	0	0.5	0.1	0.01	
52-526		1178	1182	4	0	0.5	0.1	0.01	
52-526		1182	1187	5	0	0.5	0.1	0.01	
52-526		1196	1200	4	0	0.5	0.1	0.01	
52-527		20	22	2	0	14	0.1	0.166	
52-527		22	25	3	0	3.86	0.1	0.048	
52-527		30	35	5	0	0.5	0.1	0.01	
52-527		35	40	5	0	0.5	0.1	0.01	
52-527		0	4.5	4.5	0	0.5	0.1	0.01	
52-527		10	15	5	0	1.47	0.1	0.02	
52-527		15	20	5	0	0.5	0.1	0.01	
52-527		65	70	5	0	7.37	0.1	0.154	
52-527		73.5	78	4.5	0	0.5	0.1	0.01	
52-527		82	86	4	0	0.5	0.1	0.01	
52-527		161.5	162	0.5	0	0.5	0.1	0.01	
52-527		209	209.5	0.5	0	48	0.1	3.12	2.43
52-527	034hw3_100	313	317	4	2.29	9.54	0.1	0.177	
52-527		697	697.5	0.5	0	9.48	0.1	0.136	
52-527		1255	1259	4	0	0.5	0.1	0.01	
52-527	new_100	1568	1569.1	1.1	1.03	39.2	0.159	3.39	2.08
52-527		25	30	5	0	0.5	0.1	0.01	
52-527		42.5	47.5	5	0	0.5	0.1	0.01	
52-527		55	60	5	0	0.5	0.1	0.01	
52-527		72.5	73.5	1	0	0.5	0.1	0.01	
52-527		78	82	4	0	1.04	0.1	0.018	
52-527		86	90	4	0	0.5	0.1	0.01	
52-527		90	95	5	0	0.5	0.1	0.01	
52-527		100	103.5	3.5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-527		107.5	112	4.5	0	0.5	0.1	0.01	
52-527		260	264	4	0	0.5	0.1	0.01	
52-527	034fw3_100	680	680.7	0.7	0	25.3	0.217	0.588	
52-527		919	922.5	3.5	0	5.83	0.1	0.068	
52-527		1403	1405	2	0	0.5	0.1	0.064	
52-527		1518	1519.5	1.5	0	0.5	0.1	0.087	
52-527		1566	1568	2	0	0.5	0.1	0.01	
52-527		1593	1593.5	0.5	0	1.51	0.1	0.614	0.12
52-527		40	42.5	2.5	0	0.5	0.1	0.01	
52-527	035_100	50	55	5	3.21	22	0.118	0.428	
52-527		112	117	5	0	0.5	0.1	0.01	
52-527		241	246	5	0	0.5	0.1	0.01	
52-527		246	250	4	0	0.5	0.1	0.01	
52-527		250	255	5	0	0.5	0.1	0.01	
52-527		255	260	5	0	0.5	0.1	0.01	
52-527	034hw3_100	317	317.5	0.5	0.29	160	0.1	3.14	2.68
52-527		317.5	320	2.5	0	2.64	0.1	0.056	
52-527	034hw2a_100	344	346	2	0	9.8	0.1	0.229	
52-527		470	472	2	0	0.5	0.1	0.01	
52-527		1226	1231	5	0	0.5	0.1	0.025	
52-527		1259	1263.5	4.5	0	0.5	0.1	0.01	
52-527		1263.5	1264	0.5	0	0.5	0.1	0.031	
52-527		1426.5	1427.2	0.7	0	0.5	0.1	0.019	
52-527		1571	1575	4	0	0.5	0.1	0.024	
52-527		1575	1580	5	0	1.13	0.1	0.222	
52-527		4.5	9	4.5	0	4.89	0.112	0.056	
52-527		47.5	50	2.5	0	0.5	0.1	0.01	
52-527		60	65	5	0	0.5	0.1	0.01	
52-527		70	72.5	2.5	0	0.5	0.1	0.01	
52-527		95	100	5	0	0.5	0.1	0.01	
52-527		103.5	107.5	4	0	0.5	0.1	0.01	
52-527		264	268	4	0	0.5	0.1	0.01	
52-527		320	323.5	3.5	0	0.554	0.1	0.013	
52-527	034hw2a_100	346	351	5	0	0.685	0.1	0.016	
52-527	034hw2_100	351	351.5	0.5	0.21	334	0.373	8.45	
52-527	034hw_100	433.5	438.5	5	0	0.976	0.1	0.023	
52-527		466	469	3	0	0.5	0.1	0.01	
52-527		711	712.5	1.5	0	1.88	0.1	0.026	
52-527		750	753	3	0	0.5	0.1	0.01	
52-527		775.5	776	0.5	0	7.26	0.1	0.094	
52-527		1122	1124	2	0	0.614	0.1	0.047	
52-527		1162	1165	3	0	0.772	0.1	0.034	
52-527	new_100	1165	1169.7	4.7	3.6	36	0.1	1.56	
52-527		1169.7	1174	4.3	0	0.993	0.1	0.079	

Galena Complex Drill Results - January 20, 2026

52-527		1380.5	1381	0.5	0	1.6	0.1	0.122	
52-527		1569.1	1571	1.9	0	0.5	0.1	0.017	
52-528		12	17	5	0	2.85	0.126	0.038	
52-528		64	68	4	0	0.559	0.1	0.014	
52-528		76.5	79.1	2.6	0	0.5	0.1	0.01	
52-528		142.8	147.3	4.5	0	0.5	0.1	0.01	
52-528		7.5	12	4.5	0	0.964	0.1	0.012	
52-528		44.8	46.3	1.5	0	0.5	0.1	0.01	
52-528		50	53.2	3.2	0	0.5	0.1	0.017	
52-528	035_100	53.2	58.2	5	4.33	19.6	0.1	0.448	
52-528		68	71.4	3.4	0	0.92	0.1	0.021	
52-528		79.1	81.8	2.7	0	0.5	0.1	0.01	
52-528		147.3	147.9	0.6	0	0.5	0.1	0.01	
52-528		21.7	24.8	3.1	0	0.843	0.1	0.012	
52-528		46.3	50	3.7	0	0.5	0.1	0.01	
52-528		61	64	3	0	0.738	0.1	0.017	
52-528		276.5	280.7	4.2	0	0.5	0.1	0.01	
52-528		290	295	5	0	0.5	0.1	0.01	
52-528	034hw3_100	314.8	316	1.2	0.41	11.9	0.1	0.24	
52-528	034hw2_100	383	384.2	1.2	0.6	4.44	0.1	0.146	
52-528		384.8	386.8	2	0	0.5	0.1	0.021	
52-528		643.7	644.7	1	0	0.5	0.1	0.022	
52-528	034fw3_100	698.2	698.9	0.7	0.69	221	0.1	5.94	5.24
52-528		815.9	816.7	0.8	0	32.6	0.1	0.307	
52-528		817	818.2	1.2	0	0.5	0.1	0.01	
52-528		818.2	819.5	1.3	0	1.03	0.1	0.012	
52-528		878.3	879.1	0.8	0	14	0.1	0.126	
52-528		879.1	880.2	1.1	0	0.5	0.1	0.01	
52-528		911.7	912.3	0.6	0	1.17	0.1	0.016	
52-528		968	968.6	0.6	0	1.31	0.1	0.017	
52-528		995	996.3	1.3	0	9.31	0.1	0.113	
52-528		1165.8	1170	4.2	0	0.5	0.1	0.015	
52-528		1170	1172.7	2.7	0	0.5	0.1	0.013	
52-528		1180	1183	3	0	0.5	0.1	0.01	
52-528		1118.9	1119.4	0.5	0	13.2	0.1	0.302	
52-528		1234.1	1234.6	0.5	0	0.5	0.1	0.01	
52-528		1326.9	1329	2.1	0	0.5	0.1	0.01	
52-528		1399.3	1401	1.7	0	1.45	0.1	0.092	
52-528		1401	1402	1	0	0.5	0.1	0.05	
52-528	new_100	1570.1	1574.3	4.2	3.9	10	0.102	1.03	0.397
52-528	034hw3_100	316	316.6	0.6	0.21	238	0.1	4.38	3.9
52-528		370.9	374	3.1	0	9.2	0.1	0.227	
52-528	034hw_100	471.4	472	0.6	0	0.5	0.1	0.01	
52-528	034fw1_100	610.7	611.2	0.5	0	15.7	0.1	0.372	

Galena Complex Drill Results - January 20, 2026

52-528	034fw2_100	640.9	641.8	0.9	0.7	15.8	0.189	0.514	0.13
52-528		698.9	700.5	1.6	0	0.5	0.1	0.01	
52-528	034_100	508.9	511.8	2.9	0	0.516	0.1	0.017	
52-528		58.2	61	2.8	0	0.5	0.1	0.01	
52-528		81.8	85.8	4	0	1.51	0.1	0.023	
52-528		103.5	108.5	5	0	0.5	0.1	0.01	
52-528		269	272.1	3.1	0	0.5	0.1	0.01	
52-528		816.7	817	0.3	0	70	0.1	0.692	0.374
52-528		836.2	836.7	0.5	0	0.5	0.1	0.01	
52-528		974.1	975	0.9	0	0.749	0.1	0.01	
52-528		996.3	998.7	2.4	0	0.5	0.1	0.01	
52-528		1161.8	1164.1	2.3	0	0.5	0.1	0.016	
52-528		1176.3	1180	3.7	0	0.5	0.1	0.02	
52-528	new_100	1183	1188	5	4.3	27.4	0.1	1	0.613
52-528		1188	1190	2	0	0.5	0.1	0.01	
52-528		1243.5	1245	1.5	0	0.534	0.1	0.035	
52-528		1257.2	1257.9	0.7	0	0.5	0.1	0.01	
52-528		1270.1	1272.8	2.7	0	0.5	0.1	0.025	
52-528		1397.8	1399.3	1.5	0	0.5	0.1	0.019	
52-528		1443.2	1445	1.8	0	1.89	0.1	0.241	
52-528		1574.3	1576.3	2	0	0.5	0.1	0.047	
52-528	034hw2_100	384.2	384.8	0.6	0.3	174	0.1	4.5	3.52
52-528	034hw_100	468.5	469	0.5	0	0.5	0.1	0.01	
52-528		578.9	579.5	0.6	0	0.5	0.1	0.01	
52-528		679.9	680.6	0.7	0	4.04	0.1	0.085	
52-528		796	796.5	0.5	0	0.5	0.1	0.01	
52-528		876.3	878.3	2	0	0.5	0.1	0.01	
52-528		904.6	905.1	0.5	0	1.73	0.1	0.027	
52-528		905.1	906.7	1.6	0	0.5	0.1	0.01	
52-528		963.6	964.1	0.5	0	0.5	0.1	0.01	
52-528		979.5	980.9	1.4	0	0.5	0.1	0.01	
52-528		994.5	995	0.5	0	10.2	0.1	0.125	
52-528		1046.5	1047.3	0.8	0	78.8	0.1	0.724	0.59
52-528		1047.3	1048.4	1.1	0	4.81	0.1	0.049	
52-528		1140	1144	4	0	1.25	0.1	0.073	
52-528		1164.1	1165.8	1.7	0	0.836	0.1	0.04	
52-528		1172.7	1176.3	3.6	0	1.29	0.1	0.063	
52-528		1204.3	1207.3	3	0	0.5	0.1	0.01	
52-528		1230	1230.7	0.7	0	0.5	0.1	0.01	
52-528		1439.3	1443.2	3.9	0	0.5	0.1	0.062	
52-528		280.7	285	4.3	0	0.5	0.1	0.01	
52-528		285	287.5	2.5	0	0.5	0.1	0.01	
52-528		287.6	290	2.4	0	0.5	0.1	0.012	
52-528		295	298.5	3.5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-528		298.5	301.2	2.7	0	0.5	0.1	0.01	
52-528		301.2	301.7	0.5	0	44.4	0.1	0.775	
52-528		301.7	302.5	0.8	0	0.5	0.1	0.01	
52-528		316.6	318.5	1.9	0	0.5	0.1	0.01	
52-528	034_100	508.4	508.9	0.5	0	13.9	0.1	0.311	
52-528	034fws_100	511.8	512.3	0.5	0	11	0.1	0.391	
52-528		630.5	631	0.5	0	0.5	0.1	0.01	
52-528	034fw2_100	641.8	643.7	1.9	1.56	25.2	0.1	0.761	0.282
52-528	034fw3_100	696.5	698.2	1.7	1.67	3.9	0.1	0.115	
52-528		764.7	765.3	0.6	0	1.24	0.1	0.02	
52-528		799.2	799.7	0.5	0	0.5	0.1	0.01	
52-528		815	815.9	0.9	0	0.5	0.1	0.01	
52-528		906.7	907.2	0.5	0	2.23	0.1	0.028	
52-528		916.7	917.8	1.1	0	0.638	0.1	0.011	
52-528		988.6	993.2	4.6	0	7.33	0.1	0.083	
52-528		993.2	993.8	0.6	0	8.06	0.1	0.095	
52-528		993.8	994.5	0.7	0	36.2	0.1	0.499	
52-528		1044.7	1046.5	1.8	0	0.756	0.1	0.01	
52-528		1133.5	1135	1.5	0	0.5	0.1	0.013	
52-528		1135	1140	5	0	0.5	0.1	0.01	
52-528		1212	1215.2	3.2	0	0.5	0.1	0.01	
52-528		1224	1225.5	1.5	0	0.5	0.1	0.01	
52-528		1245	1245.8	0.8	0	0.5	0.1	0.063	
52-528		1245.8	1249.5	3.7	0	0.5	0.1	0.018	
52-528		1277.1	1277.6	0.5	0	0.5	0.1	0.01	
52-528		1464	1464.5	0.5	0	0.5	0.1	0.013	
52-528		1519.8	1520.3	0.5	0	2.36	0.1	0.196	
52-528		1531.9	1532.4	0.5	0	0.5	0.1	0.018	
52-528		1569.1	1570.1	1	0	0.5	0.1	0.032	
52-529		15	19	4	0	1.54	0.1	0.016	
52-529		19	22.5	3.5	0	0.5	0.1	0.01	
52-529		66	69	3	0	2.5	0.1	0.051	
52-529		69	71	2	0	0.5	0.1	0.01	
52-529		71	75	4	0	0.5	0.1	0.01	
52-529		85	88	3	0	0.5	0.1	0.01	
52-529		100	103	3	0	0.5	0.1	0.01	
52-529		108	113	5	0	0.5	0.1	0.01	
52-529	new_100	256	259	3	1.5	10.7	0.1	0.329	
52-529		347	352	5	0	0.5	0.1	0.01	
52-529		507	511	4	0	0.5	0.1	0.01	
52-529		519	520.5	1.5	0	0.5	0.1	0.01	
52-529		528.5	532	3.5	0	0.5	0.1	0.011	
52-529	034hw_100	543	545	2	0	1.43	0.1	0.043	
52-529		628	633	5	0	3	0.1	0.112	

Galena Complex Drill Results - January 20, 2026

52-529		769	769.7	0.7	0	18.8	0.1	0.293	
52-529		1	6	5	0	0.5	0.1	0.01	
52-529		22.5	27	4.5	0	1.73	0.1	0.024	
52-529		32	34	2	0	1.31	0.1	0.016	
52-529		50	54	4	0	0.95	0.1	0.015	
52-529		61	66	5	0	0.828	0.1	0.016	
52-529		88	91	3	0	0.5	0.1	0.01	
52-529		199	203	4	0	0.5	0.1	0.01	
52-529		246	249	3	0	0.5	0.1	0.01	
52-529	new_100	255.5	256	0.5	0.3	267	0.1	7.63	6.47
52-529		520.5	524.5	4	0	0.5	0.1	0.01	
52-529		633	637	4	0	0.5	0.1	0.012	
52-529		986.6	987.9	1.3	0	0.5	0.1	0.01	
52-529		1052	1053.8	1.8	0	0.5	0.1	0.01	
52-529		1053.8	1058.4	4.6	0	1.68	0.1	0.028	
52-529		1058.4	1059.6	1.2	0	0.5	0.1	0.01	
52-529		1248.8	1250.3	1.5	0	1.41	0.1	0.014	
52-529		1276.5	1277.9	1.4	0	1.66	0.1	0.022	
52-529		1696.9	1698.3	1.4	0	8.36	0.1	0.37	
52-529		1050.5	1052	1.5	0	0.5	0.1	0.01	
52-529		1185	1187.7	2.7	0	0.5	0.1	0.01	
52-529		1799.4	1800.4	1	0	0.5	0.1	0.016	
52-529		1801.8	1802.4	0.6	0	0.5	0.1	0.015	
52-529		1802.5	1803.5	1	0	4.63	0.101	0.507	0.0957
52-529		6	10	4	0	1.58	0.1	0.019	
52-529		10	14	4	0	3.4	0.1	0.041	
52-529		27	32	5	0	4.15	0.1	0.053	
52-529		80	85	5	0	0.5	0.1	0.01	
52-529		203	205	2	0	0.5	0.1	0.01	
52-529		215	220	5	0	0.5	0.1	0.01	
52-529		238	242	4	0	0.5	0.1	0.01	
52-529		242	246	4	0	0.885	0.1	0.029	
52-529	new_100	251.5	254	2.5	1.3	4.98	0.1	0.163	
52-529		323.5	328.5	5	0	0.5	0.1	0.01	
52-529		352	353.7	1.7	0	0.5	0.1	0.01	
52-529		374	375	1	0	0.5	0.1	0.01	
52-529		524.5	528.5	4	0	0.5	0.1	0.01	
52-529		579	582	3	0	0.5	0.1	0.011	
52-529		806.5	807	0.5	0	2.39	0.1	0.03	
52-529		1156.6	1158.5	1.9	0	0.595	0.1	0.01	
52-529		1258.5	1260.2	1.7	0	2.93	0.1	0.031	
52-529		1286	1286.6	0.6	0	1.6	0.1	0.019	
52-529		1304	1308.6	4.6	0	0.639	0.1	0.01	
52-529		1696	1696.9	0.9	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-529		1698.3	1699.3	1	0	0.5	0.1	0.025	
52-529		1803.5	1804	0.5	0	1.03	0.1	0.222	
52-529		40	44	4	0	0.5	0.1	0.01	
52-529		44	46	2	0	0.63	0.1	0.01	
52-529		54	56	2	0	0.539	0.1	0.02	
52-529		56	61	5	0	0.5	0.1	0.01	
52-529		75	80	5	0	0.5	0.1	0.01	
52-529		103	108	5	0	0.5	0.1	0.01	
52-529		113	115	2	0	0.5	0.1	0.01	
52-529		189.5	192	2.5	0	0.5	0.1	0.01	
52-529		211	215	4	0	0.5	0.1	0.01	
52-529		249	251.5	2.5	0	0.5	0.1	0.015	
52-529		511	515.5	4.5	0	0.5	0.1	0.01	
52-529		515.5	519	3.5	0	0.5	0.1	0.01	
52-529		582	586.5	4.5	0	2.82	0.1	0.082	
52-529	034_100	586.5	588.5	2	1.7	52.2	0.1	1.23	
52-529		588.5	592.5	4	0	2.14	0.1	0.075	
52-529		931.8	933	1.2	0	3.62	0.1	0.033	
52-529		1075	1078.2	3.2	0	4.49	0.1	0.046	
52-529		1171.5	1172.7	1.2	0	0.5	0.1	0.01	
52-529		1221.9	1223.5	1.6	0	0.653	0.1	0.01	
52-529		1506	1507.6	1.6	0	0.5	0.1	0.01	
52-529		1800.4	1801.8	1.4	0	0.5	0.1	0.085	
52-530		1258	1261.5	3.5	0	1.89	0.1	0.021	
52-530		1261.5	1263.5	2	0	3.96	0.1	0.041	
52-530		1270	1275	5	0	0.5	0.1	0.01	
52-530		1320.6	1322	1.4	0	1.52	0.1	0.019	
52-530		1322	1326	4	0	0.5	0.1	0.01	
52-530		1357.3	1360.5	3.2	0	1.07	0.1	0.017	
52-530		1368.5	1370	1.5	0	0.752	0.1	0.01	
52-530		1383.2	1384	0.8	0	15.4	0.128	0.194	
52-530		1397	1402	5	0	0.5	0.1	0.01	
52-530		1407	1408	1	0	0.856	0.1	0.015	
52-530		1408	1409	1	0	0.546	0.1	0.01	
52-530		440	443	3	0	0.5	0.1	0.01	
52-530	034_100	640	643	3	0	1.72	0.1	0.035	
52-530		778.5	781.5	3	0	0.5	0.1	0.01	
52-530		436.5	440	3.5	0	0.5	0.1	0.01	
52-530		484	485	1	0	0.5	0.1	0.01	
52-530		497.5	499.5	2	0	0.5	0.1	0.01	
52-530		683	684	1	0	0.626	0.1	0.018	
52-530		805	806	1	0	43.2	0.2	1.69	0.86
52-530		811	816	5	0	0.5	0.1	0.016	
52-530		819	823	4	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-530		49.7	54.7	5	0	0.5	0.1	0.01
52-530		189	190.5	1.5	0	0.5	0.1	0.01
52-530		195	198.8	3.8	0	0.5	0.1	0.01
52-530		1275	1280	5	0	0.518	0.1	0.01
52-530		1326	1330	4	0	0.5	0.1	0.01
52-530		1340	1345	5	0	0.5	0.1	0.01
52-530		1349.8	1354	4.2	0	0.5	0.1	0.01
52-530		1354	1357.3	3.3	0	0.5	0.1	0.01
52-530		1360.5	1363	2.5	0	0.5	0.1	0.01
52-530		1367	1368.5	1.5	0	0.5	0.1	0.01
52-530		1375	1380	5	0	0.836	0.1	0.012
52-530		1380	1383.2	3.2	0	0.5	0.1	0.01
52-530		1384	1385.5	1.5	0	0.5	0.1	0.01
52-530		1432	1434.5	2.5	0	0.745	0.1	0.017
52-530		1434.5	1438.5	4	0	0.5	0.1	0.01
52-530		1442	1447	5	0	0.5	0.1	0.01
52-530		1515	1517	2	0	0.5	0.1	0.01
52-530		1528	1528.5	0.5	0	0.5	0.1	0.01
52-530		1533	1534.5	1.5	0	0.5	0.1	0.01
52-530		255	259.5	4.5	0	0.5	0.1	0.01
52-530		310	315	5	0	0.5	0.1	0.01
52-530		333.5	338.5	5	0	0.5	0.1	0.01
52-530		343.5	345.6	2.1	0	0.5	0.1	0.01
52-530		375	380	5	0	0.5	0.1	0.017
52-530		395.6	397.6	2	0	0.5	0.1	0.01
52-530		78	83	5	0	0.5	0.1	0.01
52-530	034hw_100	614	615.5	1.5	0	6.79	0.1	0.13
52-530		667	670	3	0	2.45	0.1	0.058
52-530		769.5	770.2	0.7	0	1.49	0.1	0.042
52-530	034fw3_100	770.2	772	1.8	0	0.5	0.1	0.01
52-530	034fw3_100	772	773.5	1.5	0	19	0.1	0.706
52-530		773.5	778.5	5	0	0.5	0.1	0.012
52-530		806	811	5	0	1.69	0.1	0.078
52-530		816	819	3	0	0.5	0.1	0.01
52-530		2	7	5	0	1.25	0.1	0.017
52-530		7	10.8	3.8	0	1.48	0.1	0.019
52-530		10.8	14.9	4.1	0	1.14	0.1	0.015
52-530		23.6	24.6	1	0	0.5	0.1	0.01
52-530		97.5	98.1	0.6	0	0.5	0.1	0.01
52-530		117.2	117.7	0.5	0	0.5	0.1	0.01
52-530		190.5	195	4.5	0	0.5	0.1	0.01
52-530		210.3	211.3	1	0	0.5	0.1	0.01
52-530		273.7	274.5	0.8	0	0.5	0.1	0.01
52-530		315	320	5	0	0.5	0.1	0.01

Galena Complex Drill Results - January 20, 2026

52-530	1253	1254.2	1.2	0	1.53	0.1	0.02
52-530	1265	1270	5	0	0.5	0.1	0.01
52-530	1283	1285	2	0	0.5	0.1	0.01
52-530	1285	1290	5	0	0.5	0.1	0.01
52-530	1310	1315	5	0	0.5	0.1	0.01
52-530	1317.5	1320	2.5	0	1.48	0.1	0.018
52-530	1320	1320.6	0.6	0	0.5	0.1	0.01
52-530	1330	1335	5	0	0.5	0.1	0.01
52-530	1370	1375	5	0	0.5	0.1	0.01
52-530	1385.5	1390	4.5	0	0.5	0.1	0.01
52-530	1390	1392	2	0	0.5	0.1	0.01
52-530	1402	1407	5	0	0.5	0.1	0.01
52-530	1414	1419	5	0	0.5	0.1	0.01
52-530	1429	1432	3	0	0.5	0.1	0.01
52-530	1447	1450	3	0	0.5	0.1	0.01
52-530	1450	1452	2	0	0.5	0.1	0.01
52-530	1523	1523.5	0.5	0	0.637	0.1	0.01
52-530	338.5	343.5	5	0	0.5	0.1	0.01
52-530	384.6	386	1.4	0	1.31	0.1	0.062
52-530	823	825	2	0	0.5	0.1	0.01
52-530	831.5	832.2	0.7	0	0.5	0.1	0.01
52-530	1005	1010	5	0	0.5	0.1	0.01
52-530	1105	1110	5	0	0.5	0.1	0.01
52-530	1120	1125	5	0	0.5	0.1	0.01
52-530	1125	1130	5	0	0.5	0.1	0.01
52-530	1149	1153	4	0	0.5	0.1	0.01
52-530	1254.2	1258	3.8	0	0.5	0.1	0.01
52-530	1263.5	1265	1.5	0	1.29	0.1	0.014
52-530	1280	1283	3	0	0.5	0.1	0.01
52-530	1297	1299.6	2.6	0	0.5	0.1	0.01
52-530	1315	1317.5	2.5	0	0.5	0.1	0.01
52-530	1335	1340	5	0	0.5	0.1	0.01
52-530	1345	1347.5	2.5	0	0.5	0.1	0.01
52-530	1347.5	1349.8	2.3	0	3.13	0.1	0.047
52-530	1363	1366	3	0	0.5	0.1	0.01
52-530	1366	1367	1	0	0.5	0.1	0.01
52-530	1392	1397	5	0	0.61	0.1	0.01
52-530	1409	1414	5	0	0.5	0.1	0.01
52-530	1419	1424	5	0	0.5	0.1	0.01
52-530	1424	1429	5	0	0.552	0.1	0.01
52-530	1510	1512.5	2.5	0	0.5	0.1	0.01
52-530	1514	1515	1	0	0.5	0.1	0.01
52-530	1534.5	1536.5	2	0	0.598	0.1	0.01
52-530	1543	1547	4	0	0.5	0.1	0.01

Galena Complex Drill Results - January 20, 2026

52-530	1547	1547.5	0.5	0	0.5	0.1	0.01
52-530	1612	1613.5	1.5	0	1.39	0.1	0.02
52-530	433	436.5	3.5	0	0.5	0.1	0.01
52-530	765.5	769.5	4	0	0.5	0.1	0.01
52-530	800.5	803.5	3	0	0.5	0.1	0.01
52-530	803.5	805	1.5	0	0.675	0.1	0.037
52-530	68	73	5	0	0.5	0.123	0.01
52-530	184.2	189	4.8	0	0.5	0.1	0.01
52-530	284.3	287.6	3.3	0	0.5	0.1	0.01
52-530	304.4	305.5	1.1	0	0.5	0.1	0.01
52-530	320	325	5	0	0.5	0.1	0.01
52-530	825	826.5	1.5	0	7.97	0.1	0.162
52-530	851	852	1	0	0.5	0.1	0.01
52-530	916	920	4	0	0.5	0.1	0.01
52-530	1014	1017	3	0	0.5	0.1	0.01
52-530	1026	1029.5	3.5	0	0.638	0.1	0.012
52-530	1096	1100	4	0	0.5	0.416	0.01
52-530	1115	1120	5	0	0.5	0.1	0.01
52-530	1174.5	1178.5	4	0	0.5	0.1	0.01
52-530	1186	1189	3	0	0.5	0.1	0.01
52-530	1438.5	1442	3.5	0	0.5	0.1	0.01
52-530	1468.8	1469.5	0.7	0	1.45	0.1	0.026
52-530	1507	1509	2	0	0.519	0.1	0.01
52-530	1509	1510	1	0	0.5	0.1	0.01
52-530	1512.5	1514	1.5	0	3.91	0.1	0.038
52-530	1523.5	1528	4.5	0	0.5	0.1	0.01
52-530	1547.5	1551	3.5	0	0.5	0.1	0.01
52-530	826.5	831.5	5	0	0.5	0.1	0.01
52-530	920	925	5	0	0.5	0.1	0.01
52-530	1000	1005	5	0	0.553	0.1	0.012
52-530	1076	1080	4	0	0.5	0.134	0.01
52-530	1080	1084	4	0	0.5	0.1	0.01
52-530	1088	1092	4	0	0.5	0.1	0.01
52-530	1100	1105	5	0	1.12	1.26	0.01
52-530	1110	1115	5	0	0.5	0.1	0.01
52-530	1153	1155.5	2.5	0	0.5	0.1	0.01
52-530	1171	1174	3	0	0.5	0.1	0.01
52-530	107.5	109.5	2	0	0.5	0.1	0.01
52-530	109.5	113.8	4.3	0	0.5	0.1	0.01
52-530	54.7	59.7	5	0	0.52	0.1	0.013
52-530	247.8	250	2.2	0	0.5	0.1	0.01
52-530	365	370	5	0	0.5	0.1	0.01
52-530	370	375	5	0	0.5	0.1	0.01
52-530	380	384.6	4.6	0	0.5	0.1	0.01

Galena Complex Drill Results - January 20, 2026

52-530		1010	1014	4	0	0.5	0.1	0.01	
52-530		1017	1022	5	0	0.5	0.1	0.01	
52-530		1022	1026	4	0	0.5	0.1	0.01	
52-530		1084	1088	4	0	0.5	0.1	0.01	
52-530		1092	1096	4	0	0.643	0.596	0.01	
52-530		1155.5	1159.5	4	0	0.5	0.1	0.01	
52-530		1174	1174.5	0.5	0	78	0.1	0.613	
52-530		1189	1190.5	1.5	0	0.5	0.1	0.01	
52-530		1212	1213	1	0	1.12	0.1	0.012	
52-531	new_100	769.5	771.8	2.3	1.5	0.5	0.1	0.01	
52-531		12	12.7	0.7	0	2.3	0.1	0.03	
52-531		41.6	45.5	3.9	0	1.55	0.1	0.038	
52-531		45.5	50	4.5	0	2.5	0.1	0.049	
52-531		104.6	107	2.4	0	0.5	0.1	0.01	
52-531		134.3	139	4.7	0	0.5	0.1	0.01	
52-531		261.5	265.5	4	0	0.5	0.1	0.01	
52-531		272	272.6	0.6	0	0.5	0.1	0.01	
52-531	034hw_100	456.5	457.5	1	0.5	168	0.106	3.51	3.42
52-531		464	464.8	0.8	0	19.7	0.1	0.696	
52-531		498.3	503.3	5	0	0.5	0.1	0.031	
52-531		5	10.2	5.2	0	1.74	0.1	0.021	
52-531		63.9	67.6	3.7	0	0.5	0.1	0.01	
52-531		67.7	70.5	2.8	0	0.5	0.1	0.01	
52-531		242.6	246.5	3.9	0	0.577	0.1	0.015	
52-531		256.4	261	4.6	0	0.554	0.1	0.015	
52-531		261	261.5	0.5	0	72	0.1	1.82	1.7
52-531		270	272	2	0	0.5	0.1	0.01	
52-531	034hw3_100	341.5	346.5	5	0	0.517	0.1	0.011	
52-531	034hw2a_100	356.5	358.8	2.3	0	1.17	0.1	0.023	
52-531		413	413.6	0.6	0	4	0.1	0.148	
52-531		457.5	460	2.5	0	0.5	0.1	0.01	
52-531	034_100	503.3	506.8	3.5	2.87	23.6	0.1	0.896	0.181
52-531	034fws_100	538.7	539.7	1	0	23	0.1	0.418	
52-531		566.1	566.6	0.5	0	0.5	0.1	0.01	
52-531		1259.6	1260.6	1	0	0.5	0.1	0.01	
52-531		1265	1269.4	4.4	0	0.5	0.1	0.01	
52-531		1381.7	1385.6	3.9	0	0.5	0.1	0.016	
52-531		522.9	523.6	0.7	0	0.574	0.1	0.012	
52-531		1357.6	1362.2	4.6	0	0.5	0.1	0.029	
52-531		21	21.6	0.6	0	1.95	0.1	0.026	
52-531		72.5	77	4.5	0	0.5	0.1	0.01	
52-531		191	196	5	0	0.5	0.1	0.01	
52-531		265.5	270	4.5	0	0.5	0.1	0.01	
52-531	034hw_100	454.8	456.5	1.7	0.8	9.97	0.1	0.229	

Galena Complex Drill Results - January 20, 2026

52-531		460	464	4	0	0.5	0.1	0.01	
52-531		464.8	466.8	2	0	0.5	0.1	0.012	
52-531		497.7	498.3	0.6	0	2.63	0.1	0.076	
52-531		492.2	492.7	0.5	0	0.5	0.1	0.011	
52-531		1228.9	1229.8	0.9	0	1.3	0.1	0.099	
52-531		1260.6	1265	4.4	0	0.532	0.1	0.045	
52-531		1269.4	1272.2	2.8	0	0.5	0.1	0.019	
52-531		1295.5	1296.7	1.2	0	1.63	0.1	0.309	
52-531		1352.5	1355	2.5	0	1.55	0.1	0.13	
52-531		1355	1357.6	2.6	0	0.5	0.1	0.01	
52-531		1362.2	1366.3	4.1	0	0.5	0.1	0.022	
52-531		14.5	15.7	1.2	0	12.2	0.1	0.153	
52-531		70.5	72.5	2	0	1.66	0.1	0.033	
52-531		77	79.8	2.8	0	0.5	0.1	0.01	
52-531		241.6	242.6	1	0	0.5	0.1	0.01	
52-531	034hw2_100	398.4	399.1	0.7	0	20	0.1	0.839	
52-531		418	418.5	0.5	0	1.18	0.1	0.013	
52-531	034hw1a_100	433.1	433.6	0.5	0	5.22	0.1	0.144	
52-531		595.7	596.6	0.9	0	0.5	0.1	0.01	
52-531	034fw2_100	631.4	631.9	0.5	0	2.09	0.1	0.036	
52-531		1312	1315.8	3.8	0	0.5	0.1	0.011	
52-531		1375.5	1377.3	1.8	0	0.5	0.1	0.01	
52-531		1377.5	1381.7	4.2	0	0.5	0.1	0.012	
52-531	new_100`	772.5	774.5	2	1.3	0.5	0.1	0.01	
52-531		884.3	885	0.7	0	1.7	0.1	0.018	
52-531		929.7	930.4	0.7	0	0.5	0.1	0.01	
52-531		930.4	932	1.6	0	0.5	0.1	0.01	
52-531		934.8	937	2.2	0	0.5	0.1	0.01	
52-531		1192	1195.5	3.5	0	0.884	0.1	0.068	
52-531		1005	1007.5	2.5	0	0.5	0.1	0.01	
52-531		1007.5	1011.2	3.7	0	0.5	0.1	0.01	
52-531		1110.2	1111	0.8	0	3.06	0.1	0.03	
52-531		1195.5	1196	0.5	0	3.27	0.1	0.181	
52-531		1140	1141.8	1.8	0	1.63	0.1	0.066	
52-531	034fw3_100	675.5	678.5	3	0	3.78	0.1	0.093	
52-531	new_100	771.8	772.5	0.7	0.4	100	0.1	1.46	0.802
52-531		820.4	822.5	2.1	0	6.8	0.1	0.087	
52-531		887.5	888	0.5	0	2.95	0.1	0.03	
52-531		921.5	922.5	1	0	4.88	0.1	0.064	
52-531		932	934.8	2.8	0	0.5	0.1	0.01	
52-531		977.5	981.5	4	0	0.5	0.1	0.01	
52-531		1196	1200	4	0	0.532	0.1	0.046	
52-532		569.6	573.1	3.5	0	0.5	0.1	0.01	
52-532		818.8	819.4	0.6	0	2.72	0.1	0.036	

Galena Complex Drill Results - January 20, 2026

52-532		821.5	823	1.5	0	0.775	0.1	0.01	
52-532		893	897.8	4.8	0	0.5	0.1	0.01	
52-532		977.2	977.7	0.5	0	1.08	0.1	0.016	
52-532		1001.6	1002.1	0.5	0	0.5	0.1	0.01	
52-532		1202	1207	5	0	9.19	0.337	0.453	
52-532		1211.6	1214.6	3	0	0.5	0.1	0.03	
52-532		1260	1263.7	3.7	0	0.5	0.1	0.01	
52-532		569.1	569.6	0.5	0	6	0.1	0.134	
52-532		851.8	852.3	0.5	0	0.5	0.1	0.01	
52-532		923.3	928	4.7	0	0.5	0.1	0.01	
52-532		1201	1202	1	0	4.02	0.1	0.077	
52-532		1224.3	1227.7	3.4	0	0.5	0.1	0.01	
52-532		1227.7	1231.1	3.4	0	0.5	0.1	0.015	
52-532		1231.6	1235	3.4	0	1.21	0.1	0.08	
52-532		1242	1246.9	4.9	0	0.5	0.1	0.011	
52-532		1263.7	1268.6	4.9	0	0.5	0.1	0.024	
52-532		703.7	704.5	0.8	0	0.5	0.1	0.013	
52-532		887.5	888.3	0.8	0	1.21	0.1	0.015	
52-532		1065.8	1066.3	0.5	0	0.5	0.1	0.01	
52-532		1207	1211.6	4.6	0	2.72	0.1	0.147	
52-532		1235	1237	2	0	1.09	0.1	0.066	
52-532		1277.4	1282	4.6	0	0.5	0.1	0.037	
52-532		554.5	555.5	1	0	0.5	0.1	0.01	
52-532		656.2	656.7	0.5	0	2.15	0.1	0.056	
52-532		819.4	821.5	2.1	0	0.5	0.1	0.01	
52-532		938.1	938.6	0.5	0	0.5	0.1	0.01	
52-532		959.6	960.1	0.5	0	0.985	0.1	0.011	
52-532		1231.1	1231.6	0.5	0	4.77	0.1	0.222	
52-532		1255.2	1260	4.8	0	0.5	0.1	0.02	
52-532		1237	1242	5	0	0.5	0.1	0.012	
52-532		20	21.5	1.5	0	1.23	0.1	0.014	
52-532		52	57	5	0	0.5	0.1	0.01	
52-532		57.9	60.3	2.4	0	0.5	0.1	0.01	
52-532		63.9	64.7	0.8	0	0.5	0.1	0.01	
52-532	034hw2a_100	361.5	362.5	1	1	5.68	0.1	0.289	
52-532	034hw2a_100	363	364	1	1	1.82	0.1	0.08	
52-532		415.5	418.2	2.7	0	3.64	0.1	0.098	
52-532	034hw2_100	418.2	418.7	0.5	0	14.9	0.1	0.585	0.184
52-532		422.4	424.9	2.5	0	0.889	0.1	0.02	
52-532		473.7	474.8	1.1	0	0.5	0.1	0.01	
52-532	034fws_100	545.5	546.1	0.6	0.5	136	0.1	2.3	2.1
52-532		10	15	5	0	3.56	0.1	0.039	
52-532		57	57.9	0.9	0	12	0.1	0.246	
52-532		60.3	63.9	3.6	0	0.966	0.1	0.018	

Galena Complex Drill Results - January 20, 2026

52-532		138.7	143.3	4.6	0	0.5	0.1	0.01	
52-532		213.3	215	1.7	0	0.5	0.1	0.01	
52-532		245	250	5	0	2.69	0.1	0.074	
52-532		440.2	440.9	0.7	0	0.884	0.1	0.023	
52-532	034hw_100	472.2	473.7	1.5	0	18.6	0.1	0.369	
52-532	034_100	520	522	2	1.8	4.39	0.1	0.103	
52-532		7.6	10	2.4	0	0.686	0.1	0.01	
52-532		42.5	46.2	3.7	0	4.33	0.1	0.104	
52-532		48.5	52	3.5	0	0.98	0.1	0.015	
52-532		72.5	75.3	2.8	0	0.5	0.1	0.01	
52-532		75.3	77.7	2.4	0	1.73	0.1	0.032	
52-532		97.5	98.4	0.9	0	0.5	0.1	0.01	
52-532	new_100	201.4	202.1	0.7	0.4	120	0.1	3.58	
52-532	034hw2a_100	362.5	363	0.5	0.4	186	0.1	4	3.58
52-532	034hw2_100	421.4	422.4	1	0	2.7	0.1	0.039	
52-532		453.2	454	0.8	0	0.5	0.1	0.01	
52-532	034hw1a_100	454	456.9	2.9	1.7	1.07	0.1	0.022	
52-532	034hw1a_100	456.9	458.1	1.2	0.7	99.6	0.1	1.94	1.88
52-532		458.1	460	1.9	0	0.5	0.1	0.01	
52-532		488.6	489.7	1.1	0	1.77	0.1	0.047	
52-532	034_100	522	525.3	3.3	3	57.8	0.1	1.23	0.351
52-532	034fws_100	544	545.5	1.5	1.3	0.777	0.1	0.011	
52-532		546.1	550	3.9	0	0.5	0.1	0.013	
52-532		550	554	4	0	0.5	0.1	0.012	
52-532		5.7	7.6	1.9	0	1.17	0.1	0.014	
52-532		15	20	5	0	0.908	0.1	0.012	
52-532		46.2	48.5	2.3	0	0.787	0.1	0.018	
52-532		70.4	72.5	2.1	0	0.5	0.1	0.01	
52-532		103.5	107	3.5	0	0.5	0.1	0.01	
52-532		107	111	4	0	0.5	0.1	0.01	
52-532		184.1	188.7	4.6	0	0.5	0.1	0.01	
52-532	034hw2_100	418.7	421.4	2.7	0	2.73	0.1	0.12	
52-532	034hw_100	467.7	472.2	4.5	0	7.41	0.1	0.202	
52-532		525.3	526.3	1	0	2.26	0.1	0.048	
52-532		554	554.5	0.5	0	63	0.1	1.15	0.566
52-533		9.5	10.7	1.2	0	38	0.1	0.395	
52-533		16.7	20	3.3	0	0.5	0.1	0.01	
52-533		346.4	347.2	0.8	0	0.5	0.1	0.021	
52-533	034hw_100	396.3	396.8	0.5	0	4.3	0.1	0.128	
52-533		435.7	436.3	0.6	0	0.5	0.1	0.01	
52-533		485.3	485.8	0.5	0	9.21	0.1	0.341	
52-533		599	604	5	0	7	0.1	0.128	
52-533		759.5	760.7	1.2	0	0.5	0.1	0.01	
52-533		1234.3	1236.8	2.5	0	0.982	0.1	0.024	

Galena Complex Drill Results - January 20, 2026

52-533		1241.7	1242.5	0.8	0	0.918	0.1	0.062	
52-533		2	3	1	0	1.2	0.1	0.018	
52-533		210.2	214.3	4.1	0	0.5	0.1	0.01	
52-533	034hw2a_100	349.5	350.4	0.9	0	66	0.1	2.84	
52-533		192.7	193.3	0.6	0	40	0.1	1.58	1.14
52-533		390.9	391.5	0.6	0	0.5	0.1	0.011	
52-533		410.7	411.2	0.5	0	4.21	0.1	0.119	
52-533	034_100	440.5	443.2	2.7	0	5.87	0.1	0.204	
52-533	034fws_100	507.5	508.1	0.6	0	3.6	0.1	0.087	
52-533		637.1	638.2	1.1	0	0.5	0.1	0.01	
52-533		760.7	761.6	0.9	0	1.17	0.1	0.024	
52-533		781.7	786.7	5	0	0.5	0.1	0.01	
52-533		797.7	801	3.3	0	1.21	0.1	0.015	
52-533		877.9	881.1	3.2	0	0.5	0.1	0.01	
52-533		1070.4	1072	1.6	0	10.6	0.1	0.48	
52-533		1116.3	1119	2.7	0	0.5	0.1	0.01	
52-533		20	22.6	2.6	0	4.3	0.1	0.06	
52-533		99	101.1	2.1	0	0.5	0.1	0.01	
52-533		208.9	210.2	1.3	0	0.5	0.1	0.01	
52-533		214.3	217.6	3.3	0	0.5	0.1	0.01	
52-533		347.2	349.5	2.3	0	0.5	0.1	0.015	
52-533		374.5	375	0.5	0	1.12	0.1	0.029	
52-533		589.5	590	0.5	0	3.12	0.137	0.062	
52-533		796.2	797.7	1.5	0	8.37	0.1	0.1	
52-533		840.1	840.7	0.6	0	3.19	0.1	0.046	
52-533		1082.8	1087.6	4.8	0	0.755	0.1	0.1	
52-533		1122.4	1127.4	5	0	0.5	0.1	0.01	
52-533		1127.4	1129	1.6	0	0.5	0.1	0.017	
52-533		1163.5	1164.8	1.3	0	4.05	0.1	0.286	
52-533		1171.5	1174.6	3.1	0	0.5	0.1	0.031	
52-533		1230	1233.1	3.1	0	0.5	0.1	0.013	
52-533		1233.1	1234.3	1.2	0	0.5	0.1	0.03	
52-533		30.4	30.9	0.5	0	10.7	0.1	0.144	
52-533		46.7	50.2	3.5	0	6.06	0.1	0.138	
52-533		101.1	105	3.9	0	0.5	0.1	0.01	
52-533		105	107.3	2.3	0	0.5	0.1	0.01	
52-533		107.3	108.3	1	0	0.5	0.1	0.01	
52-533		217.6	219.5	1.9	0	0.5	0.1	0.01	
52-533		224.3	225.6	1.3	0	0.5	0.1	0.013	
52-533		403.6	404.1	0.5	0	2.43	0.1	0.094	
52-533		630.8	633.4	2.6	0	0.743	0.1	0.027	
52-533		633.4	637.1	3.7	0	0.849	0.1	0.018	
52-533		759	759.5	0.5	0	30.4	0.102	0.386	
52-533		761.6	765.1	3.5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-533		870.3	870.8	0.5	0	2.64	0.1	0.037	
52-533		962.5	963	0.5	0	5.03	0.145	0.069	
52-533		983.7	984.5	0.8	0	0.836	0.1	0.012	
52-533		1119	1122.4	3.4	0	0.5	0.1	0.012	
52-533		1159.5	1163.5	4	0	0.5	0.1	0.01	
52-533		1164.8	1165.8	1	0	0.5	0.1	0.01	
52-533		1210.9	1214.5	3.6	0	0.5	0.1	0.016	
52-534		256.5	259.5	3	0	0.5	0.1	0.01	
52-534		264.4	265.2	0.8	0	0.954	0.1	0.033	
52-534		265.2	270	4.8	0	0.5	0.1	0.01	
52-534		314	319	5	0	0.5	0.1	0.01	
52-534		336.5	340.6	4.1	0	0.5	0.1	0.01	
52-534		345.6	346.4	0.8	0	0.6	0.1	0.027	
52-534	034hw3_100	349.5	352.5	3	0	0.5	0.1	0.014	
52-534	034hw2a_100	362.8	363.5	0.7	0	47.2	0.14	1.2	
52-534		365	370	5	0	0.5	0.1	0.01	
52-534		305	309	4	0	0.5	0.1	0.01	
52-534		328	333	5	0	0.5	0.1	0.01	
52-534		333	336.5	3.5	0	0.5	0.1	0.011	
52-534		363.5	365	1.5	0	0.5	0.1	0.01	
52-534		375	379.5	4.5	0	0.5	0.1	0.01	
52-534		389.6	391	1.4	1.35	0.5	0.1	0.01	
52-534		391.5	395	3.5	0	1.16	0.1	0.041	
52-534		395	400	5	0	0.5	0.1	0.015	
52-534		406.5	410	3.5	0	0.5	0.1	0.01	
52-534	034hw_100	444	444.6	0.6	0	18.8	0.1	0.52	0.286
52-534		454.5	459.5	5	0	0.5	0.1	0.01	
52-534		464	467	3	0	0.647	0.1	0.026	
52-534	034_100	473.5	474	0.5	0	5.24	0.1	0.107	
52-534		479	483	4	0	1.42	0.1	0.025	
52-534		503	508	5	0	0.5	0.1	0.01	
52-534		508	510.2	2.2	0	0.5	0.1	0.01	
52-534		510.2	515.2	5	0	0.5	0.1	0.01	
52-534		525	530	5	0	0.5	0.1	0.01	
52-534		542	547	5	0	0.5	0.1	0.01	
52-534		570	575	5	0	0.5	0.1	0.01	
52-534		580	585	5	0	1.67	0.1	0.025	
52-534		370	375	5	0	0.681	0.1	0.022	
52-534		384.5	387.3	2.8	0	2.17	0.1	0.106	
52-534		403.5	405.9	2.4	0	0.5	0.1	0.01	
52-534		405.9	406.5	0.6	0	4.2	0.1	0.225	
52-534		410	413	3	0	0.5	0.1	0.01	
52-534		431	435.5	4.5	0	0.5	0.1	0.01	
52-534		435.5	439	3.5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-534		439	444	5	0	0.5	0.1	0.01	
52-534		467	470	3	0	0.5	0.1	0.01	
52-534		470	473.5	3.5	0	0.5	0.1	0.011	
52-534		483	488	5	0	0.5	0.1	0.01	
52-534		498	503	5	0	0.5	0.1	0.01	
52-534		562	566.5	4.5	0	0.5	0.1	0.01	
52-534		575	580	5	0	0.5	0.1	0.01	
52-534		585	590	5	0	0.5	0.1	0.01	
52-534		595	600	5	0	0.5	0.1	0.01	
52-534	034fw2_100	604.5	605.5	1	0.91	20.9	0.1	0.218	
52-534		615	620	5	0	0.5	0.1	0.01	
52-534		620	625	5	0	0.5	0.1	0.01	
52-534	034fw3_100	652.5	653.5	1	0.64	0.5	0.1	0.01	
52-534	034fw3_100	657.4	658	0.6	0.39	91	0.1	0.672	0.291
52-534		663	667	4	0	0.5	0.1	0.01	
52-534		688	692	4	0	0.5	0.1	0.01	
52-534		808	812.6	4.6	0	0.563	0.1	0.012	
52-534		817.6	819.6	2	0	8	0.1	0.1	
52-534		884.5	885	0.5	0	0.938	0.116	0.016	
52-534		978	980	2	0	0.5	0.1	0.01	
52-534		1006	1011	5	0	0.5	0.1	0.01	
52-534		1011	1016	5	0	0.5	0.1	0.01	
52-534		1016	1020	4	0	1.97	0.1	0.022	
52-534		58	63	5	0	0.565	0.1	0.013	
52-534		1057.8	1058.8	1	0	2.05	0.1	0.062	
52-534		1074	1076	2	0	0.5	0.1	0.016	
52-534		1080	1083	3	0	0.5	0.1	0.01	
52-534		1181.5	1185	3.5	0	0.5	0.1	0.032	
52-534		1189	1193	4	0	0.5	0.1	0.01	
52-534		1193	1197	4	0	0.5	0.1	0.035	
52-534		1220.1	1224.5	4.4	0	0.5	0.1	0.01	
52-534		1240	1245	5	0	0.5	0.1	0.01	
52-534		1245	1250	5	0	0.5	0.1	0.01	
52-534		1250	1255	5	0	0.5	0.1	0.01	
52-534		1255	1260	5	0	0.5	0.1	0.01	
52-534	034fw2_100	609.5	610	0.5	0.45	82.2	0.1	0.754	0.521
52-534		635	639.4	4.4	0	0.894	0.1	0.011	
52-534	034fw3_100	651.5	652.5	1	0.64	32.4	0.1	0.281	
52-534		687	688	1	0	1.15	0.1	0.02	
52-534		717	720	3	0	0.5	0.1	0.01	
52-534		758.5	760	1.5	0	0.5	0.1	0.01	
52-534		765	770	5	0	0.616	0.1	0.01	
52-534		784.5	789.1	4.6	0	0.5	0.1	0.01	
52-534		804	805	1	0	1.2	0.1	0.013	

Galena Complex Drill Results - January 20, 2026

52-534		812.6	817.6	5	0	0.5	0.1	0.01	
52-534		822	825	3	0	0.5	0.1	0.01	
52-534		864	864.5	0.5	0	0.5	0.1	0.01	
52-534		955.5	956.5	1	0	2.23	0.1	0.021	
52-534		985.5	987.3	1.8	0	1.01	0.1	0.01	
52-534		1001	1006	5	0	0.5	0.1	0.01	
52-534		63.5	65.5	2	0	0.5	0.1	0.01	
52-534		1076	1080	4	0	0.5	0.1	0.021	
52-534		1083	1088	5	0	0.511	0.1	0.037	
52-534		1185	1189	4	0	0.531	0.1	0.051	
52-534		1214.4	1219.4	5	0	0.5	0.1	0.01	
52-534		259.5	264.4	4.9	0	0.5	0.1	0.01	
52-534		324	328	4	0	0.5	0.1	0.01	
52-534		379.5	384.5	5	0	0.5	0.1	0.01	
52-534	034hw2_100	387.3	388.5	1.2	1.16	54.4	0.132	1.82	1.54
52-534	034hw2_100	388.5	389	0.5	0.48	422	0.64	13.2	
52-534		389	389.6	0.6	0.58	0.5	0.1	0.01	
52-534		421.5	426.5	5	0	0.5	0.1	0.01	
52-534		444.6	449.5	4.9	0	0.5	0.1	0.01	
52-534		459.5	464	4.5	0	0.5	0.1	0.01	
52-534		474	479	5	0	0.5	0.1	0.01	
52-534		488	493	5	0	0.5	0.1	0.01	
52-534		493	498	5	0	0.5	0.1	0.01	
52-534		515.2	515.7	0.5	0	0.5	0.1	0.01	
52-534		515.7	520.7	5	0	0.5	0.1	0.01	
52-534	034fws_100	520.7	521.5	0.8	0	31.6	0.1	0.377	
52-534		1300	1305	5	0	0.5	0.1	0.01	
52-534		1310	1315	5	0	0.5	0.1	0.03	
52-534		1315	1320	5	0	0.5	0.1	0.043	
52-534		1335	1340	5	0	0.5	0.1	0.01	
52-534		1348.5	1353.7	5.2	0	1.55	0.1	0.144	
52-534		1384.5	1386	1.5	0	0.5	0.1	0.018	
52-534		1404.5	1405	0.5	0	0.5	0.1	0.028	
52-534	034fws_100	521.5	525	3.5	0	0.5	0.1	0.01	
52-534		530	535	5	0	0.722	0.1	0.01	
52-534		535	539.5	4.5	0	0.5	0.1	0.01	
52-534		539.5	542	2.5	0	0.5	0.1	0.01	
52-534		552	557	5	0	0.5	0.1	0.01	
52-534		590	595	5	0	0.5	0.1	0.01	
52-534		625	630	5	0	0.5	0.1	0.01	
52-534		639.4	640.2	0.8	0	8.1	0.1	0.082	
52-534		646.5	651.5	5	0	0.5	0.1	0.01	
52-534	034fw3_100	653.5	654	0.5	0.32	29	0.1	0.227	
52-534	034fw3_100	654	657.4	3.4	2.19	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-534		667	669.5	2.5	0	0.5	0.1	0.01	
52-534		677	681	4	0	0.5	0.1	0.01	
52-534		709	712	3	0	0.5	0.1	0.01	
52-534		805	808	3	0	0.5	0.1	0.01	
52-534		819.6	822	2.4	0	0.5	0.1	0.01	
52-534		974	978	4	0	0.5	0.1	0.01	
52-534		1232.5	1235	2.5	0	0.5	0.1	0.01	
52-534		1296	1300	4	0	0.821	0.1	0.071	
52-534		1325	1330	5	0	0.5	0.1	0.012	
52-534		1330	1335	5	0	0.5	0.1	0.01	
52-534		1340	1345	5	0	0.5	0.1	0.01	
52-534		1347.3	1348.5	1.2	0	17.2	0.1	1.57	
52-534		980	982	2	0	4.73	0.1	0.046	
52-534		982	985.5	3.5	0	0.5	0.1	0.01	
52-534		996.5	1001	4.5	0	0.5	0.1	0.01	
52-534		63	63.5	0.5	0	3.6	0.1	0.076	
52-534		1161.5	1162.5	1	0	12.3	0.1	0.419	
52-534		1202	1207	5	0	0.5	0.1	0.01	
52-534		1219.4	1220.1	0.7	0	0.769	0.1	0.035	
52-534		1224.5	1228.5	4	0	0.5	0.1	0.01	
52-534		1292	1296	4	0	2.29	0.1	0.121	
52-534		1345	1347.3	2.3	0	0.5	0.1	0.054	
52-534		1353.7	1355	1.3	0	0.547	0.1	0.188	
52-534		1398.5	1399	0.5	0	4.54	0.1	0.41	
52-534		301	305	4	0	0.5	0.1	0.01	
52-534		309	314	5	0	0.5	0.1	0.01	
52-534		319	324	5	0	0.5	0.1	0.01	
52-534		340.6	345.6	5	0	0.5	0.1	0.01	
52-534		346.4	349.5	3.1	0	0.5	0.1	0.01	
52-534	034hw3_100	352.5	353	0.5	0	108	0.1	3.4	2.41
52-534	034hw3_100	353	358	5	0	0.5	0.1	0.016	
52-534		358	362.8	4.8	0	0.5	0.1	0.01	
52-534		391	391.5	0.5	0.48	6.03	0.1	0.44	
52-534		400	403	3	0	0.5	0.1	0.01	
52-534		403	403.5	0.5	0	0.5	0.1	0.01	
52-534		413	416.5	3.5	0	0.5	0.1	0.01	
52-534		416.5	421.5	5	0	0.5	0.1	0.01	
52-534		426.5	431	4.5	0	0.5	0.1	0.01	
52-534		449.5	454.5	5	0	0.5	0.1	0.01	
52-534		547	552	5	0	0.5	0.1	0.01	
52-534		557	562	5	0	0.5	0.1	0.01	
52-534	034fw1_100	566.5	570	3.5	0	20.5	0.1	0.258	
52-534		600	604.5	4.5	0	0.5	0.1	0.01	
52-534	034fw2_100	605.5	609.5	4	3.63	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-534		610	615	5	0	0.5	0.1	0.01	
52-534		630	635	5	0	3.32	0.1	0.037	
52-534		646	646.5	0.5	0	71	0.1	0.547	0.447
52-534		658	663	5	0	0.5	0.1	0.01	
52-534		681	682	1	0	4.99	0.1	0.052	
52-534		682	687	5	0	0.5	0.1	0.01	
52-534		712	717	5	0	0.5	0.1	0.01	
52-534		760	765	5	0	0.5	0.1	0.01	
52-534		789.1	789.6	0.5	0	0.575	0.1	0.01	
52-534		797	800	3	0	0.563	0.1	0.015	
52-534		800	804	4	0	0.5	0.1	0.01	
52-534		996	996.5	0.5	0	0.5	0.1	0.01	
52-534		1197	1202	5	0	0.5	0.1	0.038	
52-534		1207	1210	3	0	0.5	0.1	0.01	
52-534		1210	1212.8	2.8	0	0.5	0.1	0.01	
52-534		1212.8	1214.4	1.6	0	0.5	0.1	0.01	
52-534		1228.5	1232.5	4	0	0.5	0.1	0.013	
52-534		1235	1240	5	0	0.5	0.1	0.01	
52-534		1305	1310	5	0	0.5	0.1	0.019	
52-534		1320	1325	5	0	0.5	0.1	0.022	
52-534		1433	1437	4	0	0.5	0.1	0.019	
52-534		15.6	18.7	3.1	0	0.5	0.1	0.01	
52-534		90.3	91.8	1.5	0	0.63	0.1	0.01	
52-534		8	12	4	0	2.38	0.151	0.033	
52-534		12	15.6	3.6	0	3.86	0.1	0.056	
52-534		183	185.5	2.5	0	0.5	0.1	0.018	
52-534		204.5	207.6	3.1	0	1.32	0.1	0.048	
52-534		207.6	208.6	1	0	0.5	0.1	0.01	
52-534		217.3	218.8	1.5	0	0.5	0.1	0.01	
52-534		18.7	21.4	2.7	0	4.3	0.1	0.066	
52-534		21.4	23.4	2	0	0.871	0.1	0.012	
52-534		102.4	107.1	4.7	0	0.5	0.1	0.01	
52-534		185.5	186	0.5	0	5.72	0.1	0.268	
52-534		186	188	2	0	0.5	0.1	0.019	
52-535		78	82	4	0	0.862	0.1	0.027	
52-535		177	179	2	0	0.5	0.1	0.01	
52-535		180	185	5	0	0.5	0.1	0.01	
52-535		202	205	3	0	0.5	0.1	0.01	
52-535	032_100	205	209.5	4.5	0	0.5	0.1	0.01	
52-535		262.5	263	0.5	0	25.4	0.1	0.536	
52-535		273	277	4	0	0.5	0.1	0.01	
52-535		289	291	2	0	0.5	0.1	0.018	
52-535	034hw3_100	302.5	303	0.5	0	78.4	0.1	2.52	2.2
52-535		320	325	5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-535		335	340	5	0	0.941	0.1	0.04	
52-535		348	350	2	0	0.5	0.1	0.011	
52-535	034hw2a_100	350	351.7	1.7	0	23.6	0.1	0.744	0.363
52-535		374	377.5	3.5	0	0.523	0.1	0.022	
52-535		378	383	5	0	2.84	0.1	0.092	
52-535		414	419	5	0	0.5	0.1	0.01	
52-535		419	424	5	0	0.5	0.1	0.01	
52-535		490	495	5	0	2.67	0.1	0.046	
52-535		495	500	5	0	0.5	0.1	0.01	
52-535	034fw2_100	505	510	5	0	1.25	0.1	0.021	
52-535		520	525	5	0	0.5	0.1	0.01	
52-535	new_100	614	618	4	2.3	46.2	0.1	0.904	
52-535		654.5	657.5	3	0	4.71	0.1	0.087	
52-535		32	34.5	2.5	0	0.888	0.1	0.015	
52-535	035_100	44	45	1	0.91	54.8	0.1	1.01	0.387
52-535		70	72	2	0	0.5	0.1	0.011	
52-535		190	195	5	0	1.82	0.1	0.039	
52-535		200	202	2	0	3.52	0.1	0.078	
52-535		210	213.5	3.5	0	0.5	0.1	0.01	
52-535		270	273	3	0	0.643	0.1	0.018	
52-535		351.7	356.7	5	0	0.736	0.1	0.024	
52-535		364	364.5	0.5	0	0.5			
52-535		383	388	5	0	0.5	0.1	0.01	
52-535		398	400	2	0	0.518	0.1	0.019	
52-535	034_100	409.6	410.6	1	0	8.97	0.1	0.25	
52-535		429	434	5	0	2.47	0.1	0.048	
52-535		434	438	4	0	0.5	0.1	0.01	
52-535		500	505	5	0	0.5	0.1	0.01	
52-535		510	515	5	0	0.5	0.1	0.01	
52-535		585	590	5	0	1.28	0.1	0.035	
52-535		622	626.3	4.3	0	0.5	0.1	0.01	
52-535		28	31	3	0	0.737	0.1	0.011	
52-535		39	44	5	0	1.38	0.1	0.05	
52-535		45	48	3	0	0.5	0.1	0.01	
52-535		66.5	70	3.5	0	1.33	0.1	0.031	
52-535		82	87	5	0	0.5	0.1	0.01	
52-535		87	92	5	0	0.5	0.1	0.01	
52-535		92	97	5	0	0.5	0.1	0.01	
52-535		179	180	1	0	0.5	0.1	0.01	
52-535		255.5	260	4.5	0	1.54	0.1	0.049	
52-535		260	262.5	2.5	0	0.5	0.1	0.01	
52-535		277	282	5	0	1.22	0.1	0.033	
52-535		291	295	4	0	1.27	0.1	0.036	
52-535		325	330	5	0	0.5	0.1	0.017	

Galena Complex Drill Results - January 20, 2026

52-535	340	344	4	0	0.603	0.1	0.029	
52-535	377.5	378	0.5	0	20.3	0.1	0.692	0.306
52-535	393	398	5	0	0.602	0.1	0.023	
52-535	400	405	5	0	0.5	0.1	0.01	
52-535	405	409.6	4.6	0	1.84	0.1	0.049	
52-535	410.6	414	3.4	0	2.56	0.1	0.062	
52-535	685.5	686	0.5	0	2.36	0.1	0.043	
52-535	488.8	490	1.2	0	1.61	0.1	0.021	
52-535	515	520	5	0	0.574	0.1	0.011	
52-535	628	630	2	0	0.583	0.1	0.01	
52-535	651.5	654.5	3	0	1.04	0.1	0.023	
52-535	6	6.5	0.5	0	14.1	0.122	0.155	
52-535	34.5	39	4.5	0	0.724	0.1	0.015	
52-535	185	190	5	0	0.5	0.1	0.01	
52-535	195	196.5	1.5	0	0.5	0.1	0.01	
52-535	196.5	197	0.5	0	10.1	0.1	0.212	
52-535	197	200	3	0	0.5	0.1	0.011	
52-535	209.5	210	0.5	0	51.4	0.147	1.1	0.85
52-535	230	230.5	0.5	0	0.5	0.1	0.016	
52-535	330	335	5	0	0.5	0.1	0.017	
52-535	344	348	4	0	1.46	0.1	0.065	
52-535	369	374	5	0	2.1	0.1	0.072	
52-535	388	393	5	0	0.5	0.1	0.01	
52-535	424	429	5	0	0.5	0.1	0.01	
52-535	525	530	5	0	0.5	0.1	0.01	
52-535	538	540.5	2.5	0	1.35	0.135	0.018	
52-535	565.5	566	0.5	0	58.8	0.129	0.9	0.44
52-535	580	585	5	0	0.5	0.1	0.01	
52-535	618	622	4	0	0.668	0.1	0.015	
52-535	626.3	628	1.7	0	19.3	0.1	0.326	
52-535	810	815	5	0	0.897	0.1	0.027	
52-535	850.5	852.3	1.8	0	1.94	0.1	0.283	
52-535	856	859.5	3.5	0	1.84	0.1	0.152	
52-535	030_100	864.5	868.5	4	3.28	4.51	0.1	0.274
52-535		894.5	899.5	5	0	0.5	0.1	0.023
52-535		912.8	913.5	0.7	0	17	0.1	0.936
52-535		929.5	930	0.5	0	0.916	0.1	0.082
52-535		954.5	959.5	5	0	0.5	0.1	0.01
52-535		970.2	972.8	2.6	0	0.5	0.1	0.017
52-535		983	987.4	4.4	0	1.38	0.1	0.022
52-535		987.4	990.5	3.1	0	0.5	0.1	0.01
52-535		1113.5	1117.4	3.9	0	0.863	0.1	0.108
52-535		1120	1125	5	0	0.587	0.1	0.022
52-535		1140	1143	3	0	0.5	0.1	0.011

Galena Complex Drill Results - January 20, 2026

52-535		1148	1150	2	0	0.5	0.1	0.01	
52-535		1154	1159	5	0	0.5	0.1	0.01	
52-535		1159	1164	5	0	0.5	0.1	0.01	
52-535		1210	1215	5	0	0.5	0.1	0.034	
52-535	new_100	852.3	853.5	1.2	0.6	20.4	0.1	0.912	0.334
52-535		876	877.5	1.5	0	0.838	0.1	0.035	
52-535		899.5	904.5	5	0	0.5	0.1	0.013	
52-535		909.5	912.8	3.3	0	0.5	0.1	0.01	
52-535		913.5	918	4.5	0	0.5	0.1	0.033	
52-535		963.5	964.8	1.3	0	0.5	0.1	0.016	
52-535		965.6	970.2	4.6	0	0.5	0.1	0.01	
52-535		1036.1	1039.4	3.3	0	0.5	0.1	0.025	
52-535		1117.4	1120	2.6	0	1.24	0.1	0.055	
52-535		1193.1	1195	1.9	0	0.5	0.1	0.01	
52-535		1200	1205	5	0	0.5	0.1	0.01	
52-535		829	830	1	0	1.74	0.1	0.065	
52-535		847	849.9	2.9	0	1.77	0.1	0.146	
52-535		849.9	850.5	0.6	0	3.22	0.1	0.396	
52-535	030_100	859.5	864.5	5	4.1	18.4	0.1	1.24	
52-535		872.1	876	3.9	0	0.5	0.1	0.015	
52-535		879.5	884.5	5	0	0.5	0.1	0.022	
52-535		918	922	4	0	0.5	0.1	0.034	
52-535		926	929.5	3.5	0	0.5	0.1	0.01	
52-535		959.5	963.5	4	0	0.874	0.1	0.083	
52-535		964.8	965.6	0.8	0	0.5	0.1	0.01	
52-535		972.8	976.6	3.8	0	0.5	0.1	0.01	
52-535		976.6	980.8	4.2	0	0.5	0.1	0.016	
52-535		1130	1135	5	0	0.548	0.1	0.027	
52-535		1143	1148	5	0	0.5	0.1	0.015	
52-535		1150	1154	4	0	0.5	0.1	0.01	
52-535		1164	1168.8	4.8	0	0.5	0.1	0.034	
52-535		1190	1192.3	2.3	0	0.5	0.1	0.111	
52-535		1192.3	1193.1	0.8	0	0.616	0.1	0.081	
52-535		1271.2	1272.2	1	0	1.1	0.1	0.282	
52-535		1272.2	1275	2.8	0	0.5	0.1	0.01	
52-535		778.9	782	3.1	0	0.5	0.11	0.014	
52-535		807	810	3	0	0.526	0.1	0.023	
52-535	new_100	853.5	856	2.5	1.25	26.7	0.1	0.84	0.326
52-535		868.5	870.5	2	0	1.62	0.1	0.184	
52-535		870.5	872.1	1.6	0	7.7	0.1	0.348	
52-535		884.5	889.5	5	0	5.52	0.1	0.201	
52-535		889.5	894.5	5	0	4.43	0.1	0.212	
52-535		904.5	909.5	5	0	0.5	0.1	0.011	
52-535		922	926	4	0	0.8	0.1	0.05	

Galena Complex Drill Results - January 20, 2026

52-535		945.8	946.4	0.6	0	1.78	0.1	0.126	
52-535		946.4	949.5	3.1	0	0.5	0.1	0.01	
52-535		949.5	954.5	5	0	0.5	0.1	0.02	
52-535		980.8	983	2.2	0	0.5	0.1	0.01	
52-535		1054	1054.7	0.7	0	0.5	0.1	0.017	
52-535		1125	1130	5	0	0.5	0.1	0.024	
52-535		1135	1140	5	0	0.5	0.1	0.01	
52-535		1195	1200	5	0	0.5	0.1	0.028	
52-535		1205	1210	5	0	0.778	0.1	0.073	
52-535		1269	1271.2	2.2	0	0.5	0.1	0.01	
52-536		308.5	310.5	2	0	0.5	0.1	0.01	
52-536		322	327	5	0	0.5	0.1	0.01	
52-536		526	530	4	0	0.5	0.1	0.01	
52-536		631	632.5	1.5	0	0.5	0.1	0.01	
52-536	034fw1_100	654.2	655.3	1.1	0	3.97	0.1	0.122	
52-536	034hw2a_100	371.3	375.4	4.1	0	0.5	0.1	0.01	
52-536		469.4	470.2	0.8	0	4.71	0.1	0.093	
52-536	034hw_100	516.5	517.8	1.3	0	22.6	0.1	0.624	0.277
52-536		574.5	575.8	1.3	0	3.36	0.1	0.408	
52-536		580	580.7	0.7	0	3.91	0.1	0.091	
52-536		632.5	634.7	2.2	0	1.52	0.1	0.06	
52-536	034fw1_100	648.4	650	1.6	0	8.2	0.1	0.23	
52-536	034fw3_100	728.8	729.3	0.5	0	31	0.1	0.372	
52-536		47.2	49.6	2.4	0	0.5	0.1	0.01	
52-536		83.6	87.2	3.6	0	2.22	0.1	0.037	
52-536		100.4	105	4.6	0	0.534	0.1	0.011	
52-536		461.3	462.1	0.8	0	0.5	0.1	0.01	
52-536		643.8	645.6	1.8	0	0.548	0.1	0.028	
52-536		645.6	648.4	2.8	0	0.5	0.1	0.013	
52-536	034fw1_100	650	654.2	4.2	0	11.1	0.1	0.312	
52-536		1183	1184.1	1.1	0	0.5	0.1	0.01	
52-536		1216	1220	4	0	1	0.1	0.013	
52-536		761.5	762	0.5	0	0.615	0.1	0.011	
52-536		773.7	774.4	0.7	0	0.5	0.1	0.01	
52-536		1236.7	1237.8	1.1	0	0.961	0.1	0.014	
52-536		1283.2	1283.7	0.5	0	1.15	0.1	0.023	
52-536		1329.2	1333.4	4.2	0	0.5	0.1	0.016	
52-536		49.6	53.1	3.5	0	5.97	0.1	0.127	
52-536		67.2	70.6	3.4	0	0.5	0.1	0.01	
52-536		105	105.7	0.7	0	0.5	0.1	0.01	
52-536	034_100	555.4	559	3.6	0	11.6	0.1	0.644	0.0874
52-536		611.2	611.9	0.7	0	2.01	0.1	0.056	
52-536		622.2	626	3.8	0	1.15	0.1	0.031	
52-536		626	631	5	0	2.62	0.1	0.066	

Galena Complex Drill Results - January 20, 2026

52-536	747.2	747.7	0.5	0	2.02	0.1	0.025	
52-536	804.9	805.8	0.9	0	2	0.1	0.026	
52-536	1008	1009.4	1.4	0	0.5	0.1	0.01	
52-536	1019.1	1023.7	4.6	0	0.5	0.1	0.01	
52-536	1104	1104.6	0.6	0	0.5	0.1	0.01	
52-536	1023.7	1028.3	4.6	0	1.11	0.1	0.019	
52-536	1111.2	1111.7	0.5	0	0.61	0.102	0.01	
52-536	1127	1129.6	2.6	0	1.28	0.1	0.021	
52-537	897	897.5	0.5	0	0.53	0.1	0.01	
52-537	969.2	970.3	1.1	0	0.831	0.1	0.01	
52-537	974.9	979.5	4.6	0	0.821	0.1	0.01	
52-537	1049.6	1053.8	4.2	0	0.826	0.1	0.01	
52-537	1139.1	1141.3	2.2	0	0.656	0.1	0.01	
52-537	1141.3	1142.8	1.5	0	0.5	0.1	0.01	
52-537	1198.8	1199.9	1.1	0	6.01	0.1	0.058	
52-537	0	5	5	0	0.72	0.1	0.01	
52-537	15	19	4	0	0.614	0.1	0.01	
52-537	913.9	914.4	0.5	0	0.639	0.1	0.01	
52-537	970.3	974.9	4.6	0	0.5	0.1	0.01	
52-537	1010.6	1013	2.4	0	0.577	0.1	0.01	
52-537	1106.6	1108	1.4	0	0.5	0.1	0.01	
52-537	1142.8	1146	3.2	0	0.6	0.1	0.01	
52-537	1254.3	1255	0.7	0	1.41	0.1	0.029	
52-537	5	10	5	0	0.5	0.1	0.01	
52-537	19	21	2	0	1.35	0.1	0.018	
52-537	21	26	5	0	0.702	0.1	0.011	
52-537	26	31	5	0	0.5	0.1	0.01	
52-537	36	38.5	2.5	0	0.595	0.1	0.01	
52-537	992.1	993.9	1.8	0	1.54	0.1	0.043	
52-537	1013	1017.5	4.5	0	0.525	0.1	0.01	
52-537	42	44	2	0	0.5	0.1	0.01	
52-537	59.5	60	0.5	0	44.4	0.116	0.688	0.3
52-537	60	65	5	0	1.2	0.1	0.025	
52-537	65	70	5	0	0.5	0.1	0.01	
52-537	70	75	5	0	1.31	0.1	0.025	
52-537	75	80	5	0	0.5	0.1	0.01	
52-537	38.5	42	3.5	0	0.5	0.1	0.01	
52-537	44	46	2	0	0.5	0.1	0.01	
52-537	50	55	5	0	0.5	0.1	0.012	
52-537	139	143	4	0	0.5	0.1	0.01	
52-537	148	152	4	0	0.5	0.1	0.01	
52-537	152	157	5	0	0.5	0.1	0.01	
52-537	183.5	187	3.5	0	0.5	0.1	0.01	
52-537	187	190	3	0	0.509	0.1	0.012	

Galena Complex Drill Results - January 20, 2026

52-537		190	195	5	0	0.696	0.1	0.027	
52-537		195	200	5	0	0.5	0.1	0.01	
52-537		205	210	5	0	0.5	0.1	0.01	
52-537		230	235	5	0	0.5	0.1	0.02	
52-537		289.6	292.5	2.9	0	0.5	0.1	0.01	
52-537		292.5	297.5	5	0	0.5	0.1	0.01	
52-537		297.5	302.5	5	0	0.5	0.1	0.01	
52-537		85.5	88.5	3	0	0.5	0.1	0.01	
52-537		106.5	111.5	5	0	0.5	0.1	0.01	
52-537		157	162	5	0	0.5	0.1	0.01	
52-537		166	170	4	0	0.5	0.1	0.01	
52-537		170	175	5	0	0.5	0.1	0.01	
52-537		210	215	5	0	2.57	0.1	0.1	
52-537		220	225	5	0	0.5	0.1	0.01	
52-537		245	250	5	0	0.5	0.1	0.01	
52-537		302.5	306.5	4	0	0.5	0.1	0.01	
52-537		1108	1112.9	4.9	0	0.5	0.1	0.01	
52-537		1112.9	1114.1	1.2	0	0.958	0.1	0.014	
52-537		1253.4	1254.3	0.9	0	0.5	0.1	0.01	
52-537		1265.5	1266.4	0.9	0	38	0.1	0.668	0.3
52-537		31	36	5	0	0.5	0.1	0.01	
52-537		46	50	4	0	0.5	0.1	0.01	
52-537		80	82.5	2.5	0	0.5	0.1	0.01	
52-537		82.5	85.5	3	0	0.884	0.1	0.026	
52-537		105	106.5	1.5	0	0.5	0.1	0.01	
52-537		123.5	128	4.5	0	0.5	0.1	0.01	
52-537		135	139	4	0	0.5	0.1	0.01	
52-537		162	166	4	0	0.5	0.1	0.01	
52-537		175	180	5	0	0.5	0.1	0.01	
52-537		200	205	5	0	0.5	0.1	0.01	
52-537		215	220	5	0	13.5	0.1	0.428	
52-537		240	245	5	0	0.5	0.1	0.01	
52-537		288.7	289.6	0.9	0	0.5	0.1	0.01	
52-537		306.5	307.5	1	0	0.5	0.1	0.01	
52-537		311.4	312.1	0.7	0	4.67	0.1	0.058	
52-537		322	325	3	0	0.5	0.1	0.01	
52-537		447.5	451	3.5	0	0.779	0.1	0.017	
52-537		470	473.5	3.5	0	1.49	0.1	0.08	
52-537		473.5	477.5	4	0	1.78	0.1	0.054	
52-537		490.6	494	3.4	0	2.99	0.1	0.091	
52-537		496	500.5	4.5	0	0.5	0.1	0.013	
52-537	034hw_100	505	508.5	3.5	3.2	2.25	0.1	0.087	
52-537		520	525	5	0	0.615	0.1	0.021	
52-537		539	542	3	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-537	034fws_100	577	580	3	0	0.572	0.1	0.011	
52-537		610.5	615	4.5	0	0.5	0.1	0.01	
52-537		680	684	4	0	2.15	0.1	0.067	
52-537		347	352	5	0	0.5	0.1	0.01	
52-537	034hw1a_100	447	447.5	0.5	0	76.8	0.1	1.66	
52-537		451	455	4	0	0.5	0.1	0.01	
52-537		460	465	5	0	0.5	0.1	0.01	
52-537		477.5	481	3.5	0	17.4	0.1	0.444	
52-537	new_100	486.3	489	2.7	0.9	3.1	0.1	0.092	
52-537		494	496	2	0	28.6	0.1	0.816	0.299
52-537	034hw_100	500.5	501.5	1	0.8	121	0.1	3.04	
52-537		508.5	509.5	1	0	0.5	0.1	0.021	
52-537		325	330	5	0	0.5	0.1	0.01	
52-537		330	335	5	0	0.5	0.1	0.01	
52-537		335	340	5	0	0.5	0.1	0.01	
52-537		340	342.2	2.2	0	0.5	0.1	0.01	
52-537		455	460	5	0	4.02	0.1	0.093	
52-537		465	470	5	0	0.5	0.1	0.01	
52-537	new_100	485.2	486.3	1.1	0.4	123	0.1	2.57	2.51
52-537	new_100	489	490	1	0.3	16.7	0.1	0.444	
52-537	new_100	490	490.6	0.6	0.2	236	0.1	5.48	
52-537	034fw1_100	696	700	4	0	0.5	0.1	0.01	
52-537		516	520	4	0	0.561	0.1	0.018	
52-537		535	539	4	0	0.5	0.1	0.01	
52-537		559	563	4	0	1.25	0.1	0.039	
52-537		574	576.5	2.5	0	0.5	0.1	0.01	
52-537		627.5	632.5	5	0	0.5	0.1	0.01	
52-537		723.5	728	4.5	0	3.43	0.1	0.041	
52-537		525	530	5	0	0.5	0.1	0.01	
52-537		530	535	5	0	0.5	0.1	0.01	
52-537		550	554	4	0	0.709	0.1	0.019	
52-537	034_100	567.5	570	2.5	0	6.2	0.1	0.237	
52-537	034fws_100	576.5	577	0.5	0	52	0.1	0.796	
52-537		620	622.5	2.5	0	0.5	0.1	0.01	
52-537		622.5	627.5	5	0	0.5	0.1	0.01	
52-537		742	746.5	4.5	0	0.5	0.1	0.01	
52-537		903.5	905.1	1.6	0	1.52	0.1	0.012	
52-537		930.8	931.6	0.8	0	0.5	0.1	0.01	
52-537		1062.4	1063.2	0.8	0	0.5	0.1	0.01	
52-537		1210.6	1212.2	1.6	0	3.36	0.1	0.031	
52-537		10	15	5	0	0.57	0.1	0.01	
52-537		55	59.5	4.5	0	0.5	0.1	0.01	
52-537		88.5	91	2.5	0	0.5	0.1	0.01	
52-537		102.5	105	2.5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-537		143	148	5	0	0.5	0.1	0.01	
52-537		180	182.5	2.5	0	0.5	0.1	0.01	
52-537		182.5	183.5	1	0	3.85	0.1	0.158	
52-537		225	230	5	0	0.5	0.1	0.01	
52-537		235	240	5	0	0.5	0.1	0.01	
52-537		307.5	311.4	3.9	0	0.5	0.1	0.01	
52-537		312.1	317	4.9	0	0.5	0.1	0.01	
52-537		317	322	5	0	0.5	0.1	0.01	
52-537		342.2	347	4.8	0	0.5	0.1	0.01	
52-537		417	418	1	0	0.5	0.1	0.01	
52-537		482.7	485.2	2.5	0	0.5	0.1	0.037	
52-537	034hw_100	501.5	505	3.5	3.2	7.1	0.1	0.224	
52-537		509.5	512	2.5	0	7.8	0.1	0.216	
52-537		512	516	4	0	2.31	0.1	0.076	
52-537		542	547	5	0	0.5	0.1	0.01	
52-537		547	550	3	0	6.88	0.1	0.223	
52-537		554	559	5	0	0.5	0.1	0.01	
52-537	034_100	563	563.5	0.5	0.5	54.8	0.1	1.44	0.456
52-537	034_100	563.5	567.5	4	3.6	10	0.1	0.368	
52-537		570	574	4	0	0.5	0.1	0.01	
52-537		615	615.5	0.5	0	6.11	0.1	0.116	
52-537		615.5	620	4.5	0	1.28	0.1	0.028	
52-537		632.5	636.5	4	0	0.5	0.1	0.01	
52-537		675	680	5	0	0.5	0.1	0.01	
52-537		684	688	4	0	0.5	0.1	0.01	
52-537		688	691.5	3.5	0	0.841	0.1	0.02	
52-537		783.5	786	2.5	0	2.24	0.1	0.043	
52-537		810	814	4	0	0.624	0.1	0.019	
52-537		829	829.7	0.7	0	0.5	0.1	0.01	
52-537		873	873.8	0.8	0	10.6	0.1	0.107	
52-537		1279	1284	5	0	0.5	0.1	0.01	
52-537		1288.5	1291	2.5	0	0.5	0.1	0.01	
52-537		1643.4	1645.8	2.4	0	0.5	0.1	0.012	
52-537		1284	1288.5	4.5	0	0.5	0.1	0.01	
52-537		1293	1297	4	0	0.5	0.1	0.01	
52-537		1326	1330	4	0	0.5	0.1	0.01	
52-537		1647.5	1651.5	4	0	0.824	0.1	0.053	
52-537		1678.7	1683.7	5	0	0.5	0.1	0.019	
52-537		1703.9	1707	3.1	0	0.5	0.1	0.051	
52-537		1291	1293	2	0	0.5	0.1	0.01	
52-537		1297	1301.5	4.5	0	0.5	0.1	0.01	
52-537		1645.8	1647.5	1.7	0	0.849	0.1	0.038	
52-537		1677.1	1678.7	1.6	0	5.6	0.1	0.44	
52-537		1688.7	1690.7	2	0	0.5	0.1	0.011	

Galena Complex Drill Results - January 20, 2026

52-537		1695.7	1700	4.3	0	0.5	0.1	0.031	
52-537		1707	1710	3	0	0.5	0.1	0.017	
52-537		1710	1712.7	2.7	0	0.5	0.1	0.237	
52-537		1712.7	1713.2	0.5	0	3.41	0.1	0.252	
52-537		1690.7	1695.7	5	0	0.5	0.1	0.01	
52-537		1700	1703.9	3.9	0	0.5	0.1	0.013	
52-537		1739.5	1740.2	0.7	0	0.5	0.1	0.213	
52-537		1683.7	1688.7	5	0	0.5	0.1	0.042	
52-581		130.6	135	4.4	0	0.5	0.1	0.01	
52-581		207.2	212.2	5	0	0.5	0.1	0.01	
52-581		212.2	217	4.8	0	2.78	0.1	0.085	0.05
52-581	new_100	466	467.3	1.3	1.3	129	0.1	3.21	2.96
52-581		498.1	501.5	3.4	0	0.5	0.1	0.014	
52-581		524.7	526	1.3	0	0.566	0.1	0.011	
52-581		608.3	608.8	0.5	0	12.9	0.1	0.196	0.18
52-581		198	203	5	0	0.5	0.1	0.01	
52-581		203	207.2	4.2	0	0.5	0.1	0.01	
52-581	new_100	217	217.8	0.8	0.8	240	0.1	5.83	4.83
52-581	new_100	219.3	219.8	0.5	0.5	70	0.1	2.02	1.46
52-581		256.8	257.3	0.5	0	0.5	0.1	0.01	
52-581		266.1	266.6	0.5	0	0.5	0.1	0.01	
52-581		463.4	466	2.6	0	0.5	0.1	0.01	
52-581		501.5	503.2	1.7	0	14	0.1	0.428	0.27
52-581		521.8	524.7	2.9	0	1.38	0.1	0.028	
52-581		526	527	1	0	0.5	0.1	0.01	
52-581	034hw_100	530.6	531.7	1.1	1.1	31	0.1	0.688	0.49
52-581		531.7	534.1	2.4	0	0.5	0.1	0.011	
52-581		538.8	541.1	2.3	0	0.5	0.1	0.032	
52-581		544.8	548.8	4	0	10.4	0.1	0.302	0.16
52-581		562.9	563.7	0.8	0	10	0.1	0.219	0.18
52-581		106.3	108.9	2.6	0	0.5	0.1	0.01	
52-581	new_100	217.8	219.3	1.5	1.5	14.4	0.1	0.566	0.28
52-581		219.8	221.1	1.3	0	0.726	0.1	0.025	
52-581		238	241.7	3.7	0	0.5	0.1	0.01	
52-581		548.8	552.7	3.9	0	0.5	0.1	0.01	
52-581		557.5	560	2.5	0	0.5	0.1	0.01	
52-581		560	562.9	2.9	0	0.5	0.1	0.01	
52-581		624.3	624.8	0.5	0	2.02	0.1	0.031	0.03
52-581		6	9.2	3.2	0	0.582	0.1	0.01	
52-581		59.5	60.5	1	0	1.86	0.1	0.031	
52-581		60.5	62.6	2.1	0	0.5	0.1	0.01	
52-581		66.5	70	3.5	0	0.5	0.1	0.01	
52-581		79	80	1	0	0.5	0.1	0.01	
52-581		285.8	286.6	0.8	0	0.722	0.1	0.015	

Galena Complex Drill Results - January 20, 2026

52-581		424.7	426.5	1.8	0	0.5	0.1	0.01	
52-581		426.5	427.7	1.2	0	1.88	0.1	0.042	
52-581		25	25.9	0.9	0	0.5	0.1	0.01	
52-581		26.6	27.5	0.9	0	0.5	0.1	0.01	
52-581		53.5	56.4	2.9	0	0.5	0.1	0.01	
52-581		56.4	59.5	3.1	0	0.5	0.1	0.01	
52-581		62.6	64.1	1.5	0	1.28	0.1	0.02	
52-581		64.1	66.5	2.4	0	0.667	0.1	0.01	
52-581		70	72.7	2.7	0	0.948	0.1	0.014	
52-581		72.7	74.8	2.1	0	0.5	0.1	0.01	
52-581		80	83.3	3.3	0	0.5	0.1	0.01	
52-581		306	311	5	0	0.5	0.1	0.01	
52-581		311	311.8	0.8	0	0.511	0.1	0.011	
52-581	034hw2a_100	377.6	380.1	2.5	0	0.5	0.1	0.01	
52-581		424.2	424.7	0.5	0	37.6	0.1	0.992	0.72
52-581		675.1	676.4	1.3	0	13.4	0.1	0.476	0.19
52-581		676.4	678.4	2	0	2.59	0.1	0.218	0.04
52-581		19	21.8	2.8	0	4.19	0.174	0.046	0.04
52-581		21.8	23.5	1.7	0	0.5	0.1	0.01	
52-581		23.5	25	1.5	0	0.5	0.1	0.01	
52-581		25.9	26.6	0.7	0	0.556	0.1	0.01	
52-581		83.3	86.2	2.9	0	0.5	0.1	0.01	
52-581	034hw2a_100	380.1	380.6	0.5	0	2.33	0.1	0.056	0.04
52-581		189	193.1	4.1	0	0.5	0.1	0.01	
52-581		193.1	198	4.9	0	0.5	0.1	0.01	
52-581		266.6	271.5	4.9	0	0.5	0.1	0.01	
52-581		271.5	273.9	2.4	0	0.5	0.1	0.01	
52-581		467.3	470	2.7	0	0.5	0.1	0.01	
52-581		492.5	494	1.5	0	1.4	0.1	0.066	
52-581		494	498.1	4.1	0	0.5	0.1	0.01	
52-581	034hw_100	527	530.6	3.6	3.6	34.3	0.1	1.45	0.53
52-581		534.1	537.4	3.3	0	1.27	0.1	0.044	
52-581		537.4	538.8	1.4	0	1.24	0.1	0.036	
52-581		541.1	544.8	3.7	0	0.5	0.1	0.01	
52-581		552.7	557	4.3	0	0.5	0.1	0.01	
52-581		557	557.5	0.5	0	9.1	0.1	0.223	0.18
52-581		5	6	1	0	2.08	0.1	0.026	0.02
52-581		9.2	14	4.8	0	2.92	0.138	0.033	0.03
52-581		14	19	5	0	1.73	0.1	0.021	
52-581		50	53.5	3.5	0	1.04	0.1	0.02	
52-581		74.8	79	4.2	0	0.5	0.1	0.01	
52-581		421.5	422.4	0.9	0	0.726	0.1	0.023	
52-581		422.4	424.2	1.8	0	0.5	0.1	0.01	
52-581		427.7	429.8	2.1	0	5.2	0.1	0.139	0.09

Galena Complex Drill Results - January 20, 2026

52-582		22	23.5	1.5	0	0.5	0.1	0.01	
52-582		67	70	3	0	0.5	0.1	0.01	
52-582		112	113.1	1.1	0	0.5	0.1	0.01	
52-582		214	214.5	0.5	0	68.4	0.1	2.34	
52-582		50	52	2	0	0.5	0.1	0.01	
52-582		103.8	107.8	4	0	0.5	0.1	0.01	
52-582		163.5	164	0.5	0	0.903	0.228	0.015	
52-582		168	172	4	0	0.5	0.1	0.01	
52-582		192.4	197.4	5	0	0.5	0.1	0.01	
52-582		209.5	214	4.5	0	0.5	0.1	0.01	
52-582		217.5	220.4	2.9	0				
52-582		306	306.9	0.9	0	0.5	0.1	0.01	
52-582		527.7	530.5	2.8	0	0.5	0.1	0.01	
52-582		559	560.8	1.8	0	0.5	0.1	0.01	
52-582		577	582	5	0	0.5	0.1	0.01	
52-582		596	601	5	0	0.5	0.1	0.019	
52-582		220.9	224.5	3.6	0	0.5	0.1	0.01	
52-582		249.2	252.6	3.4	0	0.5	0.1	0.01	
52-582		331.5	334.5	3	0	7.09	0.1	0.212	0.17
52-582		514	514.5	0.5	0	19.4	0.1	0.532	0.43
52-582		585	588	3	0	0.5	0.1	0.01	
52-582		591	596	5	0	0.5	0.1	0.01	
52-582		601	605.5	4.5	0	0.5	0.1	0.01	
52-582		256	259	3	0	0.5	0.1	0.01	
52-582		10.8	14	3.2	0	9.37	0.1	0.103	0.09
52-582		17.7	22	4.3	0	0.5	0.1	0.01	
52-582		26.2	27.8	1.6	0	5.97	0.1	0.077	0.06
52-582		37.5	39	1.5	0	0.5	0.1	0.01	
52-582		43	45	2	0	0.5	0.1	0.01	
52-582		61	64	3	0	1.49	0.1	0.026	
52-582		64	67	3	0	0.5	0.1	0.01	
52-582		81.9	84.1	2.2	0	0.5	0.1	0.01	
52-582		107.8	112	4.2	0	0.5	0.1	0.01	
52-582		164	168	4	0	0.5	0.1	0.01	
52-582		503.5	505	1.5	0	0.5	0.1	0.01	
52-582		588	591	3	0	0.5	0.1	0.01	
52-582		252.6	256	3.4	0	0.5	0.1	0.01	
52-582		613.9	615	1.1	0	2.6	0.1	0.086	0.06
52-582		14	17.7	3.7	0	0.81	0.1	0.013	
52-582	034_100	634.5	635.3	0.8	0	32.8	0.124	0.488	0.44
52-582		23.5	26.2	2.7	0	0.5	0.1	0.01	
52-582		45	46	1	0	0.5	0.1	0.012	
52-582		58	59.5	1.5	0	0.724	0.1	0.01	
52-582		161.5	163.5	2	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-582		214.5	217.5	3	0				
52-582		220.4	220.9	0.5	0	22.5	0.1	0.564	0.42
52-582		351	356	5	0	0.5	0.1	0.01	
52-582		582	585	3	0	0.5	0.1	0.01	
52-582		605.5	609.5	4	0	3.55	0.1	0.174	0.05
52-582		609.5	613.9	4.4	0	0.602	0.1	0.029	
52-582		266.2	270.3	4.1	0	0.5	0.1	0.01	
52-582		615	617	2	0	0.5	0.1	0.01	
52-583		175	178.4	3.4	0	0.5	0.1	0.01	
52-583		219.4	220.8	1.4	0	0.5	0.1	0.01	
52-583		228.2	230.8	2.6	0	0.5	0.1	0.01	
52-583		230.8	233.6	2.8	0	0.731	0.1	0.014	
52-583		249.7	253.7	4	0	1.09	0.1	0.031	
52-583		258	259.4	1.4	0	66.4	0.1	1.79	1.4
52-583		273.7	276.3	2.6	0	0.5	0.1	0.01	
52-583		543.5	545.5	2	0	0.5	0.1	0.017	
52-583		550	553	3	0	0.5	0.1	0.01	
52-583		553	554	1	0	0.5	0.1	0.01	
52-583		172.9	174.1	1.2	0	0.5	0.1	0.01	
52-583		174.1	175	0.9	0	0.5	0.1	0.01	
52-583		186.7	190.5	3.8	0	0.5	0.1	0.01	
52-583		259.4	263	3.6	0	4.07	0.1	0.127	0.09
52-583		263	266	3	0	5.66	0.1	0.135	0.11
52-583		266	269.7	3.7	0	0.5	0.1	0.01	
52-583		269.7	273.7	4	0	0.5	0.1	0.01	
52-583		497	500	3	0	0.5	0.1	0.01	
52-583		546	550	4	0	0.5	0.1	0.01	
52-583	034fws_100	624.1	627	2.9	2.7	4.64	0.1	0.101	0.06
52-583		630	633	3	0	0.5	0.1	0.01	
52-583		29.2	30	0.8	0	2.74	0.12	0.03	0.02
52-583		80	82	2	0	0.5	0.1	0.01	
52-583		105.1	106.7	1.6	0	0.5	0.1	0.01	
52-583		610.3	615	4.7	0	1.21	0.1	0.025	
52-583	034_100	623	624.1	1.1	1	288	0.208	6.84	3.23
52-583		627	630	3	0	0.5	0.1	0.013	
52-583		636	641	5	0	1.2	0.1	0.042	
52-583		668.3	669.5	1.2	0	0.5	0.1	0.01	
52-583		694.8	697	2.2	0	1.22	0.1	0.031	
52-583		19.3	22.8	3.5	0	1.36	0.1	0.012	
52-583		43	48	5	0	1.06	0.1	0.017	
52-583		48	50.2	2.2	0	0.5	0.1	0.01	
52-583		54.8	57	2.2	0	0.5	0.1	0.01	
52-583		74.3	75.6	1.3	0	0.5	0.1	0.01	
52-583		178.4	182.2	3.8	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-583		213	215	2	0	0.5	0.1	0.01	
52-583		255	258	3	0	0.5	0.1	0.015	
52-583		500	500.6	0.6	0	11	0.1	0.214	0.01
52-583		500.6	503	2.4	0	0.5	0.1	0.01	
52-583	034_100	615	618	3	2.8	11.5	0.1	0.228	0.19
52-583	034_100	618	623	5	4.7	2.87	0.1	0.084	0.03
52-583		11.2	11.9	0.7	0	0.546	0.1	0.01	
52-583		65.3	67.6	2.3	0	0.793	0.1	0.015	
52-583		93.3	96.3	3	0	0.5	0.1	0.01	
52-583		100	101.2	1.2	0	0.5	0.1	0.01	
52-583		101.2	105.1	3.9	0	0.5	0.1	0.01	
52-583		106.7	107.3	0.6	0	0.5	0.1	0.01	
52-583		114.7	115.5	0.8	0	0.5	0.1	0.01	
52-583		182.2	186.7	4.5	0	0.5	0.1	0.01	
52-583		215	219.4	4.4	0	0.559	0.1	0.015	
52-583		233.6	236.4	2.8	0	0.565	0.1	0.012	
52-583		253.7	255	1.3	0	0.5	0.1	0.01	
52-583		281.6	282.1	0.5	0	0.5	0.1	0.01	
52-583	034hw_100	545.5	546	0.5	0	175	0.1	5.04	4.19
52-583		583	587	4	0	2.57	0.1	0.124	0.04
52-583		633	636	3	0	0.5	0.1	0.01	
52-583		50.2	54.8	4.6	0	7.79	0.1	0.144	0.11
52-583		75.6	80	4.4	0	0.5	0.1	0.01	
52-584		6.3	9.5	3.2	0	6.05	0.184	0.062	0.06
52-584		30	31	1	0	1.3	0.1	0.01	
52-584		49.3	51.2	1.9	0	0.5	0.1	0.01	
52-584		151.9	152.4	0.5	0	0.5	0.1	0.01	
52-584		173	176.9	3.9	0	0.5	0.1	0.01	
52-584		176.9	177.4	0.5	0	0.5	0.1	0.01	
52-584		202.4	207.4	5	0	0.5	0.1	0.01	
52-584		247.5	248	0.5	0	48.4	0.1	1.34	0.98
52-584		428.5	430.9	2.4	0	0.938	0.1	0.01	
52-584		587.3	591.8	4.5	0	0.5	0.1	0.01	
52-584		592.7	593.8	1.1	0	0.5	0.1	0.01	
52-584		593.8	595.7	1.9	0	0.5	0.1	0.01	
52-584	034_100	650	653.6	3.6	2.8	11.3	0.1	0.357	0.1
52-584		9.5	11	1.5	0	1.09	0.1	0.017	
52-584		13	18	5	0	4.69	0.1	0.067	0.05
52-584		18	22.2	4.2	0	0.5	0.1	0.01	
52-584		44.2	48.6	4.4	0	0.5	0.1	0.01	
52-584		51.2	52.3	1.1	0	12.1	0.1	0.22	0.13
52-584		75.7	78.2	2.5	0	0.5	0.1	0.01	
52-584		251.7	252.6	0.9	0	28.6	0.1	0.964	
52-584		586.8	587.3	0.5	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-584		591.8	592.7	0.9	0	0.5	0.1	0.01	
52-584		602.7	607	4.3	0	1.26	0.1	0.017	
52-584		607	612	5	0	5.75	0.1	0.138	0.07
52-584		612	617	5	0	1.4	0.1	0.123	
52-584		617	621.9	4.9	0	0.5	0.1	0.066	
52-584	034hw_100	628.8	631	2.2	0	6.1	0.1	0.124	0.07
52-584	034_100	654.1	656.9	2.8	2.1	10.1	0.1	0.185	0.1
52-584		716.4	717.7	1.3	0	0.5	0.1	0.01	
52-584		790	790.7	0.7	0	1.32	0.1	0.025	
52-584		11	13	2	0	0.5	0.1	0.01	
52-584		169.5	173	3.5	0	1.97	0.1	0.052	
52-584		496.4	497.8	1.4	0	0.5	0.1	0.01	
52-584		581.8	586.8	5	0	0.5	0.1	0.01	
52-584		600.5	602.7	2.2	0	0.5	0.1	0.01	
52-584	034hw_100	626.2	628.8	2.6	0	8.53	0.1	0.396	0.08
52-584		645.9	647.7	1.8	0	0.518	0.1	0.016	
52-584	034_100	653.6	654.1	0.5	0.4	0.5	0.1	0.01	
52-584		3.9	6.3	2.4	0	3.62	0.11	0.042	0.04
52-584		48.6	49.3	0.7	0	0.624	0.1	0.025	
52-584		65.1	69.6	4.5	0	1.75	0.1	0.025	
52-584		102.5	106.2	3.7	0	0.5	0.1	0.01	
52-584		106.2	108.5	2.3	0	0.5	0.1	0.01	
52-584		132	132.7	0.7	0	0.5	0.1	0.01	
52-584		248	251.7	3.7	0	1.04	0.1	0.031	
52-584		252.6	257	4.4	0	0.5	0.1	0.01	
52-584		621.9	626.2	4.3	0	2.99	0.1	0.137	0.04
52-584	034_100	647.7	650	2.3	1.8	15.4	0.1	0.928	0.17
52-584		595.7	600.5	4.8	0	0.6	0.1	0.01	
52-584		717.7	719.4	1.7	0	0.5	0.1	0.01	
52-584		785	790	5	0	0.5	0.1	0.012	
52-585		24.5	29.5	5	0	1.61	0.1	0.027	
52-585		196.3	199	2.7	0	0.5	0.1	0.01	
52-585		9.5	12	2.5	0	0.735	0.1	0.01	
52-585		16	19.5	3.5	0	0.5	0.1	0.01	
52-585		278.5	280.5	2	0	0.601	0.1	0.01	
52-585		330	332	2	0	0.5	0.1	0.01	
52-585		373	376.3	3.3	0	0.5	0.1	0.014	
52-585		547.2	552	4.8	0	0.5	0.1	0.01	
52-585		660	663	3	0	0.5	0.1	0.01	
52-585		663	665.7	2.7	0	0.5	0.1	0.01	
52-585		667.2	672	4.8	0	0.5	0.1	0.01	
52-585		672	677	5	0	0.5	0.1	0.01	
52-585		793.5	796.5	3	0	1.44	0.1	0.05	
52-585		800	801.1	1.1	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-585		35.4	40	4.6	0	0.699	0.1	0.01	
52-585		45	50	5	0	2.72	0.1	0.045	0.03
52-585		83	86.7	3.7	0	0.5	0.1	0.01	
52-585		100	104	4	0	0.5	0.1	0.01	
52-585		104	109	5	0	0.5	0.1	0.01	
52-585		109	113.5	4.5	0	0.635	0.1	0.01	
52-585		113.5	118	4.5	0	0.63	0.1	0.01	
52-585		204	205	1	0	0.5	0.1	0.01	
52-585		353	358	5	0	0.5	0.1	0.01	
52-585		655	660	5	0	0.5	0.1	0.01	
52-585		665.7	667.2	1.5	0	0.5	0.1	0.01	
52-585		700	705	5	0	0.5	0.1	0.01	
52-585		705	710	5	0	0.5	0.1	0.01	
52-585	034_100	735	740	5	0	0.5	0.1	0.01	
52-585	034_100	740	741.3	1.3	0	0.5	0.1	0.01	
52-585		755.5	758.5	3	0	0.5	0.1	0.01	
52-585		19.5	24.5	5	0	0.88	0.1	0.011	
52-585		50	52.5	2.5	0	0.642	0.1	0.01	
52-585		52.5	56.5	4	0	1.25	0.1	0.013	
52-585		448.4	449.6	1.2	0	1.12	0.1	0.01	
52-585		650.2	655	4.8	0	0.503	0.1	0.01	
52-585		796.5	800	3.5	0	0.5	0.1	0.01	
52-585		12	16	4	0	0.5	0.1	0.01	
52-585		40	45	5	0	0.579	0.1	0.013	
52-585		535	537	2	0	0.758	0.1	0.01	
52-585		552	555.5	3.5	0	0.955	0.1	0.01	
52-585		555.5	556.4	0.9	0	1.1	0.1	0.017	
52-585		677	680	3	0	0.5	0.1	0.01	
52-585		696.5	700	3.5	0	0.5	0.1	0.01	
52-585		710	714	4	0	0.87	0.1	0.01	
52-585	034_100	732.6	735	2.4	0	0.855	0.1	0.01	
52-586		58	60.5	2.5	0	5.62	0.1	0.167	0.07
52-586		60.5	65	4.5	0	0.5	0.1	0.01	
52-586		100.3	102	1.7	0	0.5	0.1	0.01	
52-586		269	271.7	2.7	0	0.5	0.1	0.01	
52-586		325	329.5	4.5	0	2.6	0.1	0.061	0.04
52-586		355	359	4	0	0.5	0.1	0.01	
52-586		362	367	5	0	0.5	0.1	0.01	
52-586		670	675	5	0	0.5	0.1	0.01	
52-586		675	680	5	0	0.5	0.1	0.01	
52-586		770	773.5	3.5	0	0.5	0.1	0.01	
52-586		21.5	25.5	4	0	1.45	0.1	0.019	
52-586		32	33.3	1.3	0	1.04	0.1	0.012	
52-586		33.3	35.3	2	0	1.84	0.1	0.029	

Galena Complex Drill Results - January 20, 2026

52-586	65	70	5	0	0.5	0.1	0.01	
52-586	75	80	5	0	0.937	0.1	0.018	
52-586	187	189.3	2.3	0	0.5	0.1	0.01	
52-586	271.7	275.7	4	0	0.5	0.1	0.01	
52-586	342	345	3	0	0.5	0.1	0.01	
52-586	630	635	5	0	0.5	0.1	0.01	
52-586	635	640	5	0	0.5	0.1	0.01	
52-586	660	665	5	0	0.5	0.1	0.01	
52-586	665	670	5	0	0.5	0.1	0.01	
52-586	680	684	4	0	0.5	0.1	0.01	
52-586	11	12.8	1.8	0	0.757	0.1	0.01	
52-586	53	58	5	0	0.5	0.1	0.012	
52-586	70	75	5	0	0.5	0.1	0.01	
52-586	85	90	5	0	0.5	0.1	0.01	
52-586	275.7	279	3.3	0	0.5	0.1	0.01	
52-586	345	350	5	0	0.5	0.1	0.01	
52-586	350	355	5	0	0.5	0.1	0.01	
52-586	359	362	3	0	0.5	0.1	0.01	
52-586	370	375	5	0	0.5	0.1	0.013	
52-586	404.7	406	1.3	0	0.5	0.1	0.01	
52-586	655	660	5	0	0.5	0.1	0.01	
52-586	753	756.5	3.5	0	0.5	0.1	0.01	
52-586	778	783	5	0	0.5	0.1	0.01	
52-586	797.5	800.7	3.2	0	0.5	0.1	0.01	
52-586	807.9	810	2.1	0	0.5	0.1	0.01	
52-586	806.9	807.9	1	0	0.5	0.1	0.01	
52-586	80	85	5	0	0.5	0.1	0.015	
52-586	106.8	109.6	2.8	0	0.5	0.1	0.01	
52-586	189.3	193.5	4.2	0	0.5	0.1	0.01	
52-586	367	370	3	0	0.5	0.1	0.01	
52-586	375	379.5	4.5	0	0.5	0.1	0.01	
52-586	627	630	3	0	0.5	0.1	0.01	
52-586	640	642	2	0	0.5	0.1	0.01	
52-586	650	655	5	0	0.5	0.1	0.01	
52-586	034_100	773.5	778	4.5	0	0.5	0.1	0.01
52-587	8.4	13	4.6	0	5.72	0.131	0.066	0.06
52-587	27.3	30.3	3	0	0.5	0.1	0.01	
52-587	30.3	34.2	3.9	0	3.71	0.109	0.042	0.04
52-587	34.2	38.7	4.5	0	0.527	0.1	0.01	
52-587	38.7	39.8	1.1	0	0.5	0.1	0.01	
52-587	52.5	56	3.5	0	0.5	0.1	0.01	
52-587	60	62.9	2.9	0	5.02	0.1	0.111	0.06
52-587	107.5	110	2.5	0	0.526	0.1	0.01	
52-587	152.2	157	4.8	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-587		374.8	379.3	4.5	0	0.5	0.1	0.01	
52-587	034_100	544.9	546.1	1.2	1	17.4	0.1	0.536	0.29
52-587	034_100	546.1	549.7	3.6	3.1	0.5	0.1	0.01	
52-587		551.3	554.4	3.1	0	1.82	0.1	0.085	
52-587		62.9	65.6	2.7	0	1.7	0.1	0.041	
52-587		81.7	83.3	1.6	0	0.5	0.1	0.01	
52-587		85.1	87.3	2.2	0	1.44	0.1	0.023	
52-587		88.3	92.2	3.9	0	0.5	0.1	0.01	
52-587		110	114.5	4.5	0	0.5	0.1	0.01	
52-587	034hw3_100	334.2	337.1	2.9	0	0.5	0.1	0.01	
52-587		498.1	498.7	0.6	0	0.5	0.1	0.01	
52-587		542.2	544.9	2.7	0	0.5	0.1	0.01	
52-587	034_100	549.7	551.3	1.6	1.4	55.2	0.1	3.86	0.68
52-587		50	52.5	2.5	0	0.673	0.1	0.011	
52-587		56	57	1	0	0.5	0.1	0.01	
52-587		57	58.2	1.2	0	0.5	0.1	0.01	
52-587		58.2	60	1.8	0	1.02	0.1	0.026	
52-587		79.2	81.7	2.5	0	0.5	0.1	0.01	
52-587		350.9	351.5	0.6	0	0.5	0.1	0.01	
52-587		370	374.8	4.8	0	0.5	0.1	0.01	
52-587		388.1	388.6	0.5	0	10.8	0.1	0.264	0.18
52-587		413	415.5	2.5	0	0.5	0.1	0.01	
52-587		631.1	632.7	1.6	0	2.9	0.1	0.091	0.07
52-587		13	18	5	0	1.96	0.1	0.026	
52-587		20	23.8	3.8	0	4.39	0.1	0.068	0.05
52-587		23.8	27.3	3.5	0	1.32	0.1	0.018	
52-587		618.5	619	0.5	0	5.16	0.1	0.14	0.11
52-587		43.3	44.2	0.9	0	0.5	0.1	0.01	
52-587		76.2	79.2	3	0	1.39	0.1	0.04	
52-587		83.3	85.1	1.8	0	1.34	0.1	0.02	
52-587		87.3	88.3	1	0	0.5	0.1	0.01	
52-587		96.2	96.9	0.7	0	0.5	0.1	0.01	
52-587		261.5	262	0.5	0	116	0.1	4.84	
52-587		456.8	457.3	0.5	0	18.8	13.6	0.016	
52-587		602.8	603.3	0.5	0	8.91	0.1	0.202	0.14
52-587	034fw1_100	627.5	628	0.5	0	4.65	0.1	0.14	0.1
52-587		642.4	642.9	0.5	0	0.511	0.1	0.032	
52-588		60	65	5	0	0.5	0.1	0.01	
52-588		93.1	96.9	3.8	0	0.5	0.1	0.01	
52-588		55.6	60	4.4	0	0.5	0.1	0.01	
52-588		96.9	101.4	4.5	0	0.5	0.1	0.01	
52-588		101.4	102.5	1.1	0	2.01	0.1	0.041	0.03
52-588		103	105.6	2.6	0	0.866	0.1	0.019	
52-588		105.6	109.1	3.5	0	1.46	0.1	0.035	

Galena Complex Drill Results - January 20, 2026

52-588		489	489.8	0.8	0	0.5	0.1	0.01	
52-588	034hw_100	565	567.5	2.5	1.6	0.721	0.1	0.02	
52-588		22.4	25.5	3.1	0	2.79	0.1	0.036	0.03
52-588		30.2	31.1	0.9	0	0.5	0.1	0.01	
52-588		65	70	5	0	0.5	0.1	0.011	
52-588		70	70.8	0.8	0	0.5	0.1	0.024	
52-588		70.8	72.5	1.7	0	18.6	0.1	0.38	0.26
52-588		189.3	194.2	4.9	0	0.5	0.1	0.01	
52-588	034hw_100	559.7	560.3	0.6	0.4	109	0.716	3.22	
52-588	034hw_100	567.5	568	0.5	0.3	96.8	0.1	2.93	
52-588		581	585.9	4.9	0	1.24	0.1	0.03	
52-588		585.9	586.4	0.5	0	16	0.1	0.408	
52-588		591.2	595	3.8	0	1.26	0.1	0.049	
52-588		605	609.9	4.9	0	0.5	0.1	0.01	
52-588	034fw1_100	650	653.6	3.6	3.1	7.73	0.1	0.337	
52-588		653.6	657.3	3.7	0	1.86	0.1	0.097	
52-588		487.2	489	1.8	0	0.5	0.1	0.01	
52-588		555	559.7	4.7	0	0.5	0.1	0.01	
52-588	034hw_100	560.3	565	4.7	3	0.763	0.1	0.02	
52-588		586.4	591.2	4.8	0	0.801	0.1	0.021	
52-588	034_100	609.9	611.4	1.5	0	23.4	0.1	0.588	
52-588		617.1	621.2	4.1	0	6.94	0.1	0.22	
52-588		644.6	646.2	1.6	0	2.8	0.1	0.127	
52-588		668	672.5	4.5	0	0.5	0.1	0.017	
52-588		683.1	685.7	2.6	0	10.3	0.1	0.376	
52-588		615	617.1	2.1	0	0.5	0.1	0.019	
52-588		646.2	648.1	1.9	0	1.19	0.1	0.04	
52-588	034fw1_100	648.1	650	1.9	1.6	21.2	0.1	0.724	
52-588		19	22.4	3.4	0	3.9	0.1	0.052	0.04
52-588		25.5	30.2	4.7	0	1.12	0.1	0.013	
52-588		31.1	32	0.9	0	10.5	0.1	0.114	0.09
52-588		92.6	93.1	0.5	0	24.6	0.115	0.728	0.43
52-588		102.5	103	0.5	0	0.5	0.1	0.016	
52-588		187.8	189.3	1.5	0	0.5	0.1	0.01	
52-588		489.8	494.8	5	0	0.5	0.1	0.01	
52-588		519.6	520.6	1	0	0.5	0.1	0.01	
52-588		568	570.2	2.2	0	0.846	0.1	0.01	
52-588		578.2	581	2.8	0	9.36	0.1	0.255	
52-588		611.4	615	3.6	0	0.5	0.1	0.01	
52-588		621.2	622.5	1.3	0	0.5	0.1	0.01	
52-588		657.3	660	2.7	0	0.859	0.1	0.041	
52-588		660	664.1	4.1	0	1.32	0.1	0.061	
52-588		664.1	668	3.9	0	3.87	0.1	0.119	
52-588		672.5	673.3	0.8	0	0.5	0.1	0.01	

Galena Complex Drill Results - January 20, 2026

52-589		25.5	26.7	1.2	0	0.5	0.1	0.01
52-589		26.7	28.1	1.4	0	1.42	0.1	0.019
52-589		9.3	14	4.7	0	2.98	0.119	0.038
52-589		65.5	69.5	4	0	0.5	0.1	0.01
52-589		78.5	83.5	5	0	0.5	0.1	0.01
52-589		121.9	122.4	0.5	0	0.5	0.1	0.01
52-589		123.7	124.7	1	0	0.94	0.1	0.01
52-589		163.2	164.2	1	0	0.959	0.1	0.01
52-589		173.8	174.3	0.5	0	0.705	0.1	0.01
52-589		210	215	5	0	0.554	0.1	0.01
52-589		220	220.5	0.5	0	0.663	0.1	0.01
52-589		221.3	222.2	0.9	0	0.597	0.1	0.01
52-589		223.1	225.6	2.5	0	0.602	0.1	0.01
52-589		226.6	228.2	1.6	0	0.5	0.1	0.01
52-589		239.2	241	1.8	0	0.5	0.1	0.01
52-589		36	37	1	0	0.5	0.1	0.01
52-589		47.5	50.5	3	0	0.792	0.1	0.01
52-589		89	90.3	1.3	0	14	0.1	0.265
52-589		90.3	92	1.7	0	0.5	0.1	0.01
52-589		124.7	129.4	4.7	0	0.5	0.1	0.01
52-589		222.2	223.1	0.9	0	0.678	0.1	0.01
52-589		236.8	237.3	0.5	0	0.5	0.1	0.01
52-589		237.3	238.6	1.3	0	0.5	0.1	0.01
52-589		241	241.6	0.6	0	0.5	0.1	0.01
52-589		246.9	247.5	0.6	0	0.5	0.1	0.01
52-589		341.3	343.6	2.3	0	1.6	0.1	0.031
52-589	034hw3_100	366.1	370.6	4.5	0	0.5	0.1	0.01
52-589		245.7	246.2	0.5	0	0.642	0.1	0.01
52-589		282	285.8	3.8	0	0.938	0.1	0.018
52-589		344.3	347.7	3.4	0	0.5	0.1	0.01
52-589		413	415.5	2.5	0	0.5	0.1	0.01
52-589		525.8	527.1	1.3	0	1.09	0.1	0.011
52-589		527.1	530.1	3	0	0.5	0.1	0.01
52-589		585	590	5	0	0.5	0.1	0.01
52-589		590	595	5	0	2.75	0.1	0.047
52-589		629	632.1	3.1	0	0.689	0.1	0.014
52-589		721.3	724.3	3	0	0.5	0.1	0.01
52-589		76.8	78.5	1.7	0	0.5	0.1	0.01
52-589		87.9	89	1.1	0	0.5	0.1	0.01
52-589		109.5	113.3	3.8	0	0.5	0.1	0.01
52-589		120.9	121.9	1	0	1.64	0.1	0.022
52-589		122.4	122.9	0.5	0	1.03	0.1	0.01
52-589		122.9	123.7	0.8	0	0.5	0.1	0.01
52-589		129.4	132.7	3.3	0	0.726	0.1	0.01

Galena Complex Drill Results - January 20, 2026

52-589		202.5	206	3.5	0	0.714	0.1	0.01
52-589		209.4	210	0.6	0	0.608	0.1	0.01
52-589		215	220	5	0	0.554	0.1	0.01
52-589		220.5	221.3	0.8	0	0.778	0.1	0.01
52-589		228.2	230.3	2.1	0	0.5	0.1	0.01
52-589		238.6	239.2	0.6	0	1.17	0.1	0.022
52-589		246.2	246.9	0.7	0	0.5	0.1	0.01
52-589		268.1	269	0.9	0	0.547	0.1	0.01
52-589		269	270.1	1.1	0	0.5	0.1	0.01
52-589		270.1	271.8	1.7	0	0.5	0.1	0.01
52-589		290.1	290.9	0.8	0	0.5	0.1	0.01
52-589		343.6	344.3	0.7	0	0.5	0.1	0.01
52-589		469.4	470.3	0.9	0	0.5	0.1	0.01
52-589		493.2	494.1	0.9	0	0.5	0.1	0.01
52-589		500.3	502	1.7	0	4.42	0.1	0.102
52-589		502	504	2	0	0.787	0.1	0.01
52-589		530.1	531.2	1.1	0	2.17	0.1	0.021
52-589		560	565	5	0	0.5	0.1	0.01
52-589		565	570	5	0	0.5	0.1	0.01
52-589		595	600	5	0	1.05	0.1	0.019
52-589		615.4	617.7	2.3	0	0.5	0.1	0.01
52-589		620	625	5	0	0.5	0.1	0.01
52-589		625	628.5	3.5	0	1.45	0.1	0.028
52-589		628.5	629	0.5	0	1.36	0.1	0.022
52-589		494.1	498.1	4	0	0.5	0.1	0.01
52-589		498.1	500.3	2.2	0	0.5	0.1	0.01
52-589		555.8	557	1.2	0	0.5	0.1	0.01
52-589		557	560	3	0	0.5	0.1	0.01
52-589		702.4	706.3	3.9	0	0.5	0.1	0.01
52-589		21.4	25.5	4.1	0	0.5	0.1	0.01
52-589		61.5	65.5	4	0	0.5	0.1	0.01
52-589		75	76.8	1.8	0	12.4	0.1	0.32
52-589		206	209.4	3.4	0	0.595	0.1	0.01
52-589		225.6	226.6	1	0	0.521	0.1	0.01
52-589		266.3	267.2	0.9	0	3.69	0.1	0.066
52-589		267.2	268.1	0.9	0	0.5	0.1	0.01
52-589		315.5	316.7	1.2	0	0.5	0.1	0.01
52-589		531.2	536.2	5	0	0.5	0.1	0.01
52-589	new_100	570	571.3	1.3	1.3	82.4	0.1	2.17
52-590		5	8.5	3.5	0	6.09	0.1	0.084
52-590		10	14	4	0	2.32	0.1	0.03
52-590		25	30	5	0	0.601	0.1	0.01
52-590		0	5	5	0	0.985	0.1	0.012
52-590		20	25	5	0	3.4	0.1	0.049

Galena Complex Drill Results - January 20, 2026

52-590		50.5	55.5	5	0	0.5	0.1	0.01
52-590	new_100	58	60	2	1.6	21.6	0.131	0.636
52-590		70	75	5	0	0.65	0.1	0.01
52-590		75	77.5	2.5	0	0.5	0.1	0.01
52-590		84	88	4	0	0.615	0.1	0.01
52-590		110	111.4	1.4	0	0.5	0.1	0.01
52-590		14	18	4	0	6.33	0.155	0.078
52-590		44	49	5	0	0.5	0.1	0.01
52-590		77.5	79.2	1.7	0	0.567	0.1	0.01
52-590		79.2	84	4.8	0	0.5	0.1	0.01
52-590		88	91	3	0	0.5	0.1	0.01
52-590		105.6	110	4.4	0	0.5	0.1	0.01
52-590		35	40	5	0	0.5	0.1	0.01
52-590		49	50.5	1.5	0	3.54	0.1	0.068
52-590	new_100	60	63	3	2.5	8.6	0.1	0.164
52-590		63	67	4	0	0.5	0.1	0.01
52-590		67	70	3	0	0.5	0.1	0.01
52-590		103	105.6	2.6	0	0.5	0.1	0.01
52-590		111.4	114.4	3	0	0.5	0.1	0.01
52-590		542	542.7	0.7	0	0.768	0.1	0.035
52-590	034_100	560	562.5	2.5	1.8	37	0.1	0.804
52-590		564	568	4	0	0.5	0.1	0.01
52-590		458.5	459	0.5	0	0.5	0.1	0.01
52-590		549	549.5	0.5	0	1.2	0.1	0.022
52-590		568	573	5	0	0.5	0.1	0.01
52-590		585	590	5	0	0.5	0.1	0.01
52-590	034hw2_100	419.2	420.2	1	0	0.5	0.1	0.01
52-590	034_100	562.5	564	1.5	1.1	54.8	0.1	3.15
52-590		623	626.2	3.2	0	4.65	0.1	0.132
52-590		751.7	752.3	0.6	0	0.892	0.1	0.015
52-590		30	35	5	0	0.537	0.1	0.01
52-590		40	44	4	0	1.61	0.1	0.026
52-590		346	347.5	1.5	0	0.5	0.1	0.01
52-590		555	560	5	0	0.5	0.1	0.01
52-590		590	595	5	0	0.5	0.1	0.01
52-591		490	495	5	0	0.5	0.1	0.085
52-591		504.2	505.8	1.6	0	21.2	0.1	0.816
52-591		505.8	507.5	1.7	0	0.5	0.1	0.01
52-591		590	592.4	2.4	0	0.5	0.1	0.01
52-591		620	621.4	1.4	0	0.5	0.1	0.01
52-591		621.4	622.2	0.8	0	7.13	0.1	0.201
52-591		633.3	633.8	0.5	0	3.22	0.1	0.165
52-591		650	653.5	3.5	0	2.23	0.1	0.127
52-591		655.4	657.4	2	0	3.66	0.1	0.147

Galena Complex Drill Results - January 20, 2026

52-591		438.1	438.7	0.6	0	0.5	0.1	0.01
52-591		480	484.2	4.2	0	0.881	0.1	0.021
52-591		549.1	550	0.9	0	1.1	0.1	0.067
52-591		592.4	593.1	0.7	0	3.56	0.1	0.114
52-591	034_100	594.4	595.1	0.7	0	54.8	0.127	2.3
52-591		625.4	626.9	1.5	0	9.06	0.1	0.408
52-591	034fw1_100	654.2	655.4	1.2	1	52.8	1.31	1.54
52-591		477	480	3	0	1.2	0.1	0.027
52-591		484.2	487.7	3.5	0	0.5	0.1	0.01
52-591		487.7	490	2.3	0	1.28	0.1	0.381
52-591		579.7	580.3	0.6	0	7.96	0.1	0.283
52-591		593.1	594.4	1.3	0	2.04	0.1	0.103
52-591		645.2	646.2	1	0	14.2	0.1	0.568
52-591	034fw1_100	653.5	654.2	0.7	0.5	38	0.1	1.56
52-591		450	450.6	0.6	0	0.5	0.1	0.01
52-591		455.7	456.4	0.7	0	0.5	0.1	0.01
52-591		501.9	504.2	2.3	0	0.5	0.1	0.019
52-591		588.5	590	1.5	0	3.76	0.1	0.202
52-591		595.1	596.4	1.3	0	0.688	0.1	0.023
52-591		622.2	625.4	3.2	0	0.5	0.1	0.01
52-591		8.3	10.6	2.3	0	4.34	0.104	0.058
52-591		18.3	21.6	3.3	0	1.67	0.1	0.018
52-591		4.5	8.3	3.8	0	4.41	0.109	0.06
52-591		10.6	12.6	2	0	1.39	0.1	0.018
52-591		25.5	28.5	3	0	2.32	0.1	0.028
52-591		84.2	84.8	0.6	0	1.67	0.1	0.032
52-591		54.4	55.6	1.2	0	0.5	0.1	0.01
52-591		113.2	116.1	2.9	0	0.5	0.1	0.01
52-591		413.9	417.3	3.4	0	0.5	0.1	0.01
52-591		52.9	54.4	1.5	0	0.706	0.1	0.016
52-591		61.7	64.7	3	0	0.5	0.1	0.01
52-591		55.6	58.4	2.8	0	0.5	0.1	0.01
52-591		58.4	61.7	3.3	0	0.5	0.1	0.01
52-591		64.7	67	2.3	0	2.52	0.1	0.051
52-591		67	71.2	4.2	0	0.5	0.1	0.01
52-591		116.1	119.5	3.4	0	0.5	0.1	0.01
52-591		388.3	389.3	1	0	0.5	0.1	0.01
52-591		411.6	413.9	2.3	0	0.5	0.1	0.01
52-591		426.1	428.3	2.2	0	0.5	0.1	0.01
52-591		36.6	38	1.4	0	0.703	0.1	0.01
52-591		84.8	86.6	1.8	0	0.563	0.1	0.01
52-591		71.2	73.1	1.9	0	3.09	0.1	0.06
52-591		119.5	123.6	4.1	0	0.5	0.1	0.01
52-591		161.4	166.4	5	0	0.5	0.1	0.01

Galena Complex Drill Results - January 20, 2026

52-591	398.8	403.7	4.9	0	0.5	0.1	0.01
--------	-------	-------	-----	---	-----	-----	------