

## Galena Complex - Drillhole Collar Table

(as of March 30, 2026)

Hole #	East (ft.)	North (ft.)	Elevation (ft. amsl)	Hole Length (ft.)	Azimuth (degrees)	Dip (degrees)
43-295	11908.5	8640.6	-1200.0	775.0	323.0	-24.0
43-296	11908.5	8640.5	-1200.0	825.0	323.0	-14.0
43-297	11908.5	8640.6	-1200.0	875.0	323.0	-4.0
43-299	11913.2	8637.6	-1200.0	775.0	328.0	-16.0
43-300	11913.2	8637.6	-1200.0	825.0	328.0	-6.0
43-302	11913.9	8638.1	-1200.0	700.0	333.0	-14.0
43-304	11911.2	8635.9	-1200.0	538.0	318.0	-21.0
43-305	11911.2	8635.9	-1200.0	950.0	318.0	-11.0
43-308	11915.0	8639.0	-1200.0	765.0	337.0	-6.0
43-309	11910.3	8635.1	-1200.0	775.0	315.0	-24.0
43-310	11910.3	8635.1	-1200.0	910.0	315.0	-14.0
43-311	11910.3	8635.1	-1200.0	925.0	315.0	-9.0
43-312	11912.2	8636.8	-1200.0	800.0	323.0	-19.0
43-313	11912.2	8636.8	-1200.0	860.0	323.0	-9.0
43-314	11913.2	8637.6	-1200.0	750.0	328.0	-21.0
43-315	11913.2	8637.6	-1200.0	800.0	328.0	-11.0
43-316	11911.2	8635.9	-1200.0	543.0	318.0	-16.0
43-317	11911.2	8635.9	-1200.0	950.0	318.0	-6.0
43-320	11910.3	8635.1	-1200.0	1005.0	315.0	-6.0
43-321	11915.0	8639.0	-1200.0	800.0	337.0	-21.0
43-322	11915.0	8639.0	-1200.0	800.0	337.0	-11.0
43-323	11915.7	8639.7	-1200.0	925.0	337.0	2.0
43-324	11915.7	8639.7	-1200.0	950.0	337.0	7.0
43-326A	11916.2	8640.1	-1200.0	900.0	343.0	2.0
43-328	11916.9	8640.6	-1200.0	825.0	348.0	-6.0
43-329	11916.9	8640.6	-1200.0	775.0	348.0	-14.0
43-330	11917.7	8641.3	-1200.0	750.0	353.0	-12.0
43-331	11917.7	8641.3	-1200.0	765.0	353.0	-4.0
43-359	11941.8	8648.4	-1200.8	955.0	325.0	7.0
43-363	11942.7	8649.3	-1200.8	910.0	330.0	9.0
49-764	13363.3	7436.0	-1526.1	425.0	78.8	19.7
49-765	13363.5	7435.9	-1524.3	440.0	80.7	30.4
49-767	13362.2	7431.8	-1527.0	268.0	82.0	50.0
49-768	13362.8	7437.8	-1525.2	425.0	63.5	25.1
49-769	13362.5	7437.7	-1523.4	450.0	64.8	35.4
49-770	13361.9	7437.3	-1521.7	475.0	64.2	45.8
49-771	13361.5	7437.2	-1520.0	400.0	64.4	55.1
49-773	13362.1	7439.5	-1524.1	425.0	51.5	29.4
49-774	13361.6	7439.1	-1522.3	450.0	49.4	39.9

49-775	13361.0	7438.6	-1521.1	375.0	51.4	50.2
49-776	13361.1	7441.8	-1525.0	350.0	35.1	25.1
49-777	13361.0	7441.6	-1523.4	450.0	38.6	36.5
49-778	13360.5	7440.8	-1522.2	350.0	33.6	44.6
49-779	13360.1	7440.2	-1520.0	350.0	38.1	55.9
49-780	13358.7	7444.4	-1525.5	450.0	19.5	22.2
49-781	13358.7	7444.0	-1523.8	360.0	15.2	30.6
49-782	13358.6	7443.5	-1522.4	350.0	14.1	40.8
49-783	13358.3	7445.0	-1527.0	242.0	18.0	50.0
49-784	13358.6	7443.1	-1520.6	350.0	17.1	48.7
49-785	13354.5	7445.2	-1526.1	450.0	359.5	26.0
49-786	13354.2	7444.7	-1523.8	350.0	358.3	35.3
49-787	13354.6	7443.5	-1520.8	350.0	1.0	44.5
49-788	13354.7	7442.7	-1519.0	400.0	359.8	53.2
49-789	13351.5	7443.9	-1525.5	400.0	346.0	19.9
49-790	13351.7	7443.3	-1523.8	400.0	346.2	30.1
49-791	13351.8	7442.9	-1522.2	425.0	345.0	39.7
49-792	13351.9	7442.4	-1520.1	450.0	343.8	49.1
49-793	13352.0	7442.3	-1520.3	400.0	340.5	51.1
49-794	13349.7	7442.1	-1524.9	430.0	333.2	26.0
49-795	13350.0	7441.4	-1523.5	450.0	336.8	35.3
49-796	13350.0	7441.4	-1521.8	525.0	335.3	43.2
49-797	13350.1	7440.9	-1519.9	550.0	334.2	55.1
49-798	13347.4	7441.8	-1525.8	450.0	328.4	20.0
49-803	13347.7	7441.3	-1524.6	475.0	328.3	29.3
49-804	13347.9	7440.9	-1522.6	575.0	325.6	40.6
49-805	13348.5	7439.7	-1520.0	596.0	324.4	47.4
52-550	10106.0	9984.6	-2095.0	1200.0	140.0	-20.0
52-552	10106.0	9984.6	-2095.0	830.0	135.0	25.0
52-553	10106.0	9984.6	-2095.0	1179.0	135.0	-15.0
52-554	10106.0	9984.6	-2095.0	1200.0	135.0	-25.0
52-557	11481.5	8750.1	-1929.2	250.0	284.0	-30.1
52-559	11481.2	8751.0	-1927.9	325.0	296.2	-9.3
52-561	11477.4	8744.5	-1924.0	325.0	295.0	-35.0
52-573	11484.1	8748.8	-1924.0	260.0	330.0	-35.0
52-574	11484.1	8748.8	-1924.0	270.0	350.0	10.0
52-575	11484.1	8748.8	-1924.0	340.0	300.0	5.0
52-578	10110.8	9994.2	-2095.0	1200.0	95.0	-20.0
52-581	10094.3	10000.5	-2095.0	705.0	302.0	-20.0
52-583	10094.3	10000.5	-2095.0	735.0	295.0	-20.0
52-584	10094.3	10000.5	-2095.0	800.0	295.0	-30.0
52-587	10094.3	10000.5	-2095.0	650.0	305.0	5.0
52-588	10094.3	10000.5	-2095.0	705.0	305.0	15.0

52-589	10094.3	10000.5	-2095.0	735.0	300.0	10.0
52-590	10094.3	10000.5	-2095.0	770.0	300.0	2.0
52-591	10094.3	10000.5	-2095.0	740.0	300.0	10.0
52-593	10109.9	10000.8	-2095.0	1500.0	60.0	-45.0
55-237	12948.7	6896.7	-2361.0	575.0	297.0	10.0
55-238	12948.7	6896.7	-2361.0	600.0	297.0	20.0
55-240	12949.0	6896.9	-2361.0	525.0	305.0	15.0
55-246	12951.4	6901.1	-2361.0	430.0	335.0	24.0
55-248	12952.1	6901.2	-2361.0	350.0	345.0	18.0
55-250	12953.5	6901.3	-2361.0	350.0	0.0	30.0
55-253	12948.7	6896.7	-2361.0	702.0	297.0	-22.0
55-259	12950.9	6900.6	-2361.0	400.0	322.0	-28.0
55-260	12950.9	6900.6	-2361.0	453.0	322.0	-16.0
55-261	12951.4	6901.1	-2361.0	400.0	335.0	-25.0
55-262	12953.5	6901.3	-2361.0	350.0	0.0	-25.0
55-263	12959.8	6906.5	-2361.0	1279.0	20.0	-1.0
55-265	12959.8	6906.5	-2361.0	1053.0	20.0	-40.0
55-266	12965.7	6900.2	-2361.0	1500.0	50.0	-1.0
CO34-135	4389.8	12078.0	-588.0	800.0	295.0	-10.0
CO34-136	4389.2	12077.1	-588.0	600.0	290.0	-14.0
CO34-137	4389.2	12077.1	-588.0	800.0	290.0	-22.0
CO34-138	4389.2	12077.1	-588.0	600.0	290.0	-30.0
CO34-139	4389.2	12077.1	-588.0	700.0	290.0	-45.0
CO34-145	4397.0	12090.3	-588.0	671.0	317.0	-20.0
CO34-148	4402.4	12068.6	-588.0	1500.0	135.0	-18.0
CO34-154	5604.0	12001.9	-603.2	900.0	327.0	-42.0
CO34-155	5601.7	12001.4	-603.2	1000.0	320.0	-35.0
CO34-133	4409.8	12070.2	-588.6	2000.0	138.0	-14.0
CO34-134	4410.1	12071.1	-589.0	1488.0	137.4	-27.6
CO34-148	4402.4	12068.6	-588.0	1500.0	135.0	-18.0
CO34-166	5605.0	11994.0	-603.2	1500.0	205.0	-40.0

<b>Galena Complex - Highlight Drill Results</b>								
(as of March 30, 2026)								
Hole #	From (ft.)	To (ft.)	Width (ft.)	Ag (g/t)	Cu (%)	Sb (%)	Pb (%)	Vein Type
43-295	24.8	34.4	6.8	773	0.86	NA	0.17	Ag-Cu-Sb
and	45.9	47.5	1.5	3714	3.86	NA	0.14	Ag-Cu-Sb
and	50.9	65	14.0	361	0.25	NA	0.11	Ag-Cu-Sb
and	78.1	95	14.6	649	2.09	NA	0.11	Ag-Cu-Sb
43-295	530	595	61.1	149	0.05	NA	7.96	Ag-Pb
including	530	570.5	38.1	161	0.06	NA	8.54	Ag-Pb
including	585	595	8.7	216	0.12	NA	12.01	Ag-Pb

and	619.7	625	5.2	249	0.01	NA	14.82	Ag-Pb
and	721.2	730	6.2	314	0.09	0.11	9.29	Ag-Pb
and	770	773.2	2.8	260	0.15	0.24	12.00	Ag-Pb
43-296	13.4	13.9	0.4	5474	5.52	NA	0.18	Ag-Cu-Sb
and	21.7	22.3	0.5	5225	6.00	NA	0.46	Ag-Cu-Sb
and	77.2	80.1	1.5	740	0.62	NA	1.86	Ag-Pb
and	95.6	97.5	1.2	814	2.41	NA	10.06	Ag-Cu-Sb
and	143.2	177.3	24.1	219	0.03	NA	10.77	Ag-Pb
and	630	638.2	7.1	193	0.12	NA	4.80	Ag-Pb
and	778.9	786	4.1	222	0.06	NA	11.10	Ag-Pb
43-297	68.5	73.5	4.3	430	0.48	0.39	0.84	Ag-Pb
and	295	308	6.5	323	0.03	0.07	14.10	Ag-Pb
and	335	360	25.0	174	0.02	0.03	7.15	Ag-Pb
and	375	415	40.0	272	0.04	0.08	12.30	Ag-Pb
and	680	691.8	11.8	173	0.02	0.03	8.90	Ag-Pb
43-299	84.4	87.4	3.0	470	1.22	1.45	5.80	Ag-Cu-Sb
and	120	130	7.1	252	0.01	0.05	12.47	Ag-Pb
43-300	110	152.4	30.0	165	0.12	NA	8.63	Ag-Pb
including	110	121.1	9.6	201	0.39	0.40	7.40	Ag-Pb
including	131.1	152.4	13.7	205	0.02	0.03	12.37	Ag-Pb
and	817.9	821.8	3.0	195	0.02	0.04	9.56	Ag-Pb
43-302	691.4	695	3.6	177	0.01	0.02	7.41	Ag-Pb
43-304	13.5	14	0.3	4012	3.80	0.33	0.20	Ag-Cu-Sb
and	352.4	355.9	2.7	3069	2.14	1.66	0.23	Ag-Cu-Sb
43-305	18.4	20.8	2.0	1225	1.42	1.01	0.10	Ag-Cu-Sb
and	62.9	65.5	2.4	871	0.70	0.53	0.10	Ag-Cu-Sb
and	69.4	73.7	3.5	560	0.40	0.28	0.10	Ag-Cu-Sb
and	337.3	340	2.1	734	0.54	0.53	0.40	Ag-Cu-Sb
and	590.5	595.6	3.9	2454	2.12	1.94	1.17	Ag-Cu-Sb
and	786.2	787.8	1.2	1518	2.00	2.38	9.10	Ag-Cu-Sb
and	838.4	841.6	2.5	902	0.82	0.64	5.62	Ag-Sb-Pb
and	862.3	865.8	2.7	873	0.55	0.42	7.94	Ag-Sb-Pb
43-308	721.9	732.4	8.1	629	0.16	NA	20.70	Ag-Pb
43-309	348	351.9	3.1	510	0.32	0.24	0.11	Ag-Cu-Sb
and	364.4	365.7	1.0	1642	1.04	0.80	1.00	Ag-Cu-Sb
and	506.8	510.2	2.6	370	0.03	0.05	13.90	Ag-Pb
43-310	64.7	80	11.8	650	0.45	0.34	0.14	Ag-Cu-Sb
including	74.2	77.3	2.4	2563	1.80	1.35	0.30	Ag-Cu-Sb
43-310	343.8	352.2	6.5	1199	0.85	NA	0.14	Ag-Cu-Sb
including	348	352.2	3.3	2051	1.46	NA	0.16	Ag-Cu-Sb
and	491.4	493.1	1.3	1823	1.20	NA	1.20	Ag-Cu-Sb
and	608.6	610.7	1.6	1816	1.90	1.55	0.40	Ag-Cu-Sb
43-311	63.5	72.2	6.7	565	0.39	0.31	0.10	Ag-Cu-Sb

and	356.2	360	2.9	1325	2.10	NA	5.00	Ag-Cu-Sb
and	481.6	483.7	1.6	964	0.80	NA	0.40	Ag-Cu-Sb
and	589.9	593.7	2.9	1716	1.53	1.23	0.29	Ag-Cu-Sb
43-312	83.5	84.5	0.8	2550	3.90	NA	7.40	Ag-Cu-Sb
and	641	646.9	4.6	349	0.04	NA	19.70	Ag-Pb
and	774.4	777.7	2.6	196	0.16	NA	4.72	Ag-Pb
43-313	144.9	147.5	2.0	572	0.00	NA	37.90	Ag-Pb
and	637.2	637.8	0.5	5256	5.00	NA	0.38	Ag-Cu-Sb
43-314	92.9	100	5.5	514	1.61	NA	5.31	Ag-Cu-Sb
43-315	85.3	88.9	2.8	473	1.29	NA	3.38	Ag-Cu-Sb
and	755.2	760	3.7	421	0.61	NA	7.29	Ag-Cu-Sb
43-316	348.5	353.8	4.1	2354	1.75	NA	0.26	Ag-Cu-Sb
and	355.7	363.7	6.2	2312	1.57	NA	2.38	Ag-Cu-Sb
43-317	392	395.6	2.8	465	0.37	0.28	0.14	Ag-Cu-Sb
and	403.2	407.6	3.4	374	0.28	0.20	0.11	Ag-Cu-Sb
and	585.1	589	3.1	858	0.80	NA	0.72	Ag-Cu-Sb
43-320	390	397.4	5.7	579	0.53	NA	0.31	Ag-Cu-Sb
and	403.2	407.9	3.6	350	0.28	NA	0.60	Ag-Pb
and	456.5	460	2.7	908	1.30	NA	19.20	Ag-Cu-Sb
and	577.2	585.7	6.6	814	0.78	NA	1.17	Ag-Pb
and	830	835	3.9	560	0.70	NA	0.30	Ag-Cu-Sb
and	841.6	849.1	5.8	469	0.59	NA	2.03	Ag-Pb
43-321	659.3	662	2.1	442	0.30	NA	21.75	Ag-Pb
and	679.1	686.2	5.5	638	0.26	NA	22.21	Ag-Pb
43-322	647.2	647.9	0.5	3608	3.60	NA	0.43	Ag-Cu-Sb
43-323	767.7	770.4	2.1	753	1.06	NA	11.47	Ag-Cu-Sb
and	780.4	785.4	3.9	597	0.20	NA	15.50	Ag-Pb
43-324	755.2	760.5	4.1	254	0.03	NA	10.15	Ag-Pb
and	765	767	1.6	451	0.02	NA	12.30	Ag-Pb
and	783.3	787.3	3.1	498	0.20	NA	0.20	Ag-Pb
and	808.1	813.1	3.9	432	0.20	NA	17.20	Ag-Pb
43-326A	775.9	777	0.9	2629	1.80	2.81	4.28	Ag-Cu-Sb
and	817.5	823	4.3	202	0.22	0.16	1.01	Ag-Pb
43-328	597.4	600.7	2.6	736	0.11	0.37	35.08	Ag-Sb-Pb
and	602.8	605.1	1.8	1073	0.06	0.24	48.49	Ag-Sb-Pb
and	607.9	617.1	7.1	972	0.07	0.28	47.86	Ag-Sb-Pb
and	624	627	2.3	1275	0.23	0.63	63.93	Ag-Sb-Pb
43-329	510.8	514.7	3.0	404	0.20	0.28	18.70	Ag-Pb
and	545.5	548.6	2.4	425	0.20	0.19	18.71	Ag-Pb
and	562.5	565.8	2.6	604	0.15	0.27	33.13	Ag-Pb
and	572.4	575.9	2.7	614	0.48	0.51	22.48	Ag-Pb
and	604	606.1	1.6	568	0.02	0.09	26.36	Ag-Pb
and	628.7	635.9	5.5	327	0.12	0.15	10.77	Ag-Pb

43-330	540	545	3.9	830	0.94	1.78	40.30	Ag-Cu-Sb
and	569.6	572.9	2.6	492	0.11	0.45	20.60	Ag-Sb-Pb
and	583.9	590.1	4.8	414	0.25	0.46	19.03	Ag-Sb-Pb
and	603.5	606.3	2.2	593	0.06	0.17	32.88	Ag-Pb
43-331	572.4	575.1	2.1	601	0.02	0.15	22.67	Ag-Pb
and	580	585	3.9	414	0.01	0.06	20.40	Ag-Pb
and	621.2	629	6.0	477	0.09	0.17	15.54	Ag-Pb
43-359	104.9	106.2	1.0	395	0.93	0.95	2.48	Ag-Sb-Pb
and	951.9	955	2.4	623	0.50	0.38	0.06	Ag-Cu-Sb
43-363	810.8	822.5	9.1	491	0.14	0.30	19.30	Ag-Pb
49-764	142.5	147.1	3.0	217	0.01	NA	12.19	Ag-Pb
and	162	171	6.4	274	0.01	NA	9.21	Ag-Pb
49-765	28.6	31.1	1.6	690	0.86	NA	9.65	Ag-Pb
and	110	117.5	4.8	274	0.10	NA	8.29	Ag-Pb
49-767	105	115	3.4	334	0.09	NA	16.66	Ag-Pb
49-768	101.1	121.7	10.3	196	0.03	NA	9.59	Ag-Pb
including	115	121.7	3.4	339	0.02	NA	17.00	Ag-Pb
and	139.8	151.2	9.9	319	0.03	NA	9.81	Ag-Pb
49-769	84.5	91.3	3.4	230	0.08	NA	11.14	Ag-Pb
49-769	115	139.5	15.8	156	0.03	NA	8.10	Ag-Pb
including	130	139.5	6.1	173	0.01	NA	9.42	Ag-Pb
and	159	170	9.0	196	0.01	NA	9.63	Ag-Pb
49-770	125.3	131.6	4.1	209	0.10	NA	8.12	Ag-Pb
and	183	186.2	2.8	281	0.13	NA	10.90	Ag-Pb
49-771	153.5	170.7	5.9	396	0.06	NA	14.39	Ag-Pb
49-773	109.5	140	23.4	338	0.05	NA	9.62	Ag-Pb
Including	109.5	129	11.2	428	0.07	NA	11.89	Ag-Pb
Including	136.5	140	2.7	517	0.02	NA	15.88	Ag-Pb
49-774	67.5	78	3.3	799	0.20	NA	15.83	Ag-Pb
and	125	160	17.5	232	0.03	NA	9.79	Ag-Pb
and	125	134	6.9	237	0.03	NA	7.85	Ag-Pb
and	141	160	9.5	288	0.04	NA	13.46	Ag-Pb
49-775	88.5	103.5	7.5	663	0.18	NA	22.34	Ag-Pb
and	185	191.3	3.6	220	0.03	NA	9.19	Ag-Pb
49-776	112.5	120	7.5	335	0.11	NA	12.57	Ag-Pb
49-777	165	175	5.0	216	0.01	NA	8.42	Ag-Pb
49-778	134.1	146.3	11.5	489	0.04	NA	15.72	Ag-Pb
49-779	164.6	185	11.7	226	0.02	NA	11.01	Ag-Pb
49-780	110.8	138.4	21.1	230	0.01	NA	10.67	Ag-Pb
and	110.8	121.7	7.7	124	0.02	NA	9.05	Ag-Pb
and	127.2	138.4	11.0	398	0.01	NA	13.93	Ag-Pb
49-781	89.3	94.3	3.5	307	0.09	NA	8.18	Ag-Pb
and	122.4	127.8	5.4	372	0.01	NA	10.48	Ag-Pb

49-782	145	150.5	4.2	186	0.01	NA	8.25	Ag-Pb
49-783	154.5	164.3	7.5	185	0.01	NA	7.14	Ag-Pb
49-784	132	165.3	16.7	205	0.01	NA	7.85	Ag-Pb
including	132	141.6	4.8	318	0.01	NA	12.16	Ag-Pb
including	146.6	165.3	9.4	198	0.01	NA	7.54	Ag-Pb
49-785	118.5	123.8	3.7	515	0.07	NA	14.34	Ag-Pb
and	128.8	144.1	9.8	163	0.01	NA	8.57	Ag-Pb
and	159	161.6	2.6	258	0.01	NA	19.70	Ag-Pb
49-786	108.5	165	28.3	224	0.06	NA	8.48	Ag-Pb
including	124.5	142	8.8	239	0.01	NA	12.98	Ag-Pb
including	141.5	147	2.8	816	0.02	NA	23.58	Ag-Pb
49-787	154.3	160.2	4.2	381	0.02	NA	13.46	Ag-Pb
and	165.2	174.5	6.6	176	0.01	NA	8.86	Ag-Pb
49-788	174.2	187.6	11.0	179	0.01	NA	10.45	Ag-Pb
49-789	146	202	36.0	235	0.02	NA	13.02	Ag-Pb
including	146	174	18.0	234	0.02	NA	17.59	Ag-Pb
including	179	197	11.6	318	0.01	NA	11.41	Ag-Pb
49-790	142	151	5.2	193	0.01	NA	11.49	Ag-Pb
and	167	175	5.1	160	0.01	NA	9.44	Ag-Pb
and	200	215	8.6	157	0.02	NA	10.51	Ag-Pb
49-791	150	200	32.2	208	0.01	NA	8.91	Ag-Pb
including	150	188	24.4	216	0.01	NA	9.47	Ag-Pb
including	190.5	200	5.5	227	0.01	NA	8.96	Ag-Pb
49-792	163.5	218.8	35.6	281	0.02	NA	15.84	Ag-Pb
49-793	202	258.3	32.3	189	0.01	NA	9.24	Ag-Pb
including	202	223.4	12.3	347	0.02	NA	14.68	Ag-Pb
49-794	201.4	214	8.9	151	0.02	NA	11.28	Ag-Pb
49-795	168.5	176.8	4.2	173	0.02	NA	8.69	Ag-Pb
and	208.4	246.4	24.4	224	0.05	NA	10.22	Ag-Pb
49-796	185	247	31.0	188	0.06	NA	7.76	Ag-Pb
including	185	200	7.5	305	0.19	NA	11.50	Ag-Pb
including	220	237.5	8.8	253	0.01	NA	10.00	Ag-Pb
49-797	226.3	275	24.4	204	0.02	NA	8.30	Ag-Pb
including	226.3	245	9.3	322	0.04	NA	10.97	Ag-Pb
including	247	252.8	2.9	258	0.03	NA	8.15	Ag-Pb
49-798	89.1	92.4	2.1	1528	2.31	NA	2.15	Ag-Cu-Sb
49-798	236.5	294.7	33.4	193	0.04	NA	9.82	Ag-Pb
including	236.5	248.5	6.9	126	0.01	NA	10.28	Ag-Pb
including	270.9	287	9.2	438	0.12	NA	17.72	Ag-Pb
49-803	227.5	289.3	35.5	155	0.05	NA	8.08	Ag-Pb
including	227.5	259.7	18.5	225	0.08	NA	11.03	Ag-Pb
including	227.5	235.4	4.5	220	0.01	NA	16.66	Ag-Pb
including	242.3	259.7	10.0	276	0.13	NA	11.17	Ag-Pb

49-804	225	310	36.0	204	0.02	NA	14.37	Ag-Pb
including	246.2	278.7	13.7	311	0.04	NA	22.02	Ag-Pb
including	285.7	310	10.3	193	0.10	NA	14.01	Ag-Pb
49-805	200.8	202.2	1.4	1331	0.86	NA	34.60	Ag-Pb
52-550	251.9	253.5	1.2	7123	2.28	NA	0.24	Ag-Cu-Sb
52-552	35	43	4.0	511	0.31	NA	0.11	Ag-Cu-Sb
52-553	264.2	265	0.5	48832	16.30	NA	0.10	Ag-Cu-Sb
and	325.7	328.2	1.6	1835	0.81	NA	0.10	Ag-Cu-Sb
52-554	890.5	894.4	3.9	358	0.01	NA	17.60	Ag-Pb
52-557	171.2	176.5	3.4	649	1.01	NA	0.24	Ag-Cu-Sb
52-559	123.2	129.7	3.7	517	0.84	NA	0.22	Ag-Cu-Sb
52-561	125	126.6	1.3	2339	2.78	NA	0.12	Ag-Cu-Sb
52-573	151.6	156.7	3.9	319	0.22	NA	0.10	Ag-Cu-Sb
52-574	165.8	169.4	2.9	1358	0.66	NA	0.15	Ag-Cu-Sb
52-575	129	130.8	1.4	1916	2.50	NA	0.10	Ag-Cu-Sb
52-578	68.6	72.8	3.9	629	0.28	NA	0.11	Ag-Cu-Sb
including	68.6	69.3	0.7	3235	1.42	NA	0.16	Ag-Cu-Sb
52-581	217	219.8	2.8	2762	2.33	NA	0.10	Ag-Cu-Sb
and	466	467.3	1.3	4012	3.21	NA	0.10	Ag-Cu-Sb
and	527	531.7	3.3	1043	1.27	NA	0.10	Ag-Cu-Sb
52-583	615	627	11.3	983	0.74	NA	0.11	Ag-Cu-Sb
including	623	624.1	1.0	8958	6.80	NA	0.20	Ag-Cu-Sb
52-584	647.7	656.9	7.0	354	0.43	NA	0.10	Ag-Cu-Sb
52-587	544.9	551.3	5.5	539	1.07	NA	0.10	Ag-Cu-Sb
52-588	559.7	568	5.3	447	0.43	NA	0.14	Ag-Cu-Sb
and	648.1	653.6	4.8	385	0.47	NA	0.10	Ag-Cu-Sb
52-589	570	571.3	1.3	2563	2.17	NA	0.10	Ag-Cu-Sb
52-590	58	63	4.1	429	0.35	NA	0.11	Ag-Cu-Sb
and	560	564	2.8	1359	1.68	NA	0.10	Ag-Cu-Sb
52-591	592.4	595.1	1.9	501	0.68	NA	0.11	Ag-Cu-Sb
and	653.5	655.4	1.5	1473	1.55	NA	0.11	Ag-Cu-Sb
52-593	21.5	26.1	4.6	473	0.22	NA	0.17	Ag-Cu-Sb
55-237	441.6	446.1	3.7	337	0.60	NA	0.10	Ag-Cu-Sb
55-238	466.3	468.9	2.5	2952	3.84	NA	0.10	Ag-Cu-Sb
55-240	416.8	421.1	2.5	325	0.87	NA	0.10	Ag-Cu-Sb
and	425.7	426.9	0.9	1026	1.30	NA	0.10	Ag-Cu-Sb
and	435	438.5	2.3	395	0.36	NA	0.10	Ag-Cu-Sb
and	445.2	448.1	2.5	715	0.77	NA	0.10	Ag-Cu-Sb
55-246	316.6	317.4	0.6	3390	3.05	1.08	0.10	Ag-Cu-Sb
55-248	281.9	287.2	3.7	359	0.60	0.12	0.10	Ag-Cu-Sb
55-250	288.6	295.7	5.3	491	0.34	0.17	0.20	Ag-Cu-Sb
55-253	516.3	518.1	1.4	954	1.61	NA	0.10	Ag-Cu-Sb
and	542.8	553.2	8.0	437	0.37	NA	0.12	Ag-Cu-Sb

55-259	285.8	287.4	1.2	746	2.36	NA	0.10	Ag-Cu-Sb
55-260	286.5	287.5	0.8	1375	1.19	NA	0.10	Ag-Cu-Sb
55-261	257.5	262.8	4.1	4896	3.95	NA	0.11	Ag-Cu-Sb
55-262	206.8	211	3.3	3651	2.03	NA	0.10	Ag-Cu-Sb
55-263	602.3	605.8	2.7	642	0.37	NA	0.10	Ag-Cu-Sb
55-265	216.5	217.4	0.7	1362	0.57	0.47	0.16	Ag-Cu-Sb
55-266	256.1	258.5	1.9	1785	1.75	0.61	0.19	Ag-Cu-Sb
and	415.9	418.2	1.8	678	0.03	0.06	21.70	Ag-Pb
CO34-133	1266.6	1273.4	4.5	646	1.95	0.79	0.10	520 Vein
CO34-134	1324.7	1330.8	5.0	64	0.17	0.08	0.10	520 Vein
CO34-135	431.1	435.4	4.2	271	0.54	NA	0.10	Ag-Cu-Sb
CO34-136	435.2	438.9	3.6	291	0.46	NA	0.10	Ag-Cu-Sb
CO34-137	441.5	445.4	3.7	393	0.43	NA	0.10	Ag-Cu-Sb
and	492.3	497.9	5.1	327	0.47	NA	0.10	Ag-Cu-Sb
CO34-138	322.4	324.3	1.9	1132	2.47	NA	0.10	Ag-Cu-Sb
and	459.5	465.1	4.0	611	0.46	NA	0.10	Ag-Cu-Sb
and	550.6	553.7	3.1	1199	1.14	NA	0.10	Ag-Cu-Sb
CO34-139	531.6	540.5	7.7	318	0.37	0.19	0.10	Ag-Cu-Sb
CO34-145	400.4	403.4	2.3	941	1.04	0.47	0.10	Ag-Cu-Sb
CO34-148	1270.8	1275.1	3.3	363	1.72	0.48	0.10	520 Vein
CO34-154	691.7	696.6	3.8	802	0.86	0.63	0.00	Ag-Cu-Sb
CO34-155	727.6	728.7	0.9	426	0.76	0.55	0.00	Ag-Cu-Sb
CO34-166	1056.0	1059.4	2.6	432	1.49	0.52	0.02	520 Vein
and	1066.8	1071.5	3.6	619	1.10	0.65	0.01	520 Vein