

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-266	0	360 Complex	40	10	0.0	1.2	1.2	0.0	34	1.47	<0.01	79
43-266	0	360 Complex	40	10	1.2	2.7	1.5	0.0	30	1.56	<0.01	77
43-266	0	360 Complex	40	10	2.7	4.3	1.5	0.0	45	2.42	<0.01	118
43-266	0	360 Complex	40	10	4.3	5.8	1.5	0.0	17	0.55	<0.01	35
43-266	0	360 Complex	40	10	5.8	7.3	1.5	0.0	21	0.96	<0.01	51
43-266	0	360 Complex	40	10	7.3	8.8	1.5	0.0	29	1.44	<0.01	72
43-266	0	360 Complex	40	10	14.9	16.5	1.5	0.0	43	2.09	0.03	108
43-266	0	360 Complex	40	10	16.5	18.0	1.5	0.0	73	3.99	0.01	192
43-266	0	360 Complex	40	10	18.0	19.5	1.5	0.0	43	2.22	<0.01	110
43-266	0	360 Complex	40	10	19.5	20.7	1.2	0.0	130	6.12	0.02	313
43-266	0	360 Complex	40	10	20.7	22.0	1.2	0.0	17	0.34	<0.01	28
43-266	0	360 Complex	40	10	22.0	23.3	1.4	0.0	17	0.39	<0.01	30
43-266	0	360 Complex	40	10	23.3	24.5	1.2	0.0	60	3.32	<0.01	159
43-266	257_100	360 Complex	40	10	24.5	25.6	1.1	1.1	214	12.10	0.02	574
43-266	257_100	360 Complex	40	10	25.6	27.1	1.5	0.0	29	1.49	<0.01	74
43-266	257_100	360 Complex	40	10	27.1	28.2	1.0	1.0	189	11.80	<0.01	540
43-266	257_100	360 Complex	40	10	28.2	28.7	0.5	0.5	60	3.80	<0.01	173
43-266	257_100	360 Complex	40	10	28.7	29.7	1.1	1.0	202	10.30	<0.01	508
43-266	0	360 Complex	40	10	29.7	31.3	1.5	0.0	57	4.08	<0.01	179
43-266	new_100	360 Complex	40	10	31.3	32.8	1.5	1.5	113	7.20	<0.01	327
43-266	new_100	360 Complex	40	10	32.8	33.5	0.7	0.7	60	3.90	<0.01	177
43-266	new_100	360 Complex	40	10	33.5	34.7	1.2	1.2	308	18.80	<0.01	866
43-266	0	360 Complex	40	10	34.7	35.8	1.1	0.0	56	3.23	<0.01	153
43-266	0	360 Complex	40	10	35.8	37.5	1.7	0.0	37	2.19	<0.01	103
43-266	0	360 Complex	40	10	37.5	39.0	1.5	0.0	83	4.36	<0.01	214
43-266	0	360 Complex	40	10	39.0	40.5	1.5	0.0	95	4.80	<0.01	238
43-266	178_100	360 Complex	40	10	40.5	41.8	1.2	1.2	152	8.60	<0.01	408
43-266	0	360 Complex	40	10	41.8	42.7	0.9	0.0	17	0.86	<0.01	44
43-266	0	360 Complex	40	10	54.2	54.6	0.4	0.0	111	3.29	0.02	211
43-266	0	360 Complex	40	10	54.6	56.1	1.5	0.0	60	1.65	<0.01	110
43-266	0	360 Complex	40	10	56.1	56.7	0.6	0.0	76	1.91	<0.01	134
43-266	0	360 Complex	40	10	56.7	57.6	0.9	0.0	44	1.29	<0.01	84
43-266	0	360 Complex	40	10	57.6	59.1	1.5	0.0	34	1.35	<0.01	75
43-266	0	360 Complex	40	10	67.8	68.3	0.5	0.0	17	0.49	<0.01	33
43-266	0	360 Complex	40	10	68.3	68.9	0.6	0.0	98	3.78	<0.01	211
43-266	0	360 Complex	40	10	68.9	69.4	0.5	0.0	24	1.05	<0.01	56
43-266	0	360 Complex	40	10	69.4	69.8	0.4	0.0	223	9.48	<0.01	504
43-266	0	360 Complex	40	10	70.2	70.7	0.5	0.0	64	1.83	<0.01	119
43-266	0	360 Complex	40	10	70.7	71.3	0.6	0.0	26	0.62	<0.01	46
43-266	0	360 Complex	40	10	71.3	71.5	0.2	0.0	332	8.61	0.22	613
43-266	0	360 Complex	40	10	74.8	75.1	0.3	0.0	17	0.19	0.02	25
43-267	0	360 Complex	40	-10	0.0	0.9	0.9	0.0	133	6.72	0.01	333
43-267	0	360 Complex	40	-10	11.0	11.6	0.6	0.0	35	1.90	<0.01	93
43-267	0	360 Complex	40	-10	11.6	12.5	0.9	0.0	34	1.77	<0.01	87
43-267	0	360 Complex	40	-10	12.5	14.0	1.5	0.0	29	1.53	<0.01	75
43-267	0	360 Complex	40	-10	18.0	18.6	0.6	0.0	17	0.86	<0.01	44
43-267	0	360 Complex	40	-10	18.6	20.1	1.5	0.0	74	4.04	0.02	196
43-267	0	360 Complex	40	-10	20.1	21.6	1.5	0.0	87	4.56	<0.01	223
43-267	0	360 Complex	40	-10	21.6	23.2	1.5	0.0	45	2.35	<0.01	115
43-267	0	360 Complex	40	-10	23.2	23.9	0.8	0.0	78	4.36	<0.01	208
43-267	0	360 Complex	40	-10	23.9	25.5	1.5	0.0	86	4.76	<0.01	228
43-267	0	360 Complex	40	-10	25.5	27.0	1.5	0.0	64	3.58	<0.01	171
43-267	178_100	360 Complex	40	-10	27.0	27.1	0.2	0.0	1,139	66.40	0.26	3,135
43-267	178_100	360 Complex	40	-10	27.1	28.3	1.2	0.0	96	4.40	0.02	229
43-267	0	360 Complex	40	-10	28.3	29.8	1.5	0.0	58	2.76	<0.01	141
43-267	0	360 Complex	40	-10	29.8	31.3	1.4	0.0	40	2.03	<0.01	101
43-267	new_100	360 Complex	40	-10	31.3	32.8	1.5	1.5	151	8.48	<0.01	403
43-267	0	360 Complex	40	-10	32.8	34.1	1.4	0.0	106	5.68	<0.01	275
43-267	0	360 Complex	40	-10	34.1	35.7	1.5	0.0	19	1.00	<0.01	49
43-267	0	360 Complex	40	-10	35.7	37.2	1.5	0.0	17	0.86	<0.01	44
43-267	0	360 Complex	40	-10	37.2	38.1	0.9	0.0	24	1.28	<0.01	63
43-267	0	360 Complex	40	-10	38.1	39.6	1.5	0.0	27	1.47	<0.01	71
43-267	0	360 Complex	40	-10	39.6	41.2	1.5	0.0	79	4.60	0.02	218

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-267	0	360 Complex	40	-10	41.2	42.7	1.5	0.0	34	1.95	<0.01	93
43-267	0	360 Complex	40	-10	42.7	44.2	1.5	0.0	39	2.38	<0.01	111
43-267	348_100	360 Complex	40	-10	44.2	45.7	1.5	0.0	86	5.28	<0.01	243
43-267	0	360 Complex	40	-10	45.7	47.3	1.5	0.0	42	2.69	<0.01	123
43-267	0	360 Complex	40	-10	47.3	48.8	1.5	0.0	38	2.54	<0.01	115
43-267	0	360 Complex	40	-10	48.8	50.3	1.5	0.0	51	3.93	<0.01	169
43-267	0	360 Complex	40	-10	50.3	51.2	0.9	0.0	42	2.84	<0.01	127
43-267	br2_100	360 Complex	40	-10	51.2	52.7	1.5	1.5	103	7.36	<0.01	322
43-267	br2_100	360 Complex	40	-10	52.7	54.3	1.5	1.5	103	7.20	0.01	318
43-267	0	360 Complex	40	-10	54.3	55.8	1.5	0.0	58	3.82	<0.01	172
43-267	0	360 Complex	40	-10	55.8	56.3	0.5	0.0	65	3.99	<0.01	184
43-267	br1_100	360 Complex	40	-10	56.3	56.6	0.2	0.2	761	41.60	0.02	1,995
43-267	br1_100	360 Complex	40	-10	56.6	57.3	0.8	0.8	291	10.00	<0.01	589
43-267	br1_100	360 Complex	40	-10	57.3	57.9	0.6	0.6	264	8.16	0.05	511
43-267	0	360 Complex	40	-10	57.9	59.5	1.5	0.0	36	0.96	<0.01	66
43-267	239_100	360 Complex	40	-10	59.5	61.0	1.5	1.4	175	4.72	<0.01	316
43-267	239_100	360 Complex	40	-10	61.0	62.5	1.5	1.4	156	5.04	<0.01	306
43-267	0	360 Complex	40	-10	62.5	64.0	1.5	0.0	17	0.98	<0.01	47
43-267	0	360 Complex	40	-10	64.0	65.5	1.5	0.0	49	2.44	<0.01	123
43-267	0	360 Complex	40	-10	65.5	66.9	1.4	0.0	63	3.25	<0.01	161
43-267	0	360 Complex	40	-10	66.9	68.3	1.4	0.0	19	0.86	<0.01	45
43-267	0	360 Complex	40	-10	68.3	69.8	1.5	0.0	33	1.68	<0.01	84
43-267	0	360 Complex	40	-10	69.8	70.4	0.6	0.0	17	0.76	<0.01	41
43-267	0	360 Complex	40	-10	70.4	71.1	0.7	0.0	17	0.32	<0.01	28
43-268	0	360 Complex	50	10	0.0	1.5	1.5	0.0	43	1.68	<0.01	94
43-268	0	360 Complex	50	10	1.5	3.0	1.5	0.0	40	1.82	<0.01	96
43-268	0	360 Complex	50	10	3.0	4.6	1.5	0.0	41	1.88	<0.01	98
43-268	0	360 Complex	50	10	4.6	6.1	1.5	0.0	17	0.47	<0.01	32
43-268	0	360 Complex	50	10	6.1	7.6	1.5	0.0	30	1.46	<0.01	74
43-268	0	360 Complex	50	10	7.6	8.7	1.1	0.0	17	0.45	<0.01	32
43-268	0	360 Complex	50	10	8.7	10.2	1.5	0.0	17	0.34	<0.01	28
43-268	0	360 Complex	50	10	10.2	11.7	1.5	0.0	25	1.22	<0.01	63
43-268	0	360 Complex	50	10	11.7	13.3	1.5	0.0	17	0.27	<0.01	26
43-268	0	360 Complex	50	10	13.3	14.8	1.5	0.0	17	0.23	<0.01	25
43-268	0	360 Complex	50	10	14.8	16.3	1.5	0.0	28	1.48	<0.01	73
43-268	0	360 Complex	50	10	16.3	16.8	0.5	0.0	29	1.47	<0.01	74
43-268	0	360 Complex	50	10	16.8	18.3	1.5	0.0	26	1.48	<0.01	71
43-268	0	360 Complex	50	10	18.3	18.8	0.5	0.0	198	9.72	0.03	489
43-268	0	360 Complex	50	10	18.8	20.3	1.5	0.0	93	4.64	0.01	232
43-268	0	360 Complex	50	10	20.3	20.6	0.3	0.0	195	8.52	0.09	457
43-268	0	360 Complex	50	10	20.6	21.3	0.8	0.0	28	1.38	<0.01	70
43-268	0	360 Complex	50	10	21.3	22.9	1.5	0.0	17	0.19	<0.01	24
43-268	257_100	360 Complex	50	10	22.9	24.4	1.5	1.5	139	8.32	<0.01	387
43-268	0	360 Complex	50	10	24.4	25.9	1.5	0.0	40	2.13	<0.01	105
43-268	0	360 Complex	50	10	25.9	27.4	1.5	0.0	17	0.27	<0.01	26
43-268	0	360 Complex	50	10	27.4	29.0	1.5	0.0	17	0.17	<0.01	23
43-268	0	360 Complex	50	10	29.0	30.5	1.5	0.0	17	0.15	<0.01	23
43-268	0	360 Complex	50	10	30.5	31.1	0.6	0.0	17	0.31	<0.01	28
43-268	0	360 Complex	50	10	31.1	31.7	0.6	0.0	98	5.67	<0.01	267
43-268	0	360 Complex	50	10	31.7	32.6	0.9	0.0	35	1.98	<0.01	94
43-268	0	360 Complex	50	10	32.6	33.2	0.6	0.0	101	6.06	<0.01	281
43-268	0	360 Complex	50	10	33.2	34.1	0.9	0.0	17	0.74	<0.01	40
43-268	0	360 Complex	50	10	34.1	35.4	1.2	0.0	26	1.80	<0.01	80
43-268	new_100	360 Complex	50	10	35.4	36.3	1.0	1.0	206	13.60	<0.01	610
43-268	new_100	360 Complex	50	10	36.3	37.6	1.3	1.3	98	6.54	<0.01	293
43-268	new_100	360 Complex	50	10	37.6	38.1	0.5	0.5	391	25.90	0.02	1,160
43-268	0	360 Complex	50	10	38.1	39.6	1.5	0.0	79	4.80	<0.01	222
43-268	178_100	360 Complex	50	10	39.6	41.2	1.5	1.5	136	8.36	<0.01	385
43-268	178_100	360 Complex	50	10	41.2	42.7	1.5	1.5	152	9.68	0.01	440
43-268	0	360 Complex	50	10	42.7	44.2	1.5	0.0	22	1.60	<0.01	71
43-268	0	360 Complex	50	10	44.2	45.7	1.5	0.0	17	0.48	<0.01	33
43-268	0	360 Complex	50	10	45.7	47.3	1.5	0.0	17	<0.10	<0.01	<22
43-268	0	360 Complex	50	10	47.3	48.8	1.5	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-268		0 360 Complex	50	10	48.8	50.3	1.5	0.0	17	<0.10	<0.01	<22
43-268		0 360 Complex	50	10	50.3	51.8	1.5	0.0	17	0.22	<0.01	25
43-268		0 360 Complex	50	10	51.8	53.4	1.5	0.0	17	0.37	<0.01	29
43-268		0 360 Complex	50	10	53.4	54.9	1.5	0.0	17	0.59	<0.01	36
43-268	348_100	360 Complex	50	10	54.9	55.2	0.3	0.3	412	13.20	0.02	805
43-268	348_100	360 Complex	50	10	55.2	55.8	0.6	0.6	235	8.68	0.11	505
43-268	348_100	360 Complex	50	10	55.8	56.0	0.2	0.2	412	12.70	0.09	798
43-268	348_100	360 Complex	50	10	56.0	57.1	1.1	1.1	175	7.32	<0.01	393
43-268		0 360 Complex	50	10	57.1	58.2	1.1	0.0	38	1.40	<0.01	81
43-268	br1_100	360 Complex	50	10	58.2	59.8	1.5	1.5	134	9.00	0.02	403
43-268		0 360 Complex	50	10	59.8	61.0	1.2	0.0	67	4.24	<0.01	194
43-268		0 360 Complex	50	10	61.0	62.2	1.2	0.0	61	3.80	<0.01	175
43-268		0 360 Complex	50	10	62.2	63.7	1.5	0.0	20	1.09	<0.01	53
43-268		0 360 Complex	50	10	63.7	65.2	1.5	0.0	28	1.62	<0.01	78
43-268		0 360 Complex	50	10	65.2	66.5	1.2	0.0	23	1.11	<0.01	57
43-268		0 360 Complex	50	10	66.5	67.7	1.2	0.0	17	<0.10	<0.01	<22
43-268		0 360 Complex	50	10	67.7	68.6	0.9	0.0	17	<0.10	<0.01	<22
43-269		0 360 Complex	50	-10	0.0	0.8	0.8	0.0	146	6.84	0.02	350
43-269		0 360 Complex	50	-10	0.8	1.5	0.7	0.0	17	0.55	<0.01	35
43-269		0 360 Complex	50	-10	1.5	3.0	1.5	0.0	17	0.53	<0.01	34
43-269		0 360 Complex	50	-10	3.0	4.6	1.5	0.0	17	0.54	<0.01	34
43-269		0 360 Complex	50	-10	4.6	6.1	1.5	0.0	33	1.79	<0.01	87
43-269		0 360 Complex	50	-10	6.1	7.6	1.5	0.0	17	0.44	<0.01	31
43-269		0 360 Complex	50	-10	7.6	9.1	1.5	0.0	18	0.92	<0.01	46
43-269		0 360 Complex	50	-10	9.1	10.2	1.1	0.0	17	0.52	<0.01	34
43-269		0 360 Complex	50	-10	10.2	11.7	1.5	0.0	35	1.93	<0.01	93
43-269		0 360 Complex	50	-10	11.7	13.3	1.5	0.0	21	1.30	<0.01	61
43-269		0 360 Complex	50	-10	13.3	14.8	1.5	0.0	22	1.32	<0.01	62
43-269		0 360 Complex	50	-10	14.8	16.3	1.5	0.0	17	0.59	<0.01	36
43-269		0 360 Complex	50	-10	16.3	17.8	1.5	0.0	17	0.25	<0.01	26
43-269		0 360 Complex	50	-10	17.8	19.4	1.5	0.0	21	1.37	<0.01	63
43-269	257_100	360 Complex	50	-10	19.4	20.9	1.5	1.4	99	5.28	0.02	257
43-269	257_100	360 Complex	50	-10	20.9	21.6	0.8	0.7	370	22.10	0.02	1,027
43-269		0 360 Complex	50	-10	21.6	23.2	1.5	0.0	67	3.84	<0.01	181
43-269		0 360 Complex	50	-10	23.2	24.4	1.2	0.0	23	1.45	<0.01	67
43-269		0 360 Complex	50	-10	24.4	25.9	1.5	0.0	93	5.32	0.01	252
43-269	178_100	360 Complex	50	-10	25.9	27.4	1.5	1.5	163	9.16	<0.01	435
43-269	178_100	360 Complex	50	-10	27.4	29.0	1.5	1.5	140	8.56	<0.01	395
43-269	178_100	360 Complex	50	-10	29.0	30.5	1.5	1.5	105	5.80	<0.01	278
43-269	178_100	360 Complex	50	-10	30.5	31.9	1.4	1.4	96	5.76	<0.01	268
43-269	178_100	360 Complex	50	-10	31.9	33.4	1.5	1.5	130	7.84	<0.01	364
43-269	new_100	360 Complex	50	-10	33.4	34.1	0.7	0.5	329	19.20	0.07	905
43-269	new_100	360 Complex	50	-10	34.1	34.4	0.2	0.2	545	35.20	0.16	1,607
43-269	new_100	360 Complex	50	-10	34.4	35.1	0.7	0.5	117	7.00	0.04	329
43-269		0 360 Complex	50	-10	35.1	35.4	0.3	0.0	70	3.91	<0.01	187
43-269		0 360 Complex	50	-10	35.4	36.6	1.2	0.0	25	1.33	<0.01	65
43-269		0 360 Complex	50	-10	36.6	36.7	0.2	0.0	274	15.30	0.06	735
43-269		0 360 Complex	50	-10	36.7	38.1	1.4	0.0	89	5.16	0.02	244
43-269		0 360 Complex	50	-10	38.1	38.4	0.2	0.0	184	10.70	<0.01	502
43-269		0 360 Complex	50	-10	38.4	39.3	1.0	0.0	88	5.00	<0.01	237
43-269		0 360 Complex	50	-10	39.3	40.0	0.7	0.0	17	0.60	<0.01	36
43-269		0 360 Complex	50	-10	40.0	41.2	1.1	0.0	53	3.10	<0.01	146
43-269		0 360 Complex	50	-10	41.2	42.7	1.5	0.0	67	3.73	<0.01	178
43-269		0 360 Complex	50	-10	42.7	44.2	1.5	0.0	53	2.90	<0.01	140
43-270		0 360 Complex	60	10	0.0	1.5	1.5	0.0	35	1.78	<0.01	89
43-270		0 360 Complex	60	10	1.5	3.0	1.5	0.0	25	1.30	<0.01	65
43-270		0 360 Complex	60	10	3.0	4.6	1.5	0.0	23	1.01	<0.01	54
43-270		0 360 Complex	60	10	4.6	6.1	1.5	0.0	17	0.39	<0.01	30
43-270		0 360 Complex	60	10	16.3	16.8	0.5	0.0	65	3.53	<0.01	171
43-270		0 360 Complex	60	10	16.8	18.3	1.5	0.0	69	3.71	0.02	181
43-270		0 360 Complex	60	10	18.3	19.8	1.5	0.0	18	0.98	<0.01	49
43-270		0 360 Complex	60	10	19.8	21.3	1.5	0.0	17	0.82	<0.01	42
43-270		0 360 Complex	60	10	21.3	22.9	1.5	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-270	0	360 Complex	60	10	22.9	24.4	1.5	0.0	19	1.07	<0.01	52
43-270	0	360 Complex	60	10	24.4	25.9	1.5	0.0	17	0.21	<0.01	25
43-270	257_100	360 Complex	60	10	25.9	27.4	1.5	0.0	73	3.97	<0.01	192
43-270	0	360 Complex	60	10	27.4	29.0	1.5	0.0	17	<0.10	<0.01	<22
43-270	0	360 Complex	60	10	29.0	30.5	1.5	0.0	17	<0.10	<0.01	<22
43-270	0	360 Complex	60	10	30.5	32.0	1.5	0.0	17	<0.10	<0.01	<22
43-270	0	360 Complex	60	10	32.0	33.5	1.5	0.0	17	<0.10	<0.01	<22
43-270	0	360 Complex	60	10	33.5	35.1	1.5	0.0	17	<0.10	<0.01	<22
43-270	0	360 Complex	60	10	35.1	36.6	1.5	0.0	17	<0.10	<0.01	<22
43-270	0	360 Complex	60	10	36.6	38.1	1.5	0.0	35	2.16	<0.01	100
43-270	0	360 Complex	60	10	38.1	39.6	1.5	0.0	25	1.61	<0.01	74
43-270	new_100	360 Complex	60	10	39.6	40.5	0.9	0.9	282	19.90	0.04	875
43-270	0	360 Complex	60	10	40.5	41.2	0.6	0.0	17	0.30	<0.01	27
43-270	0	360 Complex	60	10	41.2	42.7	1.5	0.0	17	0.15	<0.01	23
43-270	0	360 Complex	60	10	42.7	44.2	1.5	0.0	26	1.63	<0.01	76
43-270	0	360 Complex	60	10	44.2	45.7	1.5	0.0	17	0.53	<0.01	34
43-270	0	360 Complex	60	10	45.7	47.3	1.5	0.0	17	0.50	<0.01	33
43-270	0	360 Complex	60	10	47.3	48.1	0.9	0.0	17	0.86	<0.01	44
43-270	178_100	360 Complex	60	10	48.1	48.6	0.5	0.4	222	17.30	<0.01	735
43-270	178_100	360 Complex	60	10	48.6	49.8	1.2	0.0	36	2.29	<0.01	105
43-270	178_100	360 Complex	60	10	49.8	50.5	0.6	0.0	104	7.16	<0.01	317
43-270	0	360 Complex	60	10	50.5	51.8	1.4	0.0	21	1.36	<0.01	62
43-270	0	360 Complex	60	10	51.8	53.4	1.5	0.0	55	3.25	<0.01	152
43-270	0	360 Complex	60	10	53.4	54.9	1.5	0.0	17	0.59	<0.01	36
43-270	br2_100	360 Complex	60	10	54.9	56.4	1.5	0.0	95	3.94	0.02	214
43-270	0	360 Complex	60	10	56.4	57.9	1.5	0.0	17	0.31	<0.01	27
43-270	0	360 Complex	60	10	57.9	59.5	1.5	0.0	17	0.35	<0.01	29
43-270	0	360 Complex	60	10	59.5	61.0	1.5	0.0	17	0.15	<0.01	23
43-270	0	360 Complex	60	10	61.0	61.6	0.6	0.0	17	0.28	<0.01	27
43-270	0	360 Complex	60	10	61.6	62.8	1.2	0.0	69	3.61	<0.01	177
43-270	0	360 Complex	60	10	62.8	64.0	1.2	0.0	19	1.14	<0.01	54
43-270	0	360 Complex	60	10	64.0	64.9	0.9	0.0	64	3.40	<0.01	166
43-270	0	360 Complex	60	10	64.9	65.8	0.8	0.0	17	0.35	<0.01	29
43-271	0	360 Complex	70	10	0.0	1.5	1.5	0.0	44	1.87	<0.01	100
43-271	0	360 Complex	70	10	1.5	3.0	1.5	0.0	27	1.32	<0.01	67
43-271	0	360 Complex	70	10	3.0	4.6	1.5	0.0	38	1.76	<0.01	91
43-271	0	360 Complex	70	10	4.6	6.1	1.5	0.0	20	0.98	<0.01	51
43-271	0	360 Complex	70	10	6.1	7.6	1.5	0.0	20	0.98	<0.01	50
43-271	0	360 Complex	70	10	7.6	9.1	1.5	0.0	17	0.66	<0.01	38
43-271	0	360 Complex	70	10	9.1	10.7	1.5	0.0	17	0.15	<0.01	23
43-271	0	360 Complex	70	10	10.7	12.2	1.5	0.0	17	<0.10	<0.01	<22
43-271	0	360 Complex	70	10	15.2	16.8	1.5	0.0	17	0.23	<0.01	25
43-271	0	360 Complex	70	10	23.0	24.4	1.4	0.0	17	0.17	<0.01	23
43-271	0	360 Complex	70	10	27.4	28.8	1.4	0.0	17	0.57	0.01	36
43-271	0	360 Complex	70	10	44.2	45.1	0.9	0.0	17	0.73	<0.01	40
43-271	new_100	360 Complex	70	10	45.1	45.9	0.9	0.9	91	4.88	0.01	237
43-271	new_100	360 Complex	70	10	45.9	46.1	0.2	0.2	357	13.30	0.30	786
43-271	new_100	360 Complex	70	10	46.1	47.0	0.8	0.8	28	1.88	<0.01	85
43-271	new_100	360 Complex	70	10	47.0	48.5	1.5	1.5	70	4.64	<0.01	208
43-271	new_100	360 Complex	70	10	48.5	48.9	0.5	0.5	80	4.92	<0.01	226
43-271	0	360 Complex	70	10	48.9	50.0	1.1	0.0	17	0.58	<0.01	35
43-271	0	360 Complex	70	10	50.0	51.5	1.5	0.0	17	1.04	<0.01	49
43-271	0	360 Complex	70	10	51.5	53.0	1.5	0.0	17	0.87	<0.01	44
43-271	0	360 Complex	70	10	53.0	54.7	1.7	0.0	18	1.10	<0.01	52
43-271	0	360 Complex	70	10	54.7	56.3	1.5	0.0	17	0.83	<0.01	43
43-271	0	360 Complex	70	10	56.3	57.8	1.5	0.0	17	0.21	<0.01	25
43-271	0	360 Complex	70	10	57.8	58.4	0.6	0.0	17	0.73	<0.01	40
43-271	0	360 Complex	70	10	58.4	59.5	1.1	0.0	17	0.19	<0.01	24
43-271	0	360 Complex	70	10	59.5	59.9	0.5	0.0	22	1.41	<0.01	64
43-272	0	360 Complex	80	10	0.0	1.5	1.5	0.0	40	1.82	<0.01	96
43-272	0	360 Complex	80	10	1.5	3.0	1.5	0.0	21	1.01	<0.01	52
43-272	0	360 Complex	80	10	3.0	4.6	1.5	0.0	43	1.98	<0.01	103
43-272	0	360 Complex	80	10	4.6	6.1	1.5	0.0	27	1.20	<0.01	64

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-272	0	360 Complex	80	10	6.1	7.6	1.5	0.0	25	1.18	<0.01	61
43-272	0	360 Complex	80	10	7.6	9.1	1.5	0.0	17	0.60	<0.01	36
43-272	0	360 Complex	80	10	9.1	10.7	1.5	0.0	17	0.45	<0.01	32
43-272	0	360 Complex	80	10	10.7	11.9	1.2	0.0	17	<0.10	<0.01	<22
43-272	new_100	360 Complex	80	10	25.6	26.5	0.9	0.9	148	8.94	<0.01	414
43-272	new_100	360 Complex	80	10	26.5	26.8	0.2	0.2	1,152	64.70	0.10	3,080
43-272	new_100	360 Complex	80	10	26.8	27.4	0.7	0.7	175	11.00	<0.01	502
43-272	0	360 Complex	80	10	46.2	47.1	0.9	0.0	79	3.96	0.04	200
43-272	0	360 Complex	80	10	60.3	61.0	0.7	0.0	32	1.88	<0.01	88
43-272	0	360 Complex	80	10	61.0	62.5	1.5	0.0	17	0.70	<0.01	39
43-272	0	360 Complex	80	10	62.5	64.0	1.5	0.0	17	0.38	<0.01	29
43-272	0	360 Complex	80	10	64.0	65.5	1.5	0.0	30	1.91	<0.01	87
43-272	br2_100	360 Complex	80	10	65.5	67.1	1.5	0.0	56	3.61	<0.01	164
43-272	0	360 Complex	80	10	67.1	67.8	0.7	0.0	17	0.69	<0.01	39
43-272	178_100	360 Complex	80	10	67.8	68.0	0.2	0.0	139	10.30	<0.01	445
43-272	178_100	360 Complex	80	10	68.0	69.5	1.5	0.0	76	5.23	<0.01	232
43-272	0	360 Complex	80	10	69.5	71.0	1.5	0.0	17	1.19	<0.01	54
43-272	br1_100	360 Complex	80	10	74.2	75.8	1.5	0.0	45	2.98	<0.01	134
43-272	br1_100	360 Complex	80	10	75.8	76.4	0.6	0.0	134	9.87	<0.01	428
43-272	br1_100	360 Complex	80	10	76.4	77.3	0.9	0.0	17	0.69	<0.01	39
43-272	br1_100	360 Complex	80	10	77.3	77.7	0.5	0.0	100	6.76	<0.01	301
43-272	br1_100	360 Complex	80	10	77.7	79.3	1.5	0.0	17	0.93	<0.01	46
43-272	br1_100	360 Complex	80	10	79.3	80.8	1.5	0.0	26	1.38	0.01	68
43-272	br1_100	360 Complex	80	10	80.8	81.0	0.2	0.0	307	14.70	0.17	762
43-273	0	360 Complex	90	2	0.0	1.5	1.5	0.0	62	2.71	<0.01	143
43-273	0	360 Complex	90	2	1.5	2.5	1.0	0.0	25	1.26	<0.01	63
43-273	0	360 Complex	90	2	2.5	3.6	1.1	0.0	17	0.44	<0.01	31
43-273	0	360 Complex	90	2	3.6	4.6	0.9	0.0	70	3.28	<0.01	168
43-273	0	360 Complex	90	2	4.6	6.1	1.5	0.0	17	0.83	<0.01	43
43-273	0	360 Complex	90	2	6.1	7.6	1.5	0.0	17	0.47	<0.01	32
43-273	0	360 Complex	90	2	7.6	8.2	0.6	0.0	20	1.07	<0.01	52
43-273	0	360 Complex	90	2	8.2	9.1	0.9	0.0	22	1.11	<0.01	56
43-273	0	360 Complex	90	2	9.1	10.7	1.5	0.0	17	0.54	<0.01	34
43-273	0	360 Complex	90	2	10.7	12.2	1.5	0.0	17	0.14	<0.01	23
43-273	0	360 Complex	90	2	12.2	13.7	1.5	0.0	17	<0.10	<0.01	<22
43-273	0	360 Complex	90	2	30.1	31.5	1.4	0.0	20	1.00	<0.01	51
43-273	257_100	360 Complex	90	2	47.1	48.6	1.5	0.0	27	1.51	<0.01	73
43-273	0	360 Complex	90	2	74.1	74.7	0.6	0.0	17	0.57	<0.01	35
43-273	br2_100	360 Complex	90	2	74.7	76.2	1.5	0.0	44	2.49	0.02	120
43-273	br2_100	360 Complex	90	2	76.2	77.7	1.5	0.0	17	0.78	<0.01	41
43-273	br2_100	360 Complex	90	2	77.7	79.1	1.4	0.0	34	2.11	<0.01	97
43-273	0	360 Complex	90	2	79.1	80.6	1.5	0.0	17	0.48	<0.01	33
43-273	0	360 Complex	90	2	80.6	82.2	1.5	0.0	17	0.87	<0.01	44
43-273	0	360 Complex	90	2	82.2	83.0	0.8	0.0	17	0.95	<0.01	46
43-273	0	360 Complex	90	2	83.0	84.5	1.5	0.0	105	6.73	<0.01	305
43-273	0	360 Complex	90	2	84.5	86.0	1.5	0.0	32	2.16	<0.01	97
43-273	0	360 Complex	90	2	86.0	86.9	0.9	0.0	17	0.37	<0.01	29
43-273	0	360 Complex	90	2	86.9	88.3	1.4	0.0	17	<0.10	<0.01	<22
43-273	0	360 Complex	90	2	88.3	89.3	1.0	0.0	52	2.45	<0.01	126
43-273	0	360 Complex	90	2	89.3	90.2	0.9	0.0	98	5.15	<0.01	251
43-273	178_100	360 Complex	90	2	90.2	91.3	1.1	0.9	169	7.35	0.02	390
43-273	178_100	360 Complex	90	2	91.3	92.8	1.5	1.3	30	1.46	<0.01	75
43-273	178_100	360 Complex	90	2	92.8	92.9	0.2	0.1	1,564	68.90	0.08	3,613
43-273	0	360 Complex	90	2	92.9	93.5	0.6	0.0	75	2.74	<0.01	158
43-273	0	360 Complex	90	2	93.5	94.5	1.0	0.0	17	0.30	<0.01	27
43-273	0	360 Complex	90	2	94.5	96.0	1.5	0.0	105	5.27	<0.01	262
43-273	0	360 Complex	90	2	96.0	97.6	1.5	0.9	181	8.51	<0.01	434
43-275	0	360 Complex	60	-10	0.0	1.5	1.5	0.0	66	3.64	<0.01	175
43-275	0	360 Complex	60	-10	1.5	3.0	1.5	0.0	17	0.73	<0.01	40
43-275	0	360 Complex	60	-10	3.0	4.6	1.5	0.0	25	1.45	<0.01	69
43-275	0	360 Complex	60	-10	4.6	6.1	1.5	0.0	29	1.56	<0.01	77
43-275	0	360 Complex	60	-10	6.1	7.6	1.5	0.0	17	0.30	<0.01	27
43-275	0	360 Complex	60	-10	7.6	9.1	1.5	0.0	17	0.37	<0.01	29

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-275	0	360 Complex	60	-10	9.1	10.7	1.5	0.0	17	0.40	<0.01	30
43-275	0	360 Complex	60	-10	10.7	12.2	1.5	0.0	28	1.75	<0.01	81
43-275	0	360 Complex	60	-10	12.2	13.3	1.1	0.0	17	0.97	<0.01	47
43-275	0	360 Complex	60	-10	13.3	14.6	1.3	0.0	104	5.60	<0.01	271
43-275	0	360 Complex	60	-10	14.6	16.2	1.5	0.0	17	0.46	<0.01	32
43-275	0	360 Complex	60	-10	16.2	17.6	1.5	0.0	17	0.32	<0.01	28
43-275	0	360 Complex	60	-10	17.6	19.1	1.5	0.0	18	0.99	<0.01	48
43-275	0	360 Complex	60	-10	19.1	20.7	1.5	0.0	51	2.81	<0.01	136
43-275	0	360 Complex	60	-10	20.7	21.0	0.4	0.0	90	4.54	0.03	228
43-275	0	360 Complex	60	-10	21.0	22.6	1.5	0.0	62	3.67	<0.01	172
43-275	257_100	360 Complex	60	-10	22.6	24.1	1.5	1.5	144	8.74	<0.01	404
43-275	0	360 Complex	60	-10	24.1	25.6	1.5	0.0	46	2.86	<0.01	132
43-275	0	360 Complex	60	-10	25.6	27.1	1.5	0.0	30	1.97	<0.01	90
43-275	0	360 Complex	60	-10	27.1	28.7	1.5	0.0	17	1.08	<0.01	50
43-275	0	360 Complex	60	-10	28.7	30.0	1.4	0.0	54	3.71	<0.01	165
43-275	0	360 Complex	60	-10	30.0	30.9	0.9	0.0	37	2.60	<0.01	115
43-275	178_100	360 Complex	60	-10	30.9	31.2	0.2	0.2	466	29.60	0.25	1,372
43-275	178_100	360 Complex	60	-10	31.2	32.4	1.2	1.2	99	5.76	<0.01	270
43-275	178_100	360 Complex	60	-10	32.4	32.8	0.4	0.4	165	10.40	0.02	475
43-275	0	360 Complex	60	-10	32.8	34.3	1.5	0.0	84	5.23	<0.01	240
43-275	0	360 Complex	60	-10	34.3	35.8	1.5	0.0	58	3.93	<0.01	176
43-275	0	360 Complex	60	-10	35.8	37.3	1.5	0.0	72	4.61	0.04	212
43-275	0	360 Complex	60	-10	37.3	38.9	1.5	0.0	42	2.76	0.01	125
43-275	new_100	360 Complex	60	-10	38.9	40.4	1.5	1.5	274	17.20	0.42	833
43-275	new_100	360 Complex	60	-10	40.4	41.9	1.5	1.5	176	12.30	<0.01	541
43-275	new_100	360 Complex	60	-10	41.9	42.7	0.8	0.8	107	7.80	<0.01	339
43-275	new_100	360 Complex	60	-10	42.7	44.1	1.5	1.5	398	27.70	0.04	1,222
43-275	0	360 Complex	60	-10	44.1	45.3	1.1	0.0	55	3.41	<0.01	157
43-275	new_100	360 Complex	60	-10	45.3	46.5	1.3	1.3	216	16.10	<0.01	694
43-275	new_100	360 Complex	60	-10	46.5	47.3	0.7	0.7	494	35.00	0.02	1,533
43-275	new_100	360 Complex	60	-10	47.3	48.8	1.5	1.5	213	17.30	<0.01	727
43-275	0	360 Complex	60	-10	48.8	50.3	1.5	0.0	40	3.11	<0.01	134
43-275	0	360 Complex	60	-10	50.3	51.8	1.5	0.0	84	5.70	<0.01	254
43-275	0	360 Complex	60	-10	51.8	53.4	1.5	0.0	71	4.99	<0.01	220
43-275	0	360 Complex	60	-10	53.4	54.9	1.5	0.0	62	4.76	<0.01	205
43-275	0	360 Complex	60	-10	54.9	56.4	1.5	0.0	55	3.60	<0.01	162
43-275	0	360 Complex	60	-10	56.4	57.6	1.2	0.0	27	1.59	<0.01	75
43-275	0	360 Complex	60	-10	57.6	58.2	0.6	0.0	32	1.51	<0.01	78
43-275	0	360 Complex	60	-10	58.2	59.1	0.9	0.0	94	3.24	<0.01	191
43-275	0	360 Complex	60	-10	59.1	60.7	1.5	0.0	18	0.61	<0.01	37
43-275	0	360 Complex	60	-10	60.7	62.2	1.5	0.0	78	2.13	0.01	143
43-275	0	360 Complex	60	-10	62.2	63.4	1.2	0.0	90	2.54	<0.01	166
43-275	0	360 Complex	60	-10	63.4	64.9	1.5	0.0	17	0.53	<0.01	34
43-275	0	360 Complex	60	-10	64.9	66.5	1.5	0.0	17	0.54	<0.01	34
43-275	0	360 Complex	60	-10	66.5	68.0	1.5	0.0	17	0.15	<0.01	23
43-275	0	360 Complex	60	-10	68.0	69.5	1.5	0.0	17	0.47	<0.01	32
43-275	0	360 Complex	60	-10	69.5	70.1	0.6	0.0	17	0.43	0.02	32
43-275	0	360 Complex	60	-10	70.1	71.6	1.5	0.0	17	0.31	<0.01	27
43-275	0	360 Complex	60	-10	71.6	73.2	1.5	0.0	17	0.17	<0.01	23
43-275	0	360 Complex	60	-10	73.2	74.7	1.5	0.0	58	2.44	0.02	133
43-275	0	360 Complex	60	-10	74.7	75.3	0.6	0.0	29	1.73	<0.01	82
43-275	0	360 Complex	60	-10	75.3	76.2	0.9	0.0	34	1.85	<0.01	90
43-275	0	360 Complex	60	-10	76.2	77.0	0.8	0.0	75	4.36	<0.01	205
43-275	0	360 Complex	60	-10	77.0	78.0	1.1	0.0	17	0.13	<0.01	22
43-275	0	360 Complex	60	-10	78.0	79.6	1.5	0.0	18	0.73	<0.01	40
43-275	0	360 Complex	60	-10	79.6	80.8	1.2	0.0	17	0.16	<0.01	23
43-275	0	360 Complex	60	-10	80.8	82.2	1.4	0.0	17	0.17	<0.01	23
43-275	0	360 Complex	60	-10	82.2	83.2	1.1	0.0	22	0.68	<0.01	43
43-275	0	360 Complex	60	-10	83.2	83.8	0.6	0.0	46	1.50	<0.01	91
43-275	0	360 Complex	60	-10	83.8	85.4	1.5	0.0	60	1.84	<0.01	115
43-275	0	360 Complex	60	-10	85.4	86.0	0.6	0.0	115	3.74	<0.01	226
43-275	0	360 Complex	60	-10	86.0	86.9	0.9	0.0	17	0.20	<0.01	24
43-275	0	360 Complex	60	-10	86.9	88.1	1.2	0.0	17	0.23	<0.01	25

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-275	0	360 Complex	60	-10	88.1	88.4	0.3	0.0	233	14.50	<0.01	664
43-275	0	360 Complex	60	-10	88.4	89.9	1.5	0.0	27	1.63	<0.01	77
43-275	0	360 Complex	60	-10	89.9	90.5	0.6	0.0	56	2.79	<0.01	140
43-275	0	360 Complex	60	-10	90.5	91.6	1.1	0.0	17	0.18	<0.01	24
43-276	0	360 Complex	70	-5	0.0	1.5	1.5	0.0	68	3.28	<0.01	166
43-276	0	360 Complex	70	-5	1.5	3.0	1.5	0.0	19	0.92	<0.01	47
43-276	0	360 Complex	70	-5	3.0	4.6	1.5	0.0	25	1.31	<0.01	65
43-276	0	360 Complex	70	-5	4.6	6.1	1.5	0.0	17	0.84	<0.01	43
43-276	0	360 Complex	70	-5	6.1	7.6	1.5	0.0	17	0.20	<0.01	24
43-276	0	360 Complex	70	-5	7.6	9.1	1.5	0.0	17	0.36	<0.01	29
43-276	0	360 Complex	70	-5	9.1	10.7	1.5	0.0	17	0.67	<0.01	38
43-276	0	360 Complex	70	-5	10.7	12.1	1.4	0.0	17	0.33	<0.01	28
43-276	0	360 Complex	70	-5	12.1	13.0	0.9	0.0	68	3.38	<0.01	169
43-276	0	360 Complex	70	-5	13.0	14.5	1.5	0.0	45	2.06	<0.01	107
43-276	0	360 Complex	70	-5	14.5	16.0	1.5	0.0	17	0.51	<0.01	33
43-276	0	360 Complex	70	-5	16.0	17.4	1.4	0.0	17	0.18	<0.01	24
43-276	0	360 Complex	70	-5	17.4	18.9	1.5	0.0	25	1.25	<0.01	63
43-276	0	360 Complex	70	-5	18.9	20.4	1.5	0.0	38	2.11	<0.01	102
43-276	0	360 Complex	70	-5	20.4	22.0	1.5	0.0	65	3.03	0.01	156
43-276	0	360 Complex	70	-5	22.0	23.5	1.5	0.0	23	1.22	<0.01	60
43-276	0	360 Complex	70	-5	23.5	25.0	1.5	0.0	17	0.52	<0.01	34
43-276	0	360 Complex	70	-5	25.0	27.1	2.1	0.0	17	0.55	<0.01	35
43-276	257_100	360 Complex	70	-5	27.1	28.0	0.9	0.9	174	9.12	0.04	449
43-276	257_100	360 Complex	70	-5	28.0	29.4	1.4	1.4	439	26.70	0.04	1,234
43-276	0	360 Complex	70	-5	29.4	30.5	1.1	0.0	17	0.16	<0.01	23
43-276	0	360 Complex	70	-5	30.5	32.0	1.5	0.0	26	1.29	<0.01	65
43-276	0	360 Complex	70	-5	32.0	33.5	1.5	0.0	139	8.27	<0.01	385
43-276	0	360 Complex	70	-5	33.5	35.1	1.5	0.0	134	7.06	<0.01	345
43-276	0	360 Complex	70	-5	35.1	36.6	1.5	0.0	87	4.73	<0.01	228
43-276	0	360 Complex	70	-5	36.6	38.1	1.5	0.0	17	0.64	<0.01	37
43-276	0	360 Complex	70	-5	38.1	38.7	0.6	0.0	17	0.79	<0.01	42
43-276	0	360 Complex	70	-5	38.7	39.9	1.2	0.0	56	3.03	<0.01	146
43-276	0	360 Complex	70	-5	39.9	40.5	0.6	0.0	17	0.43	<0.01	31
43-276	178_100	360 Complex	70	-5	40.5	41.2	0.6	0.6	247	14.70	<0.01	683
43-276	178_100	360 Complex	70	-5	41.2	41.9	0.8	0.8	160	10.20	<0.01	464
43-276	178_100	360 Complex	70	-5	41.9	42.7	0.8	0.8	18	1.19	<0.01	55
43-276	178_100	360 Complex	70	-5	42.7	43.6	0.9	0.9	20	1.43	<0.01	64
43-276	178_100	360 Complex	70	-5	43.6	44.5	0.9	0.9	143	11.20	<0.01	475
43-276	178_100	360 Complex	70	-5	44.5	45.3	0.8	0.8	315	28.90	<0.01	1,172
43-276	178_100	360 Complex	70	-5	45.3	46.6	1.4	1.4	142	11.80	<0.01	492
43-276	178_100	360 Complex	70	-5	46.6	47.0	0.3	0.3	320	24.20	<0.01	1,038
43-276	0	360 Complex	70	-5	47.0	48.3	1.4	0.0	26	2.20	<0.01	93
43-276	0	360 Complex	70	-5	48.3	49.8	1.5	0.0	17	0.75	<0.01	40
43-276	0	360 Complex	70	-5	49.8	51.4	1.5	0.0	17	1.11	0.01	51
43-276	0	360 Complex	70	-5	51.4	52.9	1.5	0.0	17	0.53	<0.01	34
43-276	0	360 Complex	70	-5	52.9	54.4	1.5	0.0	17	0.13	<0.01	22
43-276	0	360 Complex	70	-5	59.5	60.1	0.6	0.0	39	1.51	<0.01	85
43-276	0	360 Complex	70	-5	60.1	61.0	0.9	0.0	17	0.16	<0.01	23
43-276	0	360 Complex	70	-5	61.0	62.5	1.5	0.0	17	0.35	<0.01	29
43-276	0	360 Complex	70	-5	62.5	64.0	1.5	0.0	17	0.64	0.01	37
43-276	348_100	360 Complex	70	-5	64.0	65.5	1.5	1.5	384	10.40	0.03	695
43-276	348_100	360 Complex	70	-5	65.5	67.1	1.5	1.5	549	15.20	0.03	1,003
43-276	348_100	360 Complex	70	-5	67.1	68.6	1.5	1.5	151	4.59	0.01	288
43-276	0	360 Complex	70	-5	68.6	70.1	1.5	0.0	17	0.53	0.02	35
43-276	0	360 Complex	70	-5	70.1	70.7	0.6	0.0	62	2.63	0.01	141
43-276	0	360 Complex	70	-5	70.7	72.3	1.5	0.0	17	0.94	<0.01	46
43-276	0	360 Complex	70	-5	72.3	73.8	1.5	0.0	65	3.18	0.01	161
43-276	0	360 Complex	70	-5	73.8	74.5	0.8	0.0	85	4.47	<0.01	218
43-276	0	360 Complex	70	-5	74.5	76.1	1.5	0.0	28	0.88	0.01	55
43-276	0	360 Complex	70	-5	76.1	77.6	1.5	0.0	18	1.24	<0.01	56
43-276	0	360 Complex	70	-5	77.6	78.5	0.9	0.0	17	0.47	<0.01	32
43-276	0	360 Complex	70	-5	78.5	80.0	1.5	0.0	17	0.98	<0.01	47
43-276	0	360 Complex	70	-5	80.0	81.6	1.5	0.0	39	1.80	0.01	94

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-276		0 360 Complex	70	-5	81.6	83.1	1.5	0.0	26	1.28	0.01	66
43-276		0 360 Complex	70	-5	83.1	84.6	1.5	0.0	63	2.67	0.02	144
43-276		0 360 Complex	70	-5	84.6	85.4	0.8	0.0	17	0.24	<0.01	25
43-276		0 360 Complex	70	-5	85.4	85.5	0.2	0.0	343	16.60	0.14	850
43-276		0 360 Complex	70	-5	85.5	86.6	1.1	0.0	28	1.26	<0.01	67
43-276		0 360 Complex	70	-5	90.9	92.4	1.5	0.0	17	0.25	<0.01	26
43-276		0 360 Complex	70	-5	92.4	93.0	0.6	0.0	45	1.45	<0.01	89
43-277		0 360 Complex	80	-5	0.0	0.9	0.9	0.0	136	6.46	0.02	330
43-277		0 360 Complex	80	-5	3.0	4.6	1.5	0.0	67	3.39	<0.01	168
43-277		0 360 Complex	80	-5	4.6	6.1	1.5	0.0	32	1.82	<0.01	87
43-277		0 360 Complex	80	-5	6.1	7.6	1.5	0.0	17	0.22	<0.01	25
43-277		0 360 Complex	80	-5	12.8	14.3	1.5	0.0	17	0.68	<0.01	39
43-277		0 360 Complex	80	-5	19.8	21.3	1.5	0.0	28	1.79	<0.01	82
43-277		0 360 Complex	80	-5	21.3	22.9	1.5	0.0	17	0.97	<0.01	47
43-277		0 360 Complex	80	-5	22.9	24.4	1.5	0.0	17	0.82	<0.01	43
43-277		0 360 Complex	80	-5	24.4	25.9	1.5	0.0	22	1.27	<0.01	61
43-277		0 360 Complex	80	-5	25.9	27.4	1.5	0.0	18	1.11	<0.01	52
43-277		0 360 Complex	80	-5	27.4	29.0	1.5	0.0	30	1.99	<0.01	90
43-277		0 360 Complex	80	-5	30.1	31.3	1.3	0.0	75	4.77	0.01	218
43-277		0 360 Complex	80	-5	32.2	33.5	1.3	0.0	121	5.51	0.06	291
43-277		0 360 Complex	80	-5	33.5	34.2	0.7	0.0	100	5.70	<0.01	270
43-277		0 360 Complex	80	-5	34.2	35.7	1.4	0.0	33	2.10	<0.01	96
43-277		0 360 Complex	80	-5	41.3	42.4	1.1	0.0	31	2.49	<0.01	105
43-277	new_100	360 Complex	80	-5	42.4	43.9	1.5	1.5	181	14.00	<0.01	597
43-277	new_100	360 Complex	80	-5	43.9	44.3	0.4	0.4	217	16.00	0.02	692
43-277	new_100	360 Complex	80	-5	44.3	44.5	0.2	0.2	480	32.40	0.13	1,454
43-277	new_100	360 Complex	80	-5	44.5	46.0	1.5	1.5	79	5.53	<0.01	243
43-277		0 360 Complex	80	-5	46.2	47.7	1.5	0.0	22	1.39	<0.01	65
43-277		0 360 Complex	80	-5	47.7	49.1	1.4	0.0	58	3.59	<0.01	165
43-277		0 360 Complex	80	-5	49.1	50.6	1.5	0.0	17	0.28	<0.01	27
43-277		0 360 Complex	80	-5	50.6	51.5	0.9	0.0	17	<0.10	<0.01	<22
43-277		0 360 Complex	80	-5	51.5	52.4	0.9	0.0	17	0.14	<0.01	23
43-277		0 360 Complex	80	-5	52.4	54.0	1.5	0.0	20	1.10	<0.01	54
43-277		0 360 Complex	80	-5	54.0	55.5	1.5	0.0	17	0.81	<0.01	42
43-277		0 360 Complex	80	-5	55.5	57.0	1.5	0.0	17	0.24	<0.01	26
43-277		0 360 Complex	80	-5	57.0	58.2	1.2	0.0	17	<0.10	<0.01	<22
43-277		0 360 Complex	80	-5	60.1	60.7	0.6	0.0	17	0.24	<0.01	25
43-277		0 360 Complex	80	-5	64.5	65.5	1.1	0.0	69	4.27	0.02	198
43-277		0 360 Complex	80	-5	65.5	67.1	1.5	0.0	22	1.13	0.08	65
43-277		0 360 Complex	80	-5	67.1	68.6	1.5	0.0	17	0.19	<0.01	24
43-277		0 360 Complex	80	-5	68.6	69.8	1.2	0.0	36	1.86	<0.01	93
43-277		0 360 Complex	80	-5	69.8	71.3	1.5	0.0	17	0.20	<0.01	24
43-277		0 360 Complex	80	-5	71.3	72.3	1.0	0.0	31	1.29	<0.01	70
43-277		0 360 Complex	80	-5	72.3	73.8	1.5	0.0	17	0.47	<0.01	32
43-277		0 360 Complex	80	-5	73.8	74.7	0.9	0.0	17	0.26	<0.01	26
43-277		0 360 Complex	80	-5	77.1	77.7	0.6	0.0	72	3.64	<0.01	181
43-277		0 360 Complex	80	-5	77.7	79.3	1.5	0.0	41	2.14	<0.01	106
43-277		0 360 Complex	80	-5	79.3	80.8	1.5	0.0	50	2.74	<0.01	133
43-277		0 360 Complex	80	-5	80.8	82.3	1.5	0.0	22	1.08	<0.01	55
43-277		0 360 Complex	80	-5	82.3	83.8	1.5	0.0	20	1.09	<0.01	54
43-277		0 360 Complex	80	-5	83.8	85.4	1.5	0.0	17	0.54	<0.01	34
43-277		0 360 Complex	80	-5	85.4	86.9	1.5	0.0	18	1.05	<0.01	50
43-277		0 360 Complex	80	-5	86.9	88.4	1.5	0.0	61	3.78	<0.01	174
43-277		0 360 Complex	80	-5	88.4	89.9	1.5	0.0	17	0.43	<0.01	31
43-277		0 360 Complex	80	-5	89.9	91.5	1.5	0.0	44	2.55	<0.01	120
43-277		0 360 Complex	80	-5	96.6	97.3	0.6	0.0	127	5.52	<0.01	291
43-277		0 360 Complex	80	-5	97.3	98.5	1.2	0.0	17	0.34	<0.01	28
43-277		0 360 Complex	80	-5	98.5	100.0	1.5	0.0	27	1.18	<0.01	63
43-277		0 360 Complex	80	-5	100.0	100.6	0.6	0.0	17	0.29	<0.01	27
43-277		0 360 Complex	80	-5	100.6	101.8	1.2	0.0	17	0.79	<0.01	42
43-277		0 360 Complex	80	-5	101.8	103.4	1.5	0.0	46	2.91	<0.01	134
43-277		0 360 Complex	80	-5	103.4	104.0	0.6	0.0	24	1.50	<0.01	70
43-277		0 360 Complex	80	-5	104.0	104.6	0.6	0.0	17	0.42	<0.01	31

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-277	0	360 Complex	80	-5	104.6	105.3	0.8	0.0	357	19.60	0.03	941
43-277	0	360 Complex	80	-5	105.3	106.7	1.4	0.0	24	1.52	<0.01	71
43-277	0	360 Complex	80	-5	106.7	108.2	1.5	0.0	17	0.33	<0.01	28
43-278	0	360 Complex	55	-12	11.0	12.5	1.5	0.0	35	1.87	<0.01	92
43-278	0	360 Complex	55	-12	12.5	14.0	1.5	0.0	33	1.80	<0.01	88
43-278	0	360 Complex	55	-12	18.0	19.5	1.5	0.0	33	1.81	<0.01	88
43-278	0	360 Complex	55	-12	19.5	21.0	1.5	0.0	68	3.38	<0.01	169
43-278	257_100	360 Complex	55	-12	21.0	22.4	1.4	0.0	108	5.79	<0.01	280
43-278	257_100	360 Complex	55	-12	22.4	23.0	0.6	0.0	302	17.10	<0.01	809
43-278	0	360 Complex	55	-12	23.0	24.4	1.4	0.0	96	4.95	<0.01	243
43-278	178_100	360 Complex	55	-12	24.4	25.9	1.5	0.0	162	8.89	<0.01	427
43-278	178_100	360 Complex	55	-12	25.9	27.4	1.5	0.0	131	7.39	0.02	352
43-278	178_100	360 Complex	55	-12	27.4	29.0	1.5	0.0	145	8.46	0.01	397
43-278	0	360 Complex	55	-12	29.0	30.5	1.5	0.0	196	11.00	0.02	524
43-278	0	360 Complex	55	-12	30.5	32.0	1.5	0.0	94	5.73	<0.01	264
43-278	0	360 Complex	55	-12	32.0	33.5	1.5	0.0	62	3.55	<0.01	168
43-278	new_100	360 Complex	55	-12	33.5	35.1	1.5	1.5	288	16.30	0.01	772
43-278	0	360 Complex	55	-12	35.1	36.6	1.5	0.0	93	4.88	<0.01	239
43-278	new_100	360 Complex	55	-12	36.6	38.1	1.5	1.5	274	17.60	0.03	799
43-278	new_100	360 Complex	55	-12	38.1	39.2	1.1	1.1	343	22.70	0.02	1,017
43-278	0	360 Complex	55	-12	39.2	40.7	1.5	0.0	126	7.96	<0.01	363
43-278	0	360 Complex	55	-12	40.7	42.2	1.5	0.0	121	8.11	<0.01	363
43-278	0	360 Complex	55	-12	42.2	43.8	1.5	0.0	131	7.82	<0.01	364
43-278	new_100	360 Complex	55	-12	43.8	44.4	0.6	0.6	155	9.94	<0.01	450
43-278	new_100	360 Complex	55	-12	44.4	45.9	1.5	1.5	184	13.10	<0.01	573
43-278	0	360 Complex	55	-12	45.9	47.4	1.5	0.0	30	1.74	<0.01	83
43-278	348_100	360 Complex	55	-12	47.4	48.9	1.5	1.5	218	17.50	0.03	740
43-278	348_100	360 Complex	55	-12	48.9	50.5	1.5	1.5	140	11.50	0.01	482
43-278	348_100	360 Complex	55	-12	50.5	52.0	1.5	1.5	132	9.86	<0.01	425
43-278	348_100	360 Complex	55	-12	52.0	52.6	0.6	0.6	727	61.80	0.05	2,563
43-278	0	360 Complex	55	-12	52.6	53.5	0.9	0.0	86	6.46	<0.01	279
43-278	0	360 Complex	55	-12	53.5	54.3	0.8	0.0	27	1.91	<0.01	84
43-278	0	360 Complex	55	-12	54.3	55.3	1.1	0.0	81	5.94	<0.01	258
43-278	0	360 Complex	55	-12	55.3	56.9	1.5	0.0	67	4.63	<0.01	205
43-278	0	360 Complex	55	-12	56.9	58.3	1.5	0.0	149	7.93	<0.01	385
43-278	0	360 Complex	55	-12	58.3	59.3	0.9	0.0	53	1.73	<0.01	105
43-278	0	360 Complex	55	-12	59.3	60.8	1.5	0.0	71	2.32	0.01	141
43-278	0	360 Complex	55	-12	60.8	62.2	1.4	0.0	25	0.79	<0.01	49
43-278	0	360 Complex	55	-12	66.2	67.7	1.5	0.0	51	2.86	<0.01	137
43-278	0	360 Complex	55	-12	67.7	69.2	1.5	0.0	23	1.42	<0.01	66
43-278	0	360 Complex	55	-12	69.2	69.8	0.6	0.0	17	0.69	<0.01	39
43-278	0	360 Complex	55	-12	69.8	70.1	0.3	0.0	94	5.40	<0.01	255
43-278	0	360 Complex	55	-12	70.1	71.6	1.5	0.0	69	3.39	<0.01	170
43-278	0	360 Complex	55	-12	71.6	73.2	1.5	0.0	22	1.42	<0.01	66
43-278	0	360 Complex	55	-12	73.2	74.7	1.5	0.0	30	1.77	<0.01	84
43-278	0	360 Complex	55	-12	74.7	75.6	0.9	0.0	17	0.69	<0.01	39
43-278	0	360 Complex	55	-12	76.7	76.8	0.2	0.0	17	0.51	<0.01	33
43-279	0	360 Complex	90	10	24.9	25.1	0.2	0.0	33	1.30	<0.01	72
43-279	0	360 Complex	90	10	25.1	26.5	1.5	0.0	21	0.99	<0.01	51
43-279	0	360 Complex	90	10	46.3	47.0	0.7	0.0	17	0.11	<0.01	<22
43-279	0	360 Complex	90	10	47.0	47.4	0.4	0.0	110	2.28	0.27	209
43-279	0	360 Complex	90	10	47.4	48.8	1.3	0.0	17	0.83	<0.01	43
43-279	0	360 Complex	90	10	48.8	49.1	0.3	0.0	137	5.26	0.07	301
43-279	0	360 Complex	90	10	64.0	64.2	0.2	0.0	160	10.40	0.05	474
43-279	0	360 Complex	90	10	66.6	68.0	1.4	0.0	57	3.52	<0.01	163
43-279	0	360 Complex	90	10	70.7	72.3	1.5	0.0	23	1.26	<0.01	61
43-279	0	360 Complex	90	10	75.3	75.6	0.3	0.0	298	15.70	0.04	767
43-279	0	360 Complex	90	10	85.5	87.0	1.4	0.0	89	2.87	0.02	176
43-279	0	360 Complex	90	10	99.3	100.8	1.5	0.0	25	<0.10	0.05	33
43-280	0	360 Complex	90	-10	23.3	24.4	1.1	0.0	29	1.62	<0.01	78
43-280	0	360 Complex	90	-10	24.4	25.9	1.5	0.0	26	1.50	<0.01	72
43-280	0	360 Complex	90	-10	31.7	32.6	0.9	0.0	23	1.31	<0.01	63
43-280	0	360 Complex	90	-10	32.6	34.1	1.5	0.0	17	0.63	<0.01	37

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-280	0	360 Complex	90	-10	34.1	35.7	1.5	0.0	92	4.52	0.04	231
43-280	0	360 Complex	90	-10	35.7	37.2	1.5	0.0	39	2.37	<0.01	110
43-280	0	360 Complex	90	-10	37.2	38.1	0.9	0.0	45	2.78	<0.01	128
43-280	new_100	360 Complex	90	-10	38.1	39.6	1.5	1.5	159	8.25	0.02	406
43-280	new_100	360 Complex	90	-10	39.6	41.2	1.5	1.5	65	3.79	<0.01	178
43-280	new_100	360 Complex	90	-10	41.2	42.4	1.2	1.2	33	2.25	<0.01	101
43-280	new_100	360 Complex	90	-10	42.4	43.8	1.4	1.4	17	0.28	<0.01	26
43-280	new_100	360 Complex	90	-10	43.8	44.1	0.3	0.3	22	1.57	<0.01	70
43-280	new_100	360 Complex	90	-10	44.1	44.8	0.7	0.7	521	40.00	0.07	1,713
43-280	new_100	360 Complex	90	-10	44.8	45.7	1.0	1.0	370	24.80	0.03	1,108
43-280	new_100	360 Complex	90	-10	45.7	47.3	1.5	1.5	47	3.00	<0.01	137
43-280	new_100	360 Complex	90	-10	47.3	48.8	1.5	1.5	124	7.61	<0.01	351
43-280	0	360 Complex	90	-10	48.8	50.3	1.5	0.0	17	0.56	<0.01	35
43-280	0	360 Complex	90	-10	65.3	65.9	0.6	0.0	21	1.17	<0.01	57
43-280	178_100	360 Complex	90	-10	65.9	67.1	1.1	1.1	290	17.30	<0.01	804
43-280	178_100	360 Complex	90	-10	67.1	68.3	1.2	1.2	205	12.40	<0.01	573
43-280	0	360 Complex	90	-10	68.3	69.8	1.5	0.0	55	3.24	<0.01	152
43-280	0	360 Complex	90	-10	69.8	71.3	1.5	0.0	82	4.80	<0.01	225
43-280	0	360 Complex	90	-10	71.3	73.2	1.8	0.0	83	6.90	<0.01	288
43-280	0	360 Complex	90	-10	73.2	73.8	0.6	0.0	108	6.80	0.01	310
43-280	0	360 Complex	90	-10	73.8	74.7	0.9	0.0	37	2.42	0.03	112
43-280	new_100	360 Complex	90	-10	74.7	75.9	1.2	0.9	178	14.60	<0.01	612
43-280	new_100	360 Complex	90	-10	75.9	77.1	1.3	0.9	778	66.00	0.09	2,744
43-280	new_100	360 Complex	90	-10	77.1	77.4	0.3	0.2	209	19.60	<0.01	791
43-280	0	360 Complex	90	-10	77.4	79.0	1.5	0.0	30	2.73	0.02	112
43-280	348_100	360 Complex	90	-10	79.0	80.5	1.5	1.5	321	30.90	<0.01	1,237
43-280	348_100	360 Complex	90	-10	80.5	82.0	1.5	1.5	304	29.20	0.01	1,170
43-280	348_100	360 Complex	90	-10	82.0	83.5	1.5	1.5	314	27.40	<0.01	1,126
43-280	348_100	360 Complex	90	-10	83.5	84.1	0.6	0.6	154	10.50	<0.01	466
43-280	0	360 Complex	90	-10	84.1	85.5	1.3	0.0	17	0.21	<0.01	25
43-280	0	360 Complex	90	-10	85.5	86.9	1.4	0.0	139	9.56	<0.01	423
43-280	0	360 Complex	90	-10	86.9	87.8	0.9	0.0	155	10.30	0.09	470
43-280	0	360 Complex	90	-10	87.8	89.3	1.5	0.0	56	2.84	<0.01	141
43-280	0	360 Complex	90	-10	89.3	90.4	1.1	0.0	201	7.39	<0.01	421
43-280	0	360 Complex	90	-10	90.4	91.5	1.1	0.0	71	2.66	<0.01	151
43-280	0	360 Complex	90	-10	91.5	93.0	1.5	0.0	34	1.44	<0.01	78
43-280	0	360 Complex	90	-10	93.0	94.5	1.5	0.0	24	0.84	<0.01	50
43-280	0	360 Complex	90	-10	94.5	95.6	1.1	0.0	298	7.51	0.06	527
43-280	br1_100	360 Complex	90	-10	95.6	97.1	1.5	1.1	1,056	34.80	0.70	2,168
43-280	br1_100	360 Complex	90	-10	97.1	97.7	0.6	0.4	974	46.60	0.16	2,372
43-280	br1_100	360 Complex	90	-10	97.7	98.7	1.0	0.0	331	16.30	0.07	822
43-280	0	360 Complex	90	-10	98.7	99.6	0.9	0.7	33	2.72	<0.01	115
43-280	0	360 Complex	90	-10	99.6	100.6	1.0	0.0	61	3.58	<0.01	169
43-280	0	360 Complex	90	-10	100.6	102.1	1.5	0.0	42	2.62	<0.01	121
43-280	0	360 Complex	90	-10	102.1	102.9	0.8	0.0	95	5.58	<0.01	261
43-280	0	360 Complex	90	-10	102.9	103.7	0.7	0.0	17	0.71	<0.01	39
43-281	0	360 Complex	80	-15	22.9	23.8	0.9	0.0	28	1.36	<0.01	69
43-281	0	360 Complex	80	-15	23.8	25.3	1.5	0.0	48	2.26	0.01	116
43-281	0	360 Complex	80	-15	25.3	26.8	1.5	0.0	111	6.08	0.02	293
43-281	0	360 Complex	80	-15	26.8	28.2	1.3	0.0	39	2.08	<0.01	102
43-281	0	360 Complex	80	-15	28.2	29.0	0.8	0.0	17	0.21	<0.01	25
43-281	0	360 Complex	80	-15	29.0	30.5	1.5	0.0	17	0.42	<0.01	31
43-281	0	360 Complex	80	-15	30.5	32.0	1.5	0.0	17	0.77	<0.01	41
43-281	0	360 Complex	80	-15	32.0	33.5	1.5	0.0	23	1.26	<0.01	61
43-281	0	360 Complex	80	-15	33.5	35.1	1.5	0.0	25	1.37	<0.01	66
43-281	0	360 Complex	80	-15	35.1	36.1	1.0	0.0	45	2.56	<0.01	122
43-281	178_100	360 Complex	80	-15	36.1	37.5	1.4	1.4	203	12.00	0.03	562
43-281	178_100	360 Complex	80	-15	37.5	38.1	0.6	0.6	48	2.79	<0.01	132
43-281	178_100	360 Complex	80	-15	38.1	39.5	1.4	1.4	85	5.43	<0.01	247
43-281	178_100	360 Complex	80	-15	39.5	40.1	0.6	0.6	364	22.70	<0.01	1,037
43-281	178_100	360 Complex	80	-15	40.1	40.5	0.5	0.5	47	2.74	<0.01	129
43-281	178_100	360 Complex	80	-15	40.5	42.1	1.5	1.5	71	4.60	<0.01	208
43-281	178_100	360 Complex	80	-15	42.1	42.7	0.6	0.6	425	26.20	0.01	1,203

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-281	178_100	360 Complex	80	-15	42.7	43.6	0.9	0.9	76	6.17	<0.01	260
43-281	178_100	360 Complex	80	-15	43.6	45.1	1.5	1.5	87	7.21	<0.01	302
43-281	178_100	360 Complex	80	-15	45.1	46.6	1.5	1.5	155	11.40	<0.01	494
43-281	178_100	360 Complex	80	-15	46.6	47.5	0.8	0.8	41	2.89	<0.01	128
43-281	178_100	360 Complex	80	-15	47.5	48.3	0.8	0.8	405	31.50	<0.01	1,339
43-281	178_100	360 Complex	80	-15	48.3	49.8	1.5	1.5	36	2.77	<0.01	120
43-281	178_100	360 Complex	80	-15	49.8	51.3	1.5	1.5	130	9.31	<0.01	407
43-281	178_100	360 Complex	80	-15	51.3	52.0	0.6	0.6	299	21.90	<0.01	949
43-281	178_100	360 Complex	80	-15	52.0	53.5	1.5	1.5	251	20.10	<0.01	848
43-281	178_100	360 Complex	80	-15	53.5	54.5	1.0	1.0	115	8.08	<0.01	355
43-281	178_100	360 Complex	80	-15	54.5	54.7	0.2	0.2	850	55.40	0.74	2,577
43-281	0	360 Complex	80	-15	54.7	55.2	0.5	0.0	17	<0.10	<0.01	<22
43-281	0	360 Complex	80	-15	57.3	58.8	1.5	0.0	19	1.37	<0.01	61
43-281	0	360 Complex	80	-15	58.8	60.4	1.5	0.0	19	1.35	<0.01	60
43-281	0	360 Complex	80	-15	62.7	64.0	1.3	0.0	33	2.36	<0.01	104
43-281	0	360 Complex	80	-15	64.0	65.5	1.5	0.0	19	1.55	<0.01	66
43-281	0	360 Complex	80	-15	65.5	67.1	1.5	0.0	23	1.94	<0.01	82
43-281	0	360 Complex	80	-15	67.1	68.6	1.5	0.0	21	1.62	0.02	71
43-281	0	360 Complex	80	-15	68.6	70.1	1.5	0.0	17	0.78	<0.01	41
43-281	0	360 Complex	80	-15	70.1	71.0	0.9	0.0	80	5.88	<0.01	255
43-281	0	360 Complex	80	-15	71.0	72.3	1.2	0.0	17	0.91	<0.01	45
43-281	new_100	360 Complex	80	-15	72.3	73.8	1.5	1.5	205	17.40	<0.01	721
43-281	0	360 Complex	80	-15	73.8	74.4	0.6	0.0	17	0.41	<0.01	31
43-281	0	360 Complex	80	-15	74.4	75.9	1.5	0.0	85	2.86	<0.01	171
43-281	0	360 Complex	80	-15	75.9	77.4	1.5	0.0	99	2.52	<0.01	175
43-281	new_100	360 Complex	80	-15	77.4	78.4	0.9	0.9	446	11.60	0.03	793
43-281	0	360 Complex	80	-15	78.4	79.9	1.5	0.0	24	0.60	<0.01	42
43-281	0	360 Complex	80	-15	79.9	80.8	0.9	0.0	99	2.67	<0.01	179
43-281	239_100	360 Complex	80	-15	80.8	82.3	1.5	1.5	275	6.87	<0.01	479
43-281	0	360 Complex	80	-15	82.3	83.8	1.5	0.0	103	3.71	<0.01	214
43-281	0	360 Complex	80	-15	83.8	85.4	1.5	0.0	28	1.29	<0.01	68
43-281	0	360 Complex	80	-15	85.4	86.9	1.5	0.0	29	1.20	0.02	66
43-281	0	360 Complex	80	-15	86.9	88.0	1.1	0.0	61	2.31	0.02	131
43-281	0	360 Complex	80	-15	102.4	103.7	1.2	0.0	70	1.80	0.04	128
43-281	new_100	360 Complex	80	-15	103.7	104.8	1.2	1.2	211	7.50	<0.01	434
43-282	0	360 Complex	73	-22	9.1	10.7	1.5	0.0	17	0.35	<0.01	29
43-282	0	360 Complex	73	-22	10.7	12.2	1.5	0.0	17	0.33	<0.01	28
43-282	0	360 Complex	73	-22	12.2	13.7	1.5	0.0	40	2.31	<0.01	109
43-282	0	360 Complex	73	-22	13.7	15.2	1.5	0.0	20	1.25	<0.01	58
43-282	0	360 Complex	73	-22	15.2	16.8	1.5	0.0	30	1.73	<0.01	82
43-282	0	360 Complex	73	-22	21.5	22.9	1.3	0.0	17	0.80	<0.01	42
43-282	0	360 Complex	73	-22	22.9	24.2	1.4	0.0	28	1.87	<0.01	85
43-282	0	360 Complex	73	-22	24.2	25.6	1.4	0.0	89	4.49	<0.01	223
43-282	0	360 Complex	73	-22	25.6	26.5	0.9	0.0	29	1.75	0.02	83
43-282	0	360 Complex	73	-22	26.5	27.4	0.9	0.0	63	3.65	0.02	173
43-282	0	360 Complex	73	-22	27.4	28.7	1.2	0.0	41	2.66	<0.01	121
43-282	new_100	360 Complex	73	-22	28.7	29.7	1.1	1.1	236	15.50	0.01	696
43-282	new_100	360 Complex	73	-22	29.7	30.5	0.8	0.8	81	5.20	<0.01	236
43-282	0	360 Complex	73	-22	30.5	31.6	1.1	0.0	46	3.19	<0.01	142
43-282	0	360 Complex	73	-22	31.6	32.6	1.0	0.0	17	0.20	<0.01	24
43-282	0	360 Complex	73	-22	32.6	33.8	1.2	0.0	17	0.32	<0.01	28
43-282	0	360 Complex	73	-22	33.8	35.4	1.5	0.0	50	3.37	<0.01	151
43-282	0	360 Complex	73	-22	35.4	36.7	1.3	0.0	63	4.60	<0.01	200
43-282	0	360 Complex	73	-22	36.7	37.7	1.0	0.0	17	1.64	0.02	68
43-282	0	360 Complex	73	-22	37.7	38.7	1.0	0.0	17	0.23	<0.01	25
43-282	0	360 Complex	73	-22	38.7	40.0	1.3	0.0	17	0.33	<0.01	28
43-282	0	360 Complex	73	-22	40.0	40.8	0.8	0.0	17	1.28	0.03	58
43-282	178_100	360 Complex	73	-22	40.8	42.3	1.5	1.3	172	6.68	0.18	391
43-282	178_100	360 Complex	73	-22	42.3	43.9	1.5	1.3	65	4.69	<0.01	205
43-282	178_100	360 Complex	73	-22	43.9	44.6	0.7	0.6	497	39.90	0.02	1,681
43-282	178_100	360 Complex	73	-22	44.6	45.6	1.0	0.8	193	16.20	<0.01	674
43-282	178_100	360 Complex	73	-22	45.6	45.7	0.2	0.1	617	49.40	<0.01	2,081
43-282	178_100	360 Complex	73	-22	45.7	47.3	1.5	1.3	70	5.28	<0.01	227

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-282	178_100	360 Complex	73	-22	47.3	48.8	1.5	1.3	97	6.87	0.03	304
43-282	178_100	360 Complex	73	-22	48.8	50.3	1.5	1.3	189	12.80	<0.01	569
43-282	0	360 Complex	73	-22	50.3	50.9	0.6	0.0	88	4.56	0.31	259
43-282	0	360 Complex	73	-22	56.4	57.9	1.5	0.0	54	3.49	<0.01	159
43-282	0	360 Complex	73	-22	57.9	59.5	1.5	0.0	61	4.20	0.01	187
43-282	0	360 Complex	73	-22	59.5	61.0	1.5	0.0	46	2.81	<0.01	130
43-282	0	360 Complex	73	-22	61.0	62.5	1.5	0.0	81	5.67	<0.01	250
43-282	new_100	360 Complex	73	-22	62.5	64.0	1.5	1.5	162	12.10	<0.01	521
43-282	0	360 Complex	73	-22	64.0	65.5	1.5	0.0	84	7.62	<0.01	311
43-282	0	360 Complex	73	-22	65.5	67.1	1.5	0.0	37	2.60	<0.01	115
43-282	0	360 Complex	73	-22	67.1	68.6	1.5	0.0	60	4.52	<0.01	195
43-282	0	360 Complex	73	-22	68.6	70.1	1.5	0.0	59	3.98	<0.01	178
43-282	239_100	360 Complex	73	-22	70.1	71.2	1.0	1.0	92	6.65	<0.01	290
43-282	239_100	360 Complex	73	-22	71.2	71.4	0.3	0.3	364	20.70	0.02	979
43-282	0	360 Complex	73	-22	71.4	72.3	0.8	0.0	32	2.32	<0.01	102
43-282	0	360 Complex	73	-22	72.3	73.5	1.2	0.0	31	1.73	<0.01	83
43-282	0	360 Complex	73	-22	73.5	73.8	0.3	0.0	76	2.52	<0.01	152
43-282	0	360 Complex	73	-22	73.8	74.7	0.9	0.0	78	2.23	<0.01	145
43-282	0	360 Complex	73	-22	74.7	76.2	1.5	0.0	17	0.46	<0.01	32
43-282	0	360 Complex	73	-22	76.2	77.7	1.5	0.0	69	1.96	<0.01	128
43-282	0	360 Complex	73	-22	77.7	79.3	1.5	0.0	41	1.65	<0.01	92
43-282	0	360 Complex	73	-22	79.3	80.8	1.5	0.0	17	0.94	<0.01	46
43-282	0	360 Complex	73	-22	80.8	82.3	1.5	0.0	27	1.54	<0.01	74
43-282	0	360 Complex	73	-22	82.3	83.8	1.5	0.0	17	1.07	<0.01	50
43-282	br1_100	360 Complex	73	-22	83.8	85.4	1.5	1.5	200	6.20	<0.01	385
43-282	0	360 Complex	73	-22	85.4	86.5	1.2	0.0	112	2.90	<0.01	199
43-282	0	360 Complex	73	-22	86.5	87.2	0.7	0.0	17	0.13	<0.01	22
43-282	242_100	360 Complex	73	-22	87.2	88.4	1.2	1.2	237	6.86	<0.01	441
43-282	242_100	360 Complex	73	-22	88.4	89.1	0.7	0.7	205	5.96	<0.01	383
43-282	0	360 Complex	73	-22	89.1	90.4	1.3	0.0	20	0.77	<0.01	44
43-282	0	360 Complex	73	-22	93.5	94.5	1.0	0.0	37	2.40	<0.01	109
43-282	0	360 Complex	73	-22	94.5	96.0	1.5	0.0	47	3.58	<0.01	154
43-282	0	360 Complex	73	-22	96.0	97.6	1.5	0.0	17	0.93	<0.01	46
43-283	0	360 Complex	85	-20	24.4	25.9	1.5	0.0	17	0.65	<0.01	38
43-283	0	360 Complex	85	-20	25.9	27.4	1.5	0.0	115	6.92	<0.01	321
43-283	0	360 Complex	85	-20	27.4	29.0	1.5	0.0	91	4.83	0.05	240
43-283	0	360 Complex	85	-20	29.0	30.5	1.5	0.0	67	3.44	0.03	172
43-283	0	360 Complex	85	-20	30.5	32.0	1.5	0.0	78	4.03	0.02	200
43-283	0	360 Complex	85	-20	39.0	40.5	1.5	0.0	17	1.00	<0.01	48
43-283	new_100	360 Complex	85	-20	40.5	41.1	0.6	0.6	160	11.60	<0.01	505
43-283	new_100	360 Complex	85	-20	41.1	41.4	0.2	0.2	754	55.90	0.08	2,419
43-283	0	360 Complex	85	-20	41.4	42.9	1.5	0.0	17	0.51	<0.01	33
43-283	0	360 Complex	85	-20	42.9	44.4	1.5	0.0	17	1.18	<0.01	53
43-283	0	360 Complex	85	-20	44.4	45.7	1.3	0.0	102	7.90	<0.01	337
43-283	0	360 Complex	85	-20	45.7	47.0	1.3	0.0	91	7.55	<0.01	315
43-283	178_100	360 Complex	85	-20	47.0	47.3	0.3	0.3	480	44.40	0.09	1,805
43-283	178_100	360 Complex	85	-20	47.3	48.2	0.9	0.9	140	11.50	<0.01	482
43-283	178_100	360 Complex	85	-20	48.2	49.0	0.8	0.8	160	11.30	0.07	503
43-283	178_100	360 Complex	85	-20	49.0	50.0	1.0	1.0	341	26.80	<0.01	1,136
43-283	178_100	360 Complex	85	-20	50.0	51.5	1.5	1.5	122	9.00	<0.01	389
43-283	178_100	360 Complex	85	-20	51.5	51.8	0.2	0.2	521	46.30	<0.01	1,893
43-283	178_100	360 Complex	85	-20	51.8	52.2	0.4	0.4	245	20.50	<0.01	853
43-283	0	360 Complex	85	-20	52.2	53.7	1.5	0.0	82	5.87	<0.01	257
43-283	0	360 Complex	85	-20	53.7	55.1	1.4	0.0	94	6.42	<0.01	286
43-283	0	360 Complex	85	-20	55.1	56.3	1.2	0.0	17	0.31	<0.01	28
43-283	0	360 Complex	85	-20	56.3	57.8	1.5	0.0	42	2.92	<0.01	129
43-283	0	360 Complex	85	-20	57.8	59.2	1.5	0.0	68	4.80	<0.01	212
43-283	0	360 Complex	85	-20	59.2	59.9	0.7	0.0	86	6.54	<0.01	281
43-283	new_100	360 Complex	85	-20	59.9	61.0	1.1	1.1	422	32.30	<0.01	1,379
43-283	new_100	360 Complex	85	-20	61.0	62.5	1.5	1.5	235	19.50	<0.01	814
43-283	new_100	360 Complex	85	-20	62.5	63.0	0.5	0.5	193	13.50	<0.01	594
43-283	new_100	360 Complex	85	-20	63.0	63.8	0.9	0.9	33	2.62	<0.01	111
43-283	new_100	360 Complex	85	-20	63.8	64.4	0.5	0.5	334	23.20	<0.01	1,022

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-283		0 360 Complex	85	-20	64.4	65.3	0.9	0.0	17	1.01	<0.01	48
43-283		0 360 Complex	85	-20	65.3	66.8	1.5	0.0	109	8.69	<0.01	367
43-283		0 360 Complex	85	-20	66.8	68.3	1.5	0.0	24	1.37	<0.01	65
43-283		0 360 Complex	85	-20	68.3	69.8	1.5	0.0	35	2.04	<0.01	96
43-283	348_100	360 Complex	85	-20	69.8	70.6	0.8	0.8	150	11.40	0.01	489
43-283	348_100	360 Complex	85	-20	70.6	70.9	0.3	0.3	460	35.20	0.14	1,518
43-283		0 360 Complex	85	-20	70.9	72.3	1.4	0.0	48	3.69	<0.01	158
43-283		0 360 Complex	85	-20	72.3	73.2	0.9	0.0	21	1.15	<0.01	56
43-283		0 360 Complex	85	-20	73.2	74.7	1.5	0.0	17	1.18	0.03	56
43-283		0 360 Complex	85	-20	74.7	76.2	1.5	0.0	22	1.44	<0.01	66
43-283		0 360 Complex	85	-20	76.2	77.7	1.5	0.0	35	2.35	<0.01	106
43-283		0 360 Complex	85	-20	77.7	79.3	1.5	0.0	25	1.55	<0.01	72
43-283		0 360 Complex	85	-20	79.3	79.4	0.1	0.0	183	10.10	0.10	494
43-283		0 360 Complex	85	-20	83.8	85.2	1.4	0.0	19	1.26	<0.01	58
43-283	239_100	360 Complex	85	-20	85.2	85.5	0.3	0.3	193	15.80	<0.01	662
43-283	239_100	360 Complex	85	-20	85.5	86.9	1.3	1.3	315	25.60	0.05	1,079
43-283	239_100	360 Complex	85	-20	86.9	88.4	1.5	1.5	286	21.50	0.02	925
43-283	239_100	360 Complex	85	-20	88.4	89.9	1.5	1.5	167	12.30	<0.01	532
43-283	239_100	360 Complex	85	-20	89.9	90.3	0.3	0.3	89	5.85	<0.01	264
43-283	239_100	360 Complex	85	-20	90.3	91.5	1.2	1.2	200	10.70	<0.01	518
43-283	239_100	360 Complex	85	-20	91.5	93.0	1.5	1.5	204	5.48	<0.01	367
43-283		0 360 Complex	85	-20	93.0	93.8	0.8	0.0	166	4.52	0.03	303
43-283		0 360 Complex	85	-20	93.8	94.8	1.0	0.0	17	0.13	<0.01	22
43-283		0 360 Complex	85	-20	94.8	96.0	1.2	0.0	54	1.61	<0.01	103
43-283		0 360 Complex	85	-20	96.0	97.6	1.5	0.0	46	2.02	<0.01	107
43-283		0 360 Complex	85	-20	97.6	99.1	1.5	0.0	81	4.05	<0.01	202
43-283		0 360 Complex	85	-20	99.1	100.6	1.5	0.0	47	2.55	<0.01	124
43-283		0 360 Complex	85	-20	100.6	101.9	1.3	0.0	106	6.44	<0.01	298
43-283		0 360 Complex	85	-20	101.9	103.4	1.5	0.0	30	1.64	<0.01	79
43-283		0 360 Complex	85	-20	103.4	104.3	0.9	0.0	22	1.16	<0.01	57
43-283		0 360 Complex	85	-20	104.3	105.6	1.3	0.0	17	0.26	<0.01	26
43-283		0 360 Complex	85	-20	105.6	106.6	1.0	0.0	45	2.55	<0.01	122
43-283		0 360 Complex	85	-20	106.6	106.7	0.1	0.0	255	14.90	0.10	708
43-283		0 360 Complex	85	-20	106.7	107.3	0.5	0.0	55	2.91	<0.01	142
43-283		0 360 Complex	85	-20	107.3	107.9	0.6	0.0	155	8.96	<0.01	421
43-283		0 360 Complex	85	-20	107.9	108.0	0.2	0.0	802	50.90	0.02	2,312
43-283		0 360 Complex	85	-20	108.0	108.2	0.2	0.0	277	16.00	<0.01	752
43-284		0 360 Complex	65	-20	12.2	13.7	1.5	0.0	17	1.06	<0.01	50
43-284		0 360 Complex	65	-20	13.7	15.2	1.5	0.0	17	0.66	<0.01	38
43-284		0 360 Complex	65	-20	15.2	16.8	1.5	0.0	45	2.48	<0.01	120
43-284		0 360 Complex	65	-20	16.8	18.3	1.5	0.0	17	0.60	<0.01	36
43-284		0 360 Complex	65	-20	18.3	19.8	1.5	0.0	17	0.16	<0.01	23
43-284		0 360 Complex	65	-20	19.8	21.3	1.5	0.0	17	0.43	<0.01	31
43-284		0 360 Complex	65	-20	21.3	22.9	1.5	0.0	51	3.02	<0.01	142
43-284		0 360 Complex	65	-20	22.9	24.4	1.5	0.0	111	5.64	0.02	280
43-284		0 360 Complex	65	-20	24.4	25.9	1.5	0.0	37	2.09	0.01	101
43-284		0 360 Complex	65	-20	25.9	27.4	1.5	0.0	66	3.82	<0.01	180
43-284		0 360 Complex	65	-20	27.4	29.0	1.5	0.0	32	2.10	0.01	96
43-284		0 360 Complex	65	-20	29.0	30.5	1.5	0.0	41	2.72	0.10	133
43-284		0 360 Complex	65	-20	30.5	32.0	1.5	0.0	38	2.51	0.02	114
43-284		0 360 Complex	65	-20	32.0	33.5	1.5	0.0	99	5.72	0.05	274
43-284		0 360 Complex	65	-20	33.5	35.1	1.5	0.0	82	5.16	<0.01	236
43-284		0 360 Complex	65	-20	35.1	35.6	0.5	0.0	111	6.64	<0.01	309
43-284		0 360 Complex	65	-20	35.6	37.1	1.5	0.0	17	0.53	<0.01	34
43-284		0 360 Complex	65	-20	37.1	38.3	1.2	0.0	25	1.75	0.06	84
43-284		0 360 Complex	65	-20	38.3	39.8	1.5	0.0	19	1.40	0.04	65
43-284		0 360 Complex	65	-20	39.8	41.2	1.4	0.0	106	4.52	0.14	256
43-284		0 360 Complex	65	-20	41.2	42.7	1.5	0.0	93	8.00	0.02	332
43-284		0 360 Complex	65	-20	42.7	43.4	0.8	0.0	17	0.28	<0.01	27
43-284	new_100	360 Complex	65	-20	43.4	44.8	1.4	1.4	102	10.60	<0.01	417
43-284	new_100	360 Complex	65	-20	44.8	45.7	0.9	0.9	175	15.20	<0.01	626
43-284	new_100	360 Complex	65	-20	45.7	47.3	1.5	1.5	131	11.10	0.04	464
43-284	new_100	360 Complex	65	-20	47.3	48.2	0.9	0.9	190	14.80	<0.01	629

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-284	0	360 Complex	65	-20	48.2	49.5	1.4	0.0	19	1.47	<0.01	63
43-284	0	360 Complex	65	-20	49.5	50.5	0.9	0.0	25	1.64	<0.01	74
43-284	0	360 Complex	65	-20	50.5	51.5	1.1	0.0	48	3.36	<0.01	149
43-284	0	360 Complex	65	-20	51.5	53.0	1.5	0.0	34	1.46	<0.01	78
43-284	0	360 Complex	65	-20	53.0	53.9	0.8	0.0	35	2.12	<0.01	99
43-284	0	360 Complex	65	-20	53.9	54.2	0.3	0.0	206	15.80	0.02	675
43-284	0	360 Complex	65	-20	54.2	55.6	1.5	0.0	17	0.20	<0.01	24
43-284	0	360 Complex	65	-20	55.6	57.2	1.5	0.0	21	1.29	<0.01	60
43-284	0	360 Complex	65	-20	57.2	57.8	0.6	0.0	32	1.78	<0.01	86
43-284	0	360 Complex	65	-20	57.8	58.4	0.6	0.0	117	7.25	0.02	334
43-284	0	360 Complex	65	-20	58.4	59.9	1.5	0.0	21	1.34	<0.01	62
43-284	0	360 Complex	65	-20	59.9	60.8	0.9	0.0	103	6.14	<0.01	286
43-284	0	360 Complex	65	-20	60.8	61.7	0.9	0.0	17	0.27	<0.01	26
43-284	0	360 Complex	65	-20	61.7	62.5	0.8	0.0	63	3.98	<0.01	182
43-284	0	360 Complex	65	-20	62.5	64.0	1.5	0.0	84	5.15	<0.01	237
43-284	239_100	360 Complex	65	-20	64.0	65.5	1.5	1.5	100	6.80	<0.01	303
43-284	239_100	360 Complex	65	-20	65.5	66.5	0.9	0.9	76	4.43	<0.01	208
43-284	239_100	360 Complex	65	-20	66.5	67.2	0.8	0.8	343	25.60	<0.01	1,102
43-284	0	360 Complex	65	-20	67.2	68.8	1.5	0.0	85	4.04	<0.01	206
43-284	0	360 Complex	65	-20	68.8	70.3	1.5	0.0	79	2.11	<0.01	143
43-284	0	360 Complex	65	-20	70.3	71.4	1.1	0.0	17	0.17	<0.01	23
43-284	0	360 Complex	65	-20	71.4	72.1	0.7	0.0	190	4.77	0.02	334
43-284	0	360 Complex	65	-20	72.1	73.6	1.5	0.0	69	2.16	<0.01	134
43-284	0	360 Complex	65	-20	73.6	75.0	1.4	0.0	105	3.11	<0.01	198
43-284	0	360 Complex	65	-20	75.0	76.1	1.1	0.0	193	7.54	0.02	419
43-284	0	360 Complex	65	-20	76.1	77.6	1.5	0.0	17	0.22	<0.01	25
43-284	0	360 Complex	65	-20	77.6	78.8	1.2	0.0	17	0.12	<0.01	<22
43-284	br1_100	360 Complex	65	-20	78.8	79.3	0.5	0.5	247	10.80	<0.01	568
43-284	br1_100	360 Complex	65	-20	79.3	80.8	1.5	1.5	197	5.29	<0.01	355
43-284	0	360 Complex	65	-20	80.8	82.3	1.5	0.0	72	2.18	0.03	140
43-284	0	360 Complex	65	-20	82.3	82.9	0.6	0.0	72	1.92	<0.01	130
43-284	0	360 Complex	65	-20	82.9	84.5	1.5	0.0	163	4.19	<0.01	288
43-284	0	360 Complex	65	-20	84.5	86.0	1.5	0.0	87	3.21	<0.01	183
43-284	0	360 Complex	65	-20	86.0	87.5	1.5	0.0	17	0.83	<0.01	43
43-284	0	360 Complex	65	-20	87.5	88.4	0.9	0.0	59	3.09	<0.01	151
43-284	0	360 Complex	65	-20	88.4	89.9	1.5	0.0	26	1.35	<0.01	67
43-285	0	360 Complex	55	-20	0.0	0.9	0.9	0.0	160	7.76	0.04	394
43-285	0	360 Complex	55	-20	0.9	1.5	0.6	0.0	24	1.34	0.01	65
43-285	0	360 Complex	55	-20	1.5	3.0	1.5	0.0	17	0.44	<0.01	31
43-285	0	360 Complex	55	-20	3.0	4.6	1.5	0.0	17	0.41	<0.01	30
43-285	0	360 Complex	55	-20	4.6	6.1	1.5	0.0	19	1.05	<0.01	51
43-285	0	360 Complex	55	-20	6.1	7.6	1.5	0.0	18	0.94	<0.01	46
43-285	0	360 Complex	55	-20	7.6	9.1	1.5	0.0	18	1.01	<0.01	49
43-285	0	360 Complex	55	-20	9.1	10.7	1.5	0.0	29	1.36	<0.01	70
43-285	0	360 Complex	55	-20	10.7	12.2	1.5	0.0	17	0.49	<0.01	33
43-285	0	360 Complex	55	-20	12.2	13.7	1.5	0.0	17	0.65	<0.01	37
43-285	0	360 Complex	55	-20	13.7	15.2	1.5	0.0	49	2.63	<0.01	128
43-285	0	360 Complex	55	-20	15.2	16.8	1.5	0.0	17	0.73	<0.01	40
43-285	0	360 Complex	55	-20	16.8	18.3	1.5	0.0	17	0.50	<0.01	33
43-285	0	360 Complex	55	-20	18.3	19.7	1.4	0.0	17	0.26	<0.01	26
43-285	0	360 Complex	55	-20	19.7	20.6	0.9	0.0	17	0.63	<0.01	37
43-285	0	360 Complex	55	-20	20.6	21.5	0.9	0.0	30	1.64	<0.01	80
43-285	257_100	360 Complex	55	-20	21.5	22.9	1.4	1.4	223	13.50	0.01	624
43-285	257_100	360 Complex	55	-20	22.9	24.4	1.5	1.5	108	6.68	<0.01	307
43-285	257_100	360 Complex	55	-20	24.4	25.9	1.5	1.5	115	7.28	0.02	332
43-285	257_100	360 Complex	55	-20	25.9	27.4	1.5	1.5	86	5.63	<0.01	254
43-285	0	360 Complex	55	-20	27.4	28.7	1.2	0.0	70	4.27	<0.01	198
43-285	0	360 Complex	55	-20	28.7	30.2	1.5	0.0	22	1.45	<0.01	66
43-285	0	360 Complex	55	-20	30.2	31.6	1.4	0.0	37	2.31	<0.01	107
43-285	0	360 Complex	55	-20	31.6	33.1	1.5	0.0	111	6.98	0.02	320
43-285	new_100	360 Complex	55	-20	33.1	34.1	1.1	1.1	163	9.77	<0.01	453
43-285	new_100	360 Complex	55	-20	34.1	35.1	0.9	0.9	449	26.80	0.03	1,246
43-285	0	360 Complex	55	-20	35.1	36.6	1.5	0.0	80	4.89	<0.01	226

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-285	0	360 Complex	55	-20	36.6	38.1	1.5	0.0	77	5.52	0.04	245
43-285	0	360 Complex	55	-20	38.1	39.0	0.9	0.0	99	6.84	<0.01	302
43-285	0	360 Complex	55	-20	39.0	40.2	1.2	0.0	52	3.31	<0.01	152
43-285	0	360 Complex	55	-20	40.2	41.2	0.9	0.0	36	2.28	0.04	108
43-285	0	360 Complex	55	-20	41.2	42.7	1.5	0.0	25	1.68	<0.01	76
43-285	0	360 Complex	55	-20	42.7	44.2	1.5	0.0	52	3.51	<0.01	158
43-285	new_100	360 Complex	55	-20	44.2	45.7	1.5	1.5	126	8.87	<0.01	390
43-285	0	360 Complex	55	-20	45.7	47.3	1.5	0.0	61	3.82	0.05	180
43-285	0	360 Complex	55	-20	47.3	48.2	0.9	0.0	22	1.53	0.02	69
43-285	348_100	360 Complex	55	-20	48.2	49.7	1.5	1.3	174	11.20	<0.01	507
43-285	348_100	360 Complex	55	-20	49.7	51.2	1.5	1.4	201	14.40	0.06	634
43-285	0	360 Complex	55	-20	51.2	52.6	1.3	0.0	52	3.47	<0.01	156
43-285	0	360 Complex	55	-20	52.6	53.4	0.8	0.0	17	0.87	<0.01	44
43-285	0	360 Complex	55	-20	53.4	54.9	1.5	0.0	44	2.83	<0.01	129
43-285	new_100	360 Complex	55	-20	54.9	56.4	1.5	1.5	143	9.95	<0.01	439
43-285	0	360 Complex	55	-20	56.4	57.9	1.5	0.0	47	3.04	<0.01	138
43-285	0	360 Complex	55	-20	57.9	58.5	0.6	0.0	103	6.48	<0.01	296
43-285	0	360 Complex	55	-20	58.5	58.9	0.4	0.0	298	21.00	<0.01	921
43-285	0	360 Complex	55	-20	58.9	60.4	1.5	0.0	26	1.58	<0.01	74
43-285	0	360 Complex	55	-20	60.4	61.9	1.5	0.0	82	2.71	<0.01	164
43-285	0	360 Complex	55	-20	61.9	63.4	1.5	0.0	17	0.62	<0.01	37
43-285	0	360 Complex	55	-20	63.4	64.9	1.5	0.0	68	2.70	0.04	153
43-285	0	360 Complex	55	-20	64.9	66.4	1.5	0.0	181	4.98	0.04	334
43-285	0	360 Complex	55	-20	66.4	67.9	1.5	0.0	112	3.15	0.01	207
43-285	0	360 Complex	55	-20	67.9	69.4	1.5	0.0	108	2.67	<0.01	188
43-285	0	360 Complex	55	-20	69.4	70.9	1.5	0.0	17	0.43	<0.01	31
43-285	0	360 Complex	55	-20	70.9	72.4	1.5	0.0	31	1.85	<0.01	87
43-285	0	360 Complex	55	-20	72.4	73.9	1.5	0.0	33	1.98	<0.01	93
43-285	0	360 Complex	55	-20	73.9	75.4	1.5	0.0	17	0.76	<0.01	41
46-325	0	360 Complex	85	15	113.4	114.3	0.9	0.0	17	0.24	0.02	26
46-325	0	360 Complex	85	15	114.3	114.8	0.5	0.0	24	0.47	0.08	47
46-325	0	360 Complex	85	15	114.8	116.2	1.3	0.0	17	0.23	0.04	29
46-325	0	360 Complex	85	15	116.2	117.4	1.2	0.0	24	0.35	0.08	44
46-325	0	360 Complex	85	15	117.4	118.8	1.4	0.0	17	0.19	0.02	25
46-325	0	360 Complex	85	15	131.3	132.5	1.2	0.0	17	0.92	0.16	63
46-325	0	360 Complex	85	15	132.5	133.4	0.9	0.0	17	0.45	0.10	43
46-325	0	360 Complex	85	15	147.0	148.2	1.2	0.0	35	1.32	0.01	75
46-325	0	360 Complex	85	15	148.2	149.1	0.9	0.0	25	0.67	0.02	47
46-325	0	360 Complex	85	15	149.1	150.6	1.5	0.0	22	0.27	0.02	32
46-325	0	360 Complex	85	15	150.6	152.1	1.5	0.0	33	0.69	0.01	55
46-325	0	360 Complex	85	15	152.1	153.7	1.5	0.0	62	0.91	0.05	95
46-325	0	360 Complex	85	15	153.7	155.0	1.4	0.0	78	1.10	0.07	119
46-325	0	360 Complex	85	15	163.4	164.6	1.2	0.0	40	1.01	0.02	72
46-325	0	360 Complex	85	15	164.6	166.2	1.5	0.0	28	0.45	0.01	42
46-325	0	360 Complex	85	15	166.2	167.2	1.1	0.0	31	0.61	0.02	51
46-325	0	360 Complex	85	15	167.2	167.4	0.2	0.0	484	16.20	<0.01	964
46-325	0	360 Complex	85	15	167.4	168.9	1.5	0.0	23	0.65	<0.01	43
46-325	0	360 Complex	85	15	168.9	170.4	1.5	0.0	35	1.13	<0.01	70
46-325	0	360 Complex	85	15	170.4	172.0	1.5	0.0	32	0.90	0.01	60
46-325	br2_100	360 Complex	85	15	172.0	173.5	1.5	0.0	142	5.99	0.01	321
46-325	0	360 Complex	85	15	173.5	175.0	1.5	0.0	47	1.19	<0.01	83
46-325	0	360 Complex	85	15	175.0	176.5	1.5	0.0	72	2.18	<0.01	138
46-325	0	360 Complex	85	15	176.5	177.2	0.6	0.0	127	3.61	0.02	236
46-325	0	360 Complex	85	15	177.2	178.5	1.3	0.0	72	2.45	<0.01	146
46-325	0	360 Complex	85	15	178.5	179.9	1.4	0.0	99	2.71	<0.01	180
46-325	0	360 Complex	85	15	179.9	181.4	1.5	0.0	88	2.80	<0.01	172
46-325	242_100	360 Complex	85	15	181.4	182.0	0.5	0.0	218	5.90	0.15	410
46-325	0	360 Complex	85	15	182.0	183.4	1.4	0.0	40	1.17	0.03	79
46-325	0	360 Complex	85	15	183.4	184.8	1.4	0.0	54	2.18	<0.01	120
46-325	0	360 Complex	85	15	184.8	186.0	1.2	0.0	42	1.52	0.03	91
46-325	0	360 Complex	85	15	186.0	187.5	1.5	0.0	18	0.42	<0.01	32
46-325	0	360 Complex	85	15	187.5	189.0	1.5	0.0	20	0.58	<0.01	39
46-325	0	360 Complex	85	15	189.0	190.5	1.5	0.0	17	0.49	0.01	33

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-325		0 360 Complex	85	15	190.5	192.1	1.5	0.0	17	0.27	<0.01	26
46-325		0 360 Complex	85	15	192.1	193.6	1.5	0.0	30	1.05	<0.01	63
46-325		0 360 Complex	85	15	193.6	195.1	1.5	0.0	17	0.37	<0.01	29
46-325		0 360 Complex	85	15	195.1	196.6	1.5	0.0	19	0.47	<0.01	34
46-325		0 360 Complex	85	15	203.4	204.0	0.6	0.0	27	0.64	0.01	48
46-325		0 360 Complex	85	15	204.0	205.5	1.5	0.0	65	1.69	0.01	117
46-325	350_100	360 Complex	85	15	205.5	207.0	1.5	0.0	104	3.12	0.02	198
46-325	350_100	360 Complex	85	15	207.0	207.7	0.7	0.0	114	3.77	<0.01	226
46-325		0 360 Complex	85	15	207.7	209.1	1.5	0.0	78	2.31	<0.01	147
46-325		0 360 Complex	85	15	209.1	210.4	1.2	0.0	128	4.38	<0.01	258
46-325	368_100	360 Complex	85	15	210.4	211.6	1.2	1.1	207	6.71	<0.01	407
46-325	368_100	360 Complex	85	15	211.6	212.3	0.7	0.6	833	34.00	0.01	1,842
46-325		0 360 Complex	85	15	212.3	212.8	0.5	0.0	146	1.34	0.16	204
46-325		0 360 Complex	85	15	218.0	219.6	1.5	0.0	133	0.11	0.12	150
46-325	370_100	360 Complex	85	15	226.2	227.7	1.5	0.0	150	<0.10	0.13	168
46-325		0 360 Complex	85	15	266.8	267.0	0.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	26.5	27.1	0.7	0.0	27	0.70	<0.01	48
46-326		0 360 Complex	85	-15	31.6	31.7	0.2	0.0	116	2.26	0.02	185
46-326		0 360 Complex	85	-15	42.5	43.0	0.5	0.0	49	0.76	0.04	77
46-326		0 360 Complex	85	-15	43.0	44.2	1.2	0.0	17	0.13	<0.01	22
46-326		0 360 Complex	85	-15	45.8	46.9	1.1	0.0	17	0.34	<0.01	28
46-326		0 360 Complex	85	-15	46.9	47.0	0.2	0.0	65	2.73	<0.01	147
46-326		0 360 Complex	85	-15	47.0	47.6	0.6	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	48.6	48.8	0.2	0.0	40	1.88	<0.01	97
46-326		0 360 Complex	85	-15	52.1	53.2	1.1	0.0	17	0.58	<0.01	35
46-326		0 360 Complex	85	-15	53.8	54.1	0.3	0.0	17	0.53	<0.01	34
46-326		0 360 Complex	85	-15	57.0	57.6	0.6	0.0	17	<0.10	<0.01	<22
46-326	348_100	360 Complex	85	-15	57.6	58.8	1.2	0.0	53	3.28	<0.01	151
46-326	348_100	360 Complex	85	-15	58.8	59.9	1.1	0.0	93	5.31	0.03	253
46-326		0 360 Complex	85	-15	59.9	60.7	0.8	0.0	22	1.30	<0.01	61
46-326		0 360 Complex	85	-15	61.7	62.0	0.3	0.0	64	1.49	0.05	115
46-326		0 360 Complex	85	-15	62.7	63.7	1.1	0.0	17	0.48	<0.01	32
46-326		0 360 Complex	85	-15	63.7	64.8	1.1	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	64.8	66.0	1.2	0.0	17	0.17	<0.01	23
46-326		0 360 Complex	85	-15	66.0	66.3	0.2	0.0	67	2.57	0.03	146
46-326		0 360 Complex	85	-15	66.3	67.3	1.0	0.0	21	0.64	0.01	42
46-326		0 360 Complex	85	-15	67.3	68.0	0.7	0.0	17	0.11	<0.01	<22
46-326		0 360 Complex	85	-15	68.0	68.6	0.6	0.0	17	0.24	<0.01	25
46-326		0 360 Complex	85	-15	69.2	70.3	1.1	0.0	17	0.12	<0.01	<22
46-326		0 360 Complex	85	-15	70.3	71.6	1.4	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	78.0	78.8	0.8	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	78.8	79.9	1.1	0.0	17	0.56	<0.01	35
46-326		0 360 Complex	85	-15	79.9	80.8	0.9	0.0	17	0.42	0.02	32
46-326		0 360 Complex	85	-15	81.2	82.6	1.4	0.0	17	0.12	<0.01	<22
46-326		0 360 Complex	85	-15	82.6	83.5	0.9	0.0	17	0.48	<0.01	33
46-326		0 360 Complex	85	-15	83.5	84.3	0.8	0.0	42	1.84	0.02	99
46-326		0 360 Complex	85	-15	88.7	89.3	0.5	0.0	18	0.59	0.05	42
46-326		0 360 Complex	85	-15	102.7	104.0	1.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	104.0	105.2	1.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	108.2	109.6	1.4	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	109.6	109.8	0.2	0.0	53	<0.10	0.05	63
46-326		0 360 Complex	85	-15	109.8	110.0	0.2	0.0	71	<0.10	0.09	84
46-326		0 360 Complex	85	-15	110.0	110.7	0.7	0.0	74	<0.10	0.07	85
46-326		0 360 Complex	85	-15	110.7	111.6	0.9	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	111.6	112.5	0.9	0.0	27	<0.10	<0.01	31
46-326		0 360 Complex	85	-15	112.5	113.4	0.9	0.0	41	0.55	<0.01	59
46-326		0 360 Complex	85	-15	113.4	114.0	0.6	0.0	28	<0.10	<0.01	32
46-326		0 360 Complex	85	-15	123.7	125.0	1.3	0.0	27	<0.10	<0.01	31
46-326		0 360 Complex	85	-15	125.0	126.2	1.2	0.0	35	<0.10	<0.01	39
46-326		0 360 Complex	85	-15	126.2	127.4	1.2	0.0	103	0.24	0.09	120
46-326		0 360 Complex	85	-15	128.5	129.5	1.0	0.0	81	<0.10	0.04	88
46-326		0 360 Complex	85	-15	133.4	133.7	0.2	0.0	569	<0.10	0.32	610
46-326		0 360 Complex	85	-15	133.7	134.1	0.4	0.0	36	<0.10	<0.01	40

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-326		0 360 Complex	85	-15	151.6	151.8	0.2	0.0	57	<0.10	0.03	63
46-326		0 360 Complex	85	-15	160.2	160.8	0.6	0.0	39	<0.10	0.14	58
46-326		0 360 Complex	85	-15	160.8	161.8	0.9	0.0	17	<0.10	0.04	25
46-326		0 360 Complex	85	-15	161.8	162.4	0.6	0.0	29	<0.10	0.06	38
46-326		0 360 Complex	85	-15	162.4	162.7	0.3	0.0	20	<0.10	0.06	30
46-326	350_100	360 Complex	85	-15	162.7	163.4	0.7	0.7	508	2.04	1.28	718
46-326		0 360 Complex	85	-15	163.4	164.3	0.9	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	166.8	167.7	0.9	0.0	17	0.12	0.02	23
46-326		0 360 Complex	85	-15	167.7	168.1	0.4	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	168.1	168.6	0.5	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	179.7	179.9	0.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	184.7	185.9	1.2	0.0	17	<0.10	0.03	23
46-326		0 360 Complex	85	-15	187.5	190.2	2.7	0.0	17	0.20	<0.01	24
46-326	368_100	360 Complex	85	-15	190.7	192.1	1.4	0.0	48	0.69	0.05	74
46-326		0 360 Complex	85	-15	192.1	193.1	1.1	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	193.1	194.1	1.0	0.0	17	0.24	<0.01	26
46-326		0 360 Complex	85	-15	194.5	195.4	0.9	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	195.4	196.0	0.6	0.0	21	0.36	<0.01	33
46-326	370_100	360 Complex	85	-15	196.0	196.2	0.2	0.0	68	1.75	0.02	121
46-326	370_100	360 Complex	85	-15	196.2	197.3	1.1	0.0	47	1.10	0.02	82
46-326		0 360 Complex	85	-15	197.3	198.5	1.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	198.5	199.7	1.2	0.0	17	0.13	<0.01	22
46-326		0 360 Complex	85	-15	199.7	201.2	1.5	0.0	61	<0.10	0.06	71
46-326		0 360 Complex	85	-15	201.2	202.3	1.1	0.0	24	0.11	0.02	30
46-326		0 360 Complex	85	-15	202.3	202.4	0.2	0.0	28	0.24	0.03	38
46-326		0 360 Complex	85	-15	202.4	203.1	0.7	0.0	17	<0.10	0.02	<22
46-326		0 360 Complex	85	-15	203.1	203.7	0.5	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	203.7	204.1	0.5	0.0	47	1.15	0.03	84
46-326		0 360 Complex	85	-15	204.1	205.6	1.5	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	215.8	216.0	0.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	222.0	222.6	0.6	0.0	115	2.68	0.05	200
46-326		0 360 Complex	85	-15	224.7	225.4	0.7	0.0	17	<0.10	<0.01	<22
46-326	360_100	360 Complex	85	-15	225.4	225.7	0.3	0.0	549	19.80	0.34	1,175
46-326		0 360 Complex	85	-15	225.7	226.7	1.0	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	226.7	227.1	0.5	0.0	17	0.23	<0.01	25
46-326		0 360 Complex	85	-15	227.1	228.8	1.7	0.0	17	0.15	<0.01	23
46-326		0 360 Complex	85	-15	228.8	229.3	0.5	0.0	20	0.47	0.04	38
46-326		0 360 Complex	85	-15	230.3	231.6	1.2	0.0	17	<0.10	<0.01	<22
46-326		0 360 Complex	85	-15	231.6	232.6	1.1	0.0	17	0.12	0.01	22
46-326		0 360 Complex	85	-15	232.6	233.5	0.9	0.0	17	<0.10	<0.01	<22
46-326	367_100	360 Complex	85	-15	236.5	236.7	0.2	0.0	267	9.59	<0.01	552
46-326	367_100	360 Complex	85	-15	236.7	237.8	1.1	0.0	82	2.71	<0.01	163
46-326		0 360 Complex	85	-15	237.8	238.0	0.2	0.0	80	3.05	<0.01	171
46-326		0 360 Complex	85	-15	238.0	239.0	1.0	0.0	28	1.34	<0.01	69
46-326		0 360 Complex	85	-15	239.0	239.3	0.3	0.0	20	0.77	<0.01	43
46-326		0 360 Complex	85	-15	239.3	240.2	0.9	0.0	111	4.33	<0.01	240
46-326		0 360 Complex	85	-15	240.2	241.2	0.9	0.0	19	0.90	<0.01	47
46-326		0 360 Complex	85	-15	241.2	242.4	1.2	0.0	69	4.21	<0.01	195
46-326		0 360 Complex	85	-15	242.4	243.8	1.4	0.0	93	7.32	<0.01	311
46-326		0 360 Complex	85	-15	243.8	243.9	0.2	0.0	38	2.52	<0.01	114
46-326		0 360 Complex	85	-15	246.8	248.3	1.5	0.0	42	2.78	<0.01	126
46-326		0 360 Complex	85	-15	248.3	248.9	0.6	0.0	61	4.02	<0.01	181
46-326		0 360 Complex	85	-15	248.9	250.5	1.5	0.0	84	5.42	<0.01	246
46-326		0 360 Complex	85	-15	250.5	251.2	0.8	0.0	139	9.12	<0.01	410
46-326		0 360 Complex	85	-15	252.9	254.0	1.0	0.0	60	4.25	<0.01	187
46-326	new_100	360 Complex	85	-15	254.0	255.0	1.1	1.1	123	7.64	<0.01	351
46-326	new_100	360 Complex	85	-15	255.0	256.3	1.2	1.2	167	10.60	<0.01	482
46-326		0 360 Complex	85	-15	256.3	257.3	1.1	0.0	83	5.35	<0.01	243
46-326		0 360 Complex	85	-15	257.3	258.3	1.0	0.0	36	2.44	<0.01	109
46-326		0 360 Complex	85	-15	258.3	258.5	0.2	0.0	17	0.96	<0.01	47
46-326		0 360 Complex	85	-15	259.9	260.2	0.3	0.0	19	1.65	<0.01	69
46-326		0 360 Complex	85	-15	260.5	261.1	0.6	0.0	17	1.09	<0.01	51
46-326		0 360 Complex	85	-15	261.1	262.3	1.2	0.0	25	1.46	<0.01	70

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-326	0	360 Complex	85	-15	262.3	263.3	0.9	0.0	48	2.71	<0.01	130
46-326	0	360 Complex	85	-15	263.3	264.6	1.4	0.0	57	2.50	<0.01	132
46-326	0	360 Complex	85	-15	264.6	265.9	1.2	0.0	35	1.20	<0.01	72
46-326	0	360 Complex	85	-15	265.9	267.3	1.5	0.0	143	3.26	0.01	241
46-326	0	360 Complex	85	-15	278.4	278.7	0.3	0.0	17	<0.10	<0.01	<22
46-326	0	360 Complex	85	-15	294.4	295.7	1.4	0.0	17	<0.10	<0.01	<22
46-326	0	360 Complex	85	-15	295.7	296.3	0.6	0.0	17	<0.10	<0.01	<22
46-326	0	360 Complex	85	-15	296.3	296.9	0.5	0.0	17	<0.10	<0.01	<22
46-326	0	360 Complex	85	-15	296.9	297.1	0.2	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	10.5	11.2	0.7	0.0	24	1.76	<0.01	77
46-327	0	360 Complex	75	-5	18.7	18.9	0.2	0.0	19	1.20	0.01	56
46-327	0	360 Complex	75	-5	20.7	20.9	0.2	0.0	20	0.30	0.04	33
46-327	0	360 Complex	75	-5	27.4	27.9	0.5	0.0	75	3.22	0.02	173
46-327	0	360 Complex	75	-5	32.6	33.0	0.5	0.0	22	1.11	0.04	59
46-327	0	360 Complex	75	-5	35.7	35.9	0.2	0.0	47	2.29	<0.01	116
46-327	0	360 Complex	75	-5	35.9	36.9	1.0	0.0	17	0.44	<0.01	31
46-327	0	360 Complex	75	-5	36.9	37.7	0.8	0.0	43	1.82	<0.01	98
46-327	0	360 Complex	75	-5	45.2	46.6	1.4	0.0	17	0.74	<0.01	40
46-327	0	360 Complex	75	-5	46.6	47.9	1.2	0.0	17	0.90	<0.01	45
46-327	0	360 Complex	75	-5	47.9	48.8	0.9	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	48.8	49.5	0.7	0.0	17	0.14	<0.01	22
46-327	0	360 Complex	75	-5	51.8	53.4	1.5	0.0	26	0.47	0.24	68
46-327	0	360 Complex	75	-5	53.4	54.9	1.5	0.0	17	0.22	0.46	77
46-327	0	360 Complex	75	-5	72.7	72.8	0.2	0.0	17	0.33	<0.01	28
46-327	0	360 Complex	75	-5	75.8	76.2	0.4	0.0	17	0.57	0.02	36
46-327	0	360 Complex	75	-5	84.0	84.6	0.6	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	84.6	85.8	1.2	0.0	43	0.14	0.03	50
46-327	0	360 Complex	75	-5	85.8	86.6	0.8	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	86.6	88.0	1.4	0.0	17	<0.10	0.05	26
46-327	0	360 Complex	75	-5	89.9	90.4	0.5	0.0	202	6.57	0.05	402
46-327	0	360 Complex	75	-5	90.4	91.5	1.0	0.0	17	0.37	0.01	29
46-327	0	360 Complex	75	-5	91.5	91.9	0.5	0.0	122	0.29	0.71	214
46-327	0	360 Complex	75	-5	91.9	93.2	1.3	0.0	17	<0.10	0.01	<22
46-327	0	360 Complex	75	-5	93.2	93.5	0.3	0.0	288	<0.10	0.81	385
46-327	0	360 Complex	75	-5	93.5	94.1	0.5	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	97.7	98.6	0.9	0.0	40	<0.10	0.05	50
46-327	0	360 Complex	75	-5	109.3	109.9	0.6	0.0	36	<0.10	<0.01	40
46-327	0	360 Complex	75	-5	109.9	110.4	0.5	0.0	137	<0.10	0.12	154
46-327	0	360 Complex	75	-5	110.4	110.7	0.3	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	125.8	127.0	1.2	0.0	17	<0.10	<0.01	<22
46-327	350_100	360 Complex	75	-5	127.0	127.2	0.2	0.1	5,693	<0.10	9.08	6,757
46-327	350_100	360 Complex	75	-5	127.2	127.7	0.5	0.0	146	0.12	0.26	179
46-327	0	360 Complex	75	-5	127.7	128.1	0.4	0.0	32	0.51	0.05	52
46-327	0	360 Complex	75	-5	129.1	129.3	0.2	0.0	49	0.97	<0.01	78
46-327	0	360 Complex	75	-5	133.8	135.4	1.5	0.0	55	0.64	0.05	79
46-327	368_100	360 Complex	75	-5	141.9	143.2	1.3	0.0	241	0.95	0.40	316
46-327	368_100	360 Complex	75	-5	143.2	143.8	0.6	0.0	401	5.36	0.47	615
46-327	368_100	360 Complex	75	-5	143.8	144.0	0.2	0.0	177	0.41	0.22	215
46-327	0	360 Complex	75	-5	152.7	153.7	0.9	0.0	17	<0.10	<0.01	<22
46-327	0	360 Complex	75	-5	155.9	156.4	0.5	0.0	32	0.15	0.02	38
46-327	0	360 Complex	75	-5	161.9	162.2	0.3	0.0	79	0.39	0.13	106
46-327	0	360 Complex	75	-5	163.4	164.5	1.1	0.0	48	0.84	<0.01	74
46-327	0	360 Complex	75	-5	164.5	165.1	0.6	0.0	26	0.23	<0.01	34
46-327	0	360 Complex	75	-5	165.1	166.0	0.9	0.0	22	0.26	<0.01	31
46-327	370_100	360 Complex	75	-5	166.0	166.9	0.9	0.0	41	1.06	0.02	75
46-327	370_100	360 Complex	75	-5	166.9	167.5	0.6	0.0	138	6.59	0.73	419
46-327	0	360 Complex	75	-5	167.5	168.2	0.7	0.0	22	0.36	<0.01	34
46-327	0	360 Complex	75	-5	168.2	169.4	1.2	0.0	45	1.40	<0.01	88
46-327	0	360 Complex	75	-5	169.4	170.6	1.2	0.0	17	0.22	<0.01	25
46-327	0	360 Complex	75	-5	172.9	173.8	1.0	0.0	116	6.02	<0.01	295
46-327	0	360 Complex	75	-5	173.8	174.5	0.6	0.0	36	2.30	<0.01	106
46-327	366_100	360 Complex	75	-5	174.5	175.5	1.0	0.0	73	4.89	<0.01	219
46-327	366_100	360 Complex	75	-5	175.5	176.5	1.1	0.0	78	5.90	<0.01	253

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-327	366_100	360 Complex	75	-5	176.5	177.9	1.4	0.0	68	5.26	<0.01	225
46-327	366_100	360 Complex	75	-5	177.9	178.0	0.2	0.0	53	3.72	<0.01	164
46-327	366_100	360 Complex	75	-5	178.0	178.5	0.5	0.5	147	10.80	<0.01	468
46-327	366_100	360 Complex	75	-5	178.5	179.8	1.3	1.3	85	6.22	<0.01	270
46-327	366_100	360 Complex	75	-5	179.8	180.1	0.3	0.3	374	39.10	0.21	1,557
46-327	366_100	360 Complex	75	-5	180.1	180.8	0.7	0.7	97	7.45	<0.01	319
46-327	366_100	360 Complex	75	-5	181.5	181.6	0.2	0.0	91	7.53	<0.01	315
46-327	0	360 Complex	75	-5	181.6	181.8	0.2	0.0	18	0.14	<0.01	24
46-327	0	360 Complex	75	-5	181.8	182.1	0.3	0.0	57	4.06	<0.01	179
46-327	0	360 Complex	75	-5	182.8	183.4	0.6	0.0	61	4.33	<0.01	190
46-327	0	360 Complex	75	-5	183.4	184.3	0.9	0.0	32	2.37	<0.01	103
46-327	360_100	360 Complex	75	-5	185.4	185.7	0.3	0.0	69	3.54	<0.01	175
46-327	0	360 Complex	75	-5	187.3	187.9	0.6	0.0	72	2.28	<0.01	140
46-327	0	360 Complex	75	-5	194.2	194.8	0.6	0.0	35	0.91	<0.01	63
46-327	0	360 Complex	75	-5	194.8	195.7	0.9	0.0	26	0.69	<0.01	48
46-327	0	360 Complex	75	-5	195.7	195.9	0.2	0.0	17	1.17	0.03	55
46-327	0	360 Complex	75	-5	195.9	196.2	0.3	0.0	17	<0.10	<0.01	<22
46-327	367_100	360 Complex	75	-5	198.6	199.7	1.1	0.0	77	2.62	<0.01	156
46-327	0	360 Complex	75	-5	227.3	228.5	1.2	0.0	17	<0.10	<0.01	<22
46-328	0	360 Complex	75	15	4.6	4.8	0.2	0.0	38	0.71	<0.01	61
46-328	0	360 Complex	75	15	39.5	40.0	0.5	0.0	19	0.54	0.01	37
46-328	0	360 Complex	75	15	43.7	44.8	1.1	0.0	77	2.77	<0.01	160
46-328	0	360 Complex	75	15	50.0	51.2	1.2	0.0	43	1.88	<0.01	100
46-328	0	360 Complex	75	15	52.3	53.0	0.7	0.0	17	0.21	<0.01	25
46-328	0	360 Complex	75	15	61.3	61.9	0.5	0.0	17	0.60	<0.01	36
46-328	0	360 Complex	75	15	61.9	63.4	1.5	0.0	17	0.12	<0.01	<22
46-328	0	360 Complex	75	15	63.4	63.7	0.2	0.0	17	0.49	<0.01	33
46-328	0	360 Complex	75	15	65.2	65.4	0.2	0.0	52	1.36	0.04	96
46-328	0	360 Complex	75	15	67.4	67.7	0.3	0.0	105	5.06	0.01	256
46-328	0	360 Complex	75	15	70.8	71.3	0.5	0.0	49	1.43	0.02	93
46-328	0	360 Complex	75	15	71.3	72.3	0.9	0.0	17	0.16	0.02	24
46-328	0	360 Complex	75	15	72.3	73.2	0.9	0.0	62	1.29	0.07	109
46-328	0	360 Complex	75	15	73.2	74.1	0.9	0.0	17	<0.10	<0.01	<22
46-328	348_100	360 Complex	75	15	74.1	74.5	0.4	0.0	768	1.94	0.75	913
46-328	239_100	360 Complex	75	15	87.7	88.1	0.5	0.0	25	0.89	0.09	61
46-328	0	360 Complex	75	15	88.1	89.2	1.1	0.0	32	0.98	0.03	65
46-328	0	360 Complex	75	15	89.2	90.0	0.7	0.0	17	<0.10	0.01	<22
46-328	242_100	360 Complex	75	15	111.0	111.1	0.2	0.0	17	0.13	0.02	23
46-328	0	360 Complex	75	15	117.5	118.9	1.4	0.0	17	<0.10	<0.01	<22
46-328	0	360 Complex	75	15	118.9	120.4	1.5	0.0	17	<0.10	<0.01	<22
46-328	0	360 Complex	75	15	120.4	122.0	1.5	0.0	17	<0.10	<0.01	<22
46-328	0	360 Complex	75	15	122.0	123.2	1.2	0.0	17	<0.10	0.03	23
46-328	0	360 Complex	75	15	123.2	124.1	0.9	0.0	195	0.60	0.61	285
46-328	0	360 Complex	75	15	124.1	125.0	0.9	0.0	109	1.72	0.37	203
46-328	0	360 Complex	75	15	125.0	125.5	0.5	0.0	142	3.26	0.80	332
46-328	0	360 Complex	75	15	125.5	126.3	0.8	0.0	17	<0.10	0.01	<22
46-328	0	360 Complex	75	15	126.3	126.6	0.2	0.0	17	2.17	0.56	147
46-328	0	360 Complex	75	15	126.6	127.4	0.9	0.0	128	2.26	0.42	243
46-328	0	360 Complex	75	15	127.4	128.0	0.6	0.0	17	<0.10	<0.01	<22
46-328	0	360 Complex	75	15	128.0	129.6	1.5	0.0	17	<0.10	<0.01	<22
46-328	0	360 Complex	75	15	129.6	129.8	0.3	0.0	59	1.75	0.39	157
46-328	0	360 Complex	75	15	129.8	130.8	0.9	0.0	17	<0.10	<0.01	<22
46-328	350_100	360 Complex	75	15	148.2	148.6	0.4	0.0	174	3.46	0.47	331
46-328	0	360 Complex	75	15	148.6	149.4	0.8	0.0	24	1.31	0.01	64
46-328	0	360 Complex	75	15	149.4	150.5	1.1	0.0	35	1.22	0.04	75
46-328	368_100	360 Complex	75	15	150.5	151.5	1.0	0.0	132	5.99	0.14	325
46-328	368_100	360 Complex	75	15	151.5	152.7	1.2	0.0	82	4.48	0.09	225
46-328	368_100	360 Complex	75	15	152.7	154.1	1.4	0.0	33	1.72	0.06	90
46-328	368_100	360 Complex	75	15	154.1	155.5	1.4	0.0	87	6.37	<0.01	277
46-328	0	360 Complex	75	15	155.5	157.0	1.5	0.0	17	0.79	<0.01	42
46-328	0	360 Complex	75	15	157.0	158.5	1.5	0.0	19	1.41	<0.01	62
46-328	0	360 Complex	75	15	158.5	159.1	0.6	0.0	23	1.66	<0.01	73
46-328	0	360 Complex	75	15	159.1	160.4	1.2	0.0	83	5.92	<0.01	260

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-328	0	360 Complex	75	15	160.4	161.6	1.2	0.0	86	6.28	<0.01	273
46-328	0	360 Complex	75	15	161.6	163.0	1.4	0.0	58	4.14	<0.01	182
46-328	0	360 Complex	75	15	163.0	164.5	1.5	0.0	17	1.01	<0.01	48
46-328	370_100	360 Complex	75	15	164.5	165.2	0.7	0.3	211	16.80	0.02	711
46-328	370_100	360 Complex	75	15	165.2	166.5	1.3	0.7	103	8.36	<0.01	352
46-328	0	360 Complex	75	15	166.5	167.7	1.2	0.0	70	3.94	<0.01	188
46-328	366_100	360 Complex	75	15	167.7	169.2	1.5	1.5	631	20.50	0.04	1,242
46-328	366_100	360 Complex	75	15	169.2	170.7	1.5	1.5	79	6.01	<0.01	258
46-328	366_100	360 Complex	75	15	170.7	171.3	0.6	0.6	52	3.77	<0.01	165
46-328	366_100	360 Complex	75	15	171.3	172.4	1.0	1.0	150	11.20	<0.01	483
46-328	366_100	360 Complex	75	15	172.4	173.5	1.1	0.0	28	1.25	<0.01	66
46-328	366_100	360 Complex	75	15	173.5	174.1	0.6	0.0	144	5.15	<0.01	297
46-328	0	360 Complex	75	15	174.1	175.6	1.5	0.0	17	0.15	<0.01	23
46-328	0	360 Complex	75	15	175.6	177.1	1.5	0.0	20	0.51	<0.01	36
46-328	360_100	360 Complex	75	15	177.1	177.3	0.2	0.0	274	20.10	0.50	928
46-328	360_100	360 Complex	75	15	177.3	178.7	1.4	0.0	18	0.47	<0.01	33
46-328	360_100	360 Complex	75	15	178.7	179.9	1.2	0.0	62	1.55	<0.01	109
46-328	360_100	360 Complex	75	15	179.9	181.1	1.2	0.0	175	3.72	<0.01	286
46-328	0	360 Complex	75	15	181.1	182.6	1.5	0.0	20	0.70	<0.01	42
46-328	0	360 Complex	75	15	182.6	184.1	1.5	0.0	17	0.60	<0.01	36
46-328	367_100	360 Complex	75	15	184.1	185.7	1.5	0.0	126	6.43	<0.01	317
46-328	0	360 Complex	75	15	185.7	187.2	1.5	0.0	33	1.75	<0.01	86
46-328	0	360 Complex	75	15	187.2	188.7	1.5	0.0	34	1.79	<0.01	88
46-328	0	360 Complex	75	15	188.7	190.2	1.5	0.0	40	2.02	<0.01	101
46-328	0	360 Complex	75	15	190.2	191.8	1.5	0.0	56	2.58	<0.01	133
46-328	0	360 Complex	75	15	191.8	192.3	0.6	0.0	17	0.50	<0.01	33
46-328	0	360 Complex	75	15	192.3	192.7	0.3	0.0	17	0.83	<0.01	43
46-328	0	360 Complex	75	15	192.7	193.0	0.3	0.0	28	1.46	0.03	75
46-329	0	360 Complex	75	-15	29.1	30.5	1.4	0.0	34	2.15	<0.01	98
46-329	0	360 Complex	75	-15	30.5	31.4	0.9	0.0	17	0.48	<0.01	33
46-329	0	360 Complex	75	-15	31.4	32.2	0.8	0.0	17	0.74	<0.01	40
46-329	0	360 Complex	75	-15	41.9	43.1	1.2	0.0	17	0.50	<0.01	33
46-329	0	360 Complex	75	-15	43.1	44.1	0.9	0.0	17	0.45	<0.01	32
46-329	0	360 Complex	75	-15	48.9	49.3	0.4	0.0	21	0.67	<0.01	42
46-329	348_100	360 Complex	75	-15	49.5	50.6	1.1	0.0	177	7.64	0.03	407
46-329	0	360 Complex	75	-15	61.6	62.4	0.9	0.0	17	0.13	0.03	25
46-329	0	360 Complex	75	-15	62.4	63.0	0.5	0.0	95	0.64	0.16	132
46-329	0	360 Complex	75	-15	67.4	67.7	0.3	0.0	17	0.27	<0.01	26
46-329	0	360 Complex	75	-15	70.1	71.2	1.1	0.0	17	<0.10	<0.01	<22
46-329	242_100	360 Complex	75	-15	71.2	71.8	0.6	0.0	17	<0.10	<0.01	<22
46-329	0	360 Complex	75	-15	77.7	78.2	0.5	0.0	38	1.64	<0.01	88
46-329	0	360 Complex	75	-15	78.2	78.7	0.5	0.0	17	0.34	<0.01	28
46-329	0	360 Complex	75	-15	94.5	94.8	0.3	0.0	166	5.82	0.01	340
46-329	0	360 Complex	75	-15	94.8	95.0	0.2	0.0	274	2.11	0.64	411
46-329	0	360 Complex	75	-15	101.5	101.7	0.2	0.0	328	0.12	1.06	455
46-329	0	360 Complex	75	-15	109.2	109.7	0.5	0.0	187	0.36	0.32	235
46-329	285_100	360 Complex	75	-15	110.1	110.8	0.7	0.0	453	1.19	1.08	614
46-329	0	360 Complex	75	-15	110.8	111.4	0.6	0.0	47	0.23	0.13	68
46-329	350_100	360 Complex	75	-15	114.5	115.0	0.5	0.0	64	0.96	0.09	103
46-329	0	360 Complex	75	-15	117.1	118.4	1.3	0.0	28	1.00	<0.01	58
46-329	0	360 Complex	75	-15	120.7	121.6	0.9	0.0	31	0.90	<0.01	59
46-329	0	360 Complex	75	-15	123.6	124.1	0.5	0.0	150	2.76	0.15	248
46-329	0	360 Complex	75	-15	124.1	124.7	0.6	0.0	122	2.36	0.04	197
46-329	0	360 Complex	75	-15	129.4	129.9	0.5	0.0	17	<0.10	<0.01	<22
46-329	0	360 Complex	75	-15	129.9	130.0	0.2	0.0	137	7.36	0.20	378
46-329	0	360 Complex	75	-15	139.0	139.5	0.5	0.0	17	<0.10	<0.01	<22
46-329	0	360 Complex	75	-15	139.5	139.8	0.2	0.0	58	1.26	0.02	97
46-329	0	360 Complex	75	-15	141.9	143.3	1.4	0.0	17	0.12	<0.01	<22
46-329	368_100	360 Complex	75	-15	144.8	146.3	1.5	0.0	232	3.05	0.48	378
46-329	0	360 Complex	75	-15	146.3	146.9	0.5	0.0	17	0.21	0.01	25
46-329	0	360 Complex	75	-15	152.0	152.3	0.2	0.0	33	0.93	0.05	67
46-329	0	360 Complex	75	-15	156.1	156.9	0.8	0.0	52	2.03	0.02	115
46-329	0	360 Complex	75	-15	160.8	161.2	0.4	0.0	22	1.38	<0.01	64

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-329	370_100	360 Complex	75	-15	161.3	162.6	1.3	1.3	143	7.34	<0.01	361
46-329	0	360 Complex	75	-15	162.6	163.7	1.2	0.0	36	1.83	0.04	95
46-329	0	360 Complex	75	-15	163.7	164.8	1.1	0.0	39	1.53	<0.01	85
46-329	0	360 Complex	75	-15	164.8	166.3	1.5	0.0	53	2.69	<0.01	134
46-329	0	360 Complex	75	-15	166.3	166.5	0.2	0.0	44	3.05	0.03	138
46-329	0	360 Complex	75	-15	166.5	167.7	1.2	0.0	29	1.86	<0.01	86
46-329	0	360 Complex	75	-15	167.7	169.0	1.3	0.0	35	2.28	<0.01	103
46-329	366_100	360 Complex	75	-15	169.0	170.0	1.0	1.0	216	15.40	<0.01	673
46-329	366_100	360 Complex	75	-15	170.0	170.7	0.8	0.8	152	10.40	<0.01	461
46-329	366_100	360 Complex	75	-15	170.7	171.0	0.2	0.2	247	19.10	0.04	818
46-329	360_100	360 Complex	75	-15	171.0	172.3	1.3	0.0	57	3.79	<0.01	170
46-329	360_100	360 Complex	75	-15	172.3	173.2	0.9	0.9	160	9.16	<0.01	433
46-329	360_100	360 Complex	75	-15	173.2	174.3	1.2	1.2	154	11.00	<0.01	481
46-329	360_100	360 Complex	75	-15	174.3	175.1	0.7	0.0	42	2.86	<0.01	128
46-329	0	360 Complex	75	-15	175.1	176.2	1.2	0.0	17	1.30	<0.01	57
46-329	367_100	360 Complex	75	-15	176.2	177.7	1.5	0.0	59	4.08	<0.01	181
46-329	367_100	360 Complex	75	-15	177.7	178.4	0.7	0.7	229	17.60	<0.01	751
46-329	367_100	360 Complex	75	-15	178.4	179.0	0.6	0.6	131	8.99	0.01	398
46-329	0	360 Complex	75	-15	179.0	180.6	1.7	0.0	17	1.16	<0.01	53
46-329	0	360 Complex	75	-15	180.6	181.9	1.2	0.0	49	3.66	<0.01	159
46-329	0	360 Complex	75	-15	181.9	182.5	0.6	0.0	17	0.32	<0.01	28
46-329	0	360 Complex	75	-15	182.5	184.1	1.6	0.0	19	1.19	<0.01	55
46-329	0	360 Complex	75	-15	185.2	185.8	0.6	0.0	44	1.38	<0.01	86
46-329	0	360 Complex	75	-15	188.4	188.6	0.2	0.0	34	0.95	0.01	63
46-329	0	360 Complex	75	-15	191.0	191.2	0.2	0.0	17	<0.10	<0.01	<22
46-329	0	360 Complex	75	-15	205.5	205.7	0.2	0.0	17	<0.10	<0.01	<22
46-330	178_100	360 Complex	93	-6	22.5	22.6	0.2	0.0	26	0.37	0.05	42
46-330	0	360 Complex	93	-6	52.3	52.5	0.2	0.0	39	0.44	0.02	54
46-330	0	360 Complex	93	-6	58.7	58.8	0.2	0.0	62	1.72	<0.01	114
46-330	0	360 Complex	93	-6	58.8	59.5	0.6	0.0	17	0.49	<0.01	33
46-330	0	360 Complex	93	-6	59.5	61.0	1.5	0.0	17	0.60	<0.01	36
46-330	0	360 Complex	93	-6	61.0	62.5	1.5	0.0	17	0.72	<0.01	40
46-330	0	360 Complex	93	-6	62.5	63.7	1.2	0.0	17	0.45	<0.01	32
46-330	0	360 Complex	93	-6	64.5	64.8	0.2	0.0	17	0.13	0.01	23
46-330	0	360 Complex	93	-6	81.9	82.4	0.5	0.0	17	0.25	<0.01	26
46-330	348_100	360 Complex	93	-6	82.4	82.7	0.3	0.0	199	10.90	0.16	540
46-330	348_100	360 Complex	93	-6	82.7	83.8	1.1	0.0	17	0.97	<0.01	47
46-330	348_100	360 Complex	93	-6	83.8	84.8	0.9	0.0	17	0.37	<0.01	29
46-330	348_100	360 Complex	93	-6	84.8	85.0	0.3	0.0	207	9.60	0.01	493
46-330	0	360 Complex	93	-6	85.0	86.6	1.5	0.0	53	0.48	0.03	70
46-330	0	360 Complex	93	-6	104.0	105.1	1.1	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	105.1	106.4	1.3	0.0	29	0.29	0.06	45
46-330	0	360 Complex	93	-6	106.4	107.2	0.8	0.0	24	<0.10	0.03	30
46-330	0	360 Complex	93	-6	107.2	108.0	0.8	0.0	22	0.67	<0.01	43
46-330	239_100	360 Complex	93	-6	108.0	108.6	0.6	0.0	17	0.12	<0.01	<22
46-330	0	360 Complex	93	-6	131.9	132.5	0.6	0.0	17	<0.10	<0.01	<22
46-330	242_100	360 Complex	93	-6	132.5	133.6	1.2	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	133.6	134.8	1.2	0.0	17	0.12	<0.01	<22
46-330	0	360 Complex	93	-6	134.8	135.9	1.1	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	135.9	137.2	1.3	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	137.2	138.4	1.2	0.0	20	<0.10	0.02	25
46-330	0	360 Complex	93	-6	143.3	144.0	0.7	0.0	20	0.30	0.02	32
46-330	0	360 Complex	93	-6	146.3	146.5	0.2	0.0	17	0.14	0.02	23
46-330	0	360 Complex	93	-6	157.0	158.1	1.1	0.0	17	<0.10	0.02	<22
46-330	304_100	360 Complex	93	-6	158.1	158.5	0.5	0.3	167	0.14	0.18	193
46-330	304_100	360 Complex	93	-6	158.5	159.1	0.5	0.4	761	0.61	0.83	877
46-330	0	360 Complex	93	-6	159.1	159.7	0.6	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	176.2	177.7	1.5	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	177.7	179.0	1.3	0.0	17	<0.10	0.02	23
46-330	0	360 Complex	93	-6	184.4	185.7	1.3	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	185.7	186.9	1.2	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	189.6	190.2	0.6	0.0	17	<0.10	0.02	22
46-330	0	360 Complex	93	-6	192.7	193.9	1.2	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-330	0	360 Complex	93	-6	193.9	195.1	1.2	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	195.1	196.3	1.2	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	196.3	197.4	1.1	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	197.4	198.9	1.5	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	198.9	199.5	0.5	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	199.5	200.8	1.3	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	200.8	201.3	0.5	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	201.3	201.9	0.6	0.0	17	<0.10	0.04	25
46-330	0	360 Complex	93	-6	201.9	202.7	0.8	0.0	17	<0.10	<0.01	<22
46-330	350_100	360 Complex	93	-6	202.7	204.0	1.3	0.0	17	<0.10	0.01	<22
46-330	0	360 Complex	93	-6	207.8	208.2	0.5	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	213.7	214.5	0.9	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	218.2	218.9	0.7	0.0	17	<0.10	<0.01	<22
46-330	368_100	360 Complex	93	-6	218.9	219.2	0.3	0.0	133	1.03	0.14	180
46-330	0	360 Complex	93	-6	219.2	219.8	0.6	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	221.5	221.7	0.2	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	226.3	227.2	1.0	0.0	23	0.15	0.05	33
46-330	370_100	360 Complex	93	-6	227.2	227.5	0.3	0.0	617	11.60	1.63	1,151
46-330	0	360 Complex	93	-6	227.5	228.0	0.5	0.0	28	0.12	0.05	37
46-330	0	360 Complex	93	-6	241.6	242.5	0.8	0.0	24	<0.10	0.03	30
46-330	0	360 Complex	93	-6	250.2	251.3	1.2	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	251.3	251.5	0.2	0.0	17	<0.10	<0.01	<22
46-330	367_100	360 Complex	93	-6	254.0	255.0	1.1	0.0	193	4.95	0.15	357
46-330	367_100	360 Complex	93	-6	256.5	256.7	0.2	0.0	303	6.73	0.24	531
46-330	0	360 Complex	93	-6	261.1	261.7	0.6	0.0	107	2.95	0.05	200
46-330	0	360 Complex	93	-6	263.6	264.9	1.4	0.0	25	0.83	<0.01	50
46-330	0	360 Complex	93	-6	264.9	265.9	0.9	0.0	23	0.77	<0.01	47
46-330	0	360 Complex	93	-6	265.9	266.2	0.3	0.0	35	1.44	<0.01	79
46-330	new_100	360 Complex	93	-6	266.2	266.5	0.3	0.2	109	5.59	<0.01	276
46-330	new_100	360 Complex	93	-6	266.5	267.1	0.6	0.3	102	4.71	<0.01	242
46-330	new_100	360 Complex	93	-6	267.1	268.3	1.2	0.6	228	11.90	0.02	583
46-330	new_100	360 Complex	93	-6	268.3	269.1	0.8	0.4	98	5.09	<0.01	250
46-330	new_100	360 Complex	93	-6	269.1	270.4	1.4	0.7	88	4.19	<0.01	213
46-330	new_100	360 Complex	93	-6	270.4	270.7	0.3	0.2	549	29.40	0.04	1,424
46-330	0	360 Complex	93	-6	270.7	271.5	0.8	0.0	56	3.00	<0.01	146
46-330	0	360 Complex	93	-6	271.5	272.7	1.2	0.0	17	0.91	<0.01	45
46-330	0	360 Complex	93	-6	272.7	273.6	0.9	0.0	126	6.87	<0.01	331
46-330	0	360 Complex	93	-6	274.7	275.6	0.9	0.0	19	0.95	<0.01	48
46-330	0	360 Complex	93	-6	275.6	276.9	1.3	0.0	112	6.26	<0.01	298
46-330	0	360 Complex	93	-6	279.0	280.3	1.4	0.0	17	0.41	<0.01	30
46-330	0	360 Complex	93	-6	280.3	281.4	1.1	0.0	17	0.59	<0.01	36
46-330	new_100	360 Complex	93	-6	281.4	282.2	0.8	0.6	207	9.79	0.08	506
46-330	new_100	360 Complex	93	-6	282.2	282.5	0.3	0.2	58	3.06	<0.01	149
46-330	new_100	360 Complex	93	-6	282.5	282.6	0.2	0.1	152	8.51	<0.01	405
46-330	new_100	360 Complex	93	-6	282.6	283.2	0.6	0.5	126	7.45	<0.01	348
46-330	0	360 Complex	93	-6	283.2	284.1	0.9	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	284.1	285.1	1.0	0.0	17	<0.10	<0.01	<22
46-330	0	360 Complex	93	-6	285.1	286.0	0.9	0.0	17	0.19	<0.01	24
46-330	0	360 Complex	93	-6	286.0	286.9	0.9	0.0	27	1.46	<0.01	72
46-330	new_100	360 Complex	93	-6	286.9	288.1	1.2	0.8	206	12.50	0.02	578
46-330	new_100	360 Complex	93	-6	288.1	289.5	1.4	0.9	494	26.80	<0.01	1,289
46-330	new_100	360 Complex	93	-6	289.5	290.9	1.4	0.9	171	7.86	<0.01	405
46-330	new_100	360 Complex	93	-6	290.9	291.8	0.9	0.5	238	10.80	0.01	560
46-330	new_100	360 Complex	93	-6	291.8	293.0	1.2	0.9	165	6.89	<0.01	370
46-330	new_100	360 Complex	93	-6	293.0	293.9	0.9	0.6	197	8.03	<0.01	436
46-330	0	360 Complex	93	-6	297.3	298.2	0.9	0.0	102	4.60	<0.01	239
46-330	new_100	360 Complex	93	-6	298.2	299.1	0.9	0.6	145	4.90	<0.01	292
46-330	new_100	360 Complex	93	-6	299.1	299.4	0.3	0.2	320	16.00	<0.01	795
46-330	new_100	360 Complex	93	-6	299.4	300.6	1.2	0.8	262	12.40	<0.01	630
46-330	new_100	360 Complex	93	-6	300.6	301.6	1.0	0.7	321	16.70	<0.01	817
46-330	new_100	360 Complex	93	-6	301.6	301.8	0.2	0.1	139	6.77	0.02	342
46-330	new_100	360 Complex	93	-6	301.8	303.2	1.4	0.9	154	7.06	<0.01	365
46-330	0	360 Complex	93	-6	305.8	306.3	0.5	0.0	176	5.16	<0.01	330

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-331	0	360 Complex	93	-20	43.9	44.1	0.2	0.0	40	0.45	0.04	58
46-331	0	360 Complex	93	-20	48.8	49.9	1.1	0.0	54	1.13	<0.01	88
46-331	0	360 Complex	93	-20	51.1	51.6	0.4	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	52.8	53.0	0.2	0.0	61	1.12	0.02	97
46-331	0	360 Complex	93	-20	59.3	59.8	0.5	0.0	65	1.63	0.03	117
46-331	0	360 Complex	93	-20	59.8	61.0	1.2	0.0	17	0.10	<0.01	<22
46-331	0	360 Complex	93	-20	61.0	61.2	0.2	0.0	160	5.87	0.04	338
46-331	0	360 Complex	93	-20	70.6	70.8	0.2	0.0	70	0.75	0.13	107
46-331	0	360 Complex	93	-20	75.8	76.8	1.1	0.0	26	1.07	<0.01	59
46-331	0	360 Complex	93	-20	78.7	80.2	1.5	0.0	32	1.08	0.13	80
46-331	348_100	360 Complex	93	-20	80.2	80.8	0.6	0.0	39	0.94	0.19	89
46-331	0	360 Complex	93	-20	80.8	82.0	1.3	0.0	26	0.94	0.01	56
46-331	239_100	360 Complex	93	-20	100.9	101.2	0.4	0.0	19	0.17	0.02	26
46-331	0	360 Complex	93	-20	108.2	109.5	1.3	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	109.5	110.1	0.6	0.0	17	<0.10	<0.01	<22
46-331	242_100	360 Complex	93	-20	111.6	112.0	0.4	0.0	27	<0.10	0.02	32
46-331	0	360 Complex	93	-20	130.2	130.3	0.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	131.4	131.6	0.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	136.9	137.3	0.4	0.0	19	0.21	0.02	28
46-331	0	360 Complex	93	-20	139.1	140.2	1.0	0.0	17	0.54	<0.01	34
46-331	0	360 Complex	93	-20	140.2	140.8	0.7	0.0	17	0.15	<0.01	23
46-331	0	360 Complex	93	-20	140.8	141.8	0.9	0.0	17	0.46	<0.01	32
46-331	0	360 Complex	93	-20	141.8	143.3	1.5	0.0	17	0.34	<0.01	29
46-331	0	360 Complex	93	-20	143.3	143.6	0.3	0.0	17	0.11	<0.01	<22
46-331	0	360 Complex	93	-20	145.9	146.3	0.4	0.0	31	0.86	0.03	59
46-331	0	360 Complex	93	-20	160.1	160.4	0.3	0.0	28	0.15	0.03	36
46-331	0	360 Complex	93	-20	164.4	165.8	1.3	0.0	17	0.18	0.02	25
46-331	0	360 Complex	93	-20	170.7	171.6	0.8	0.0	17	<0.10	<0.01	<22
46-331	304_100	360 Complex	93	-20	171.6	172.0	0.5	0.0	183	0.16	0.28	221
46-331	0	360 Complex	93	-20	172.0	173.2	1.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	175.6	175.9	0.4	0.0	70	<0.10	0.13	88
46-331	0	360 Complex	93	-20	175.9	177.1	1.1	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	177.1	177.3	0.2	0.0	17	<0.10	0.02	<22
46-331	350_100	360 Complex	93	-20	186.6	186.8	0.2	0.0	175	0.44	0.23	215
46-331	0	360 Complex	93	-20	197.1	198.2	1.1	0.0	21	<0.10	0.02	27
46-331	0	360 Complex	93	-20	198.2	199.4	1.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	199.4	200.2	0.8	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	200.2	201.2	1.1	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	201.2	202.4	1.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	202.4	203.4	0.9	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	203.4	204.6	1.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	204.6	205.8	1.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	205.8	207.3	1.5	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	207.3	208.8	1.5	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	208.8	210.4	1.5	0.0	53	<0.10	0.05	61
46-331	0	360 Complex	93	-20	210.4	211.9	1.5	0.0	62	<0.10	0.06	72
46-331	0	360 Complex	93	-20	211.9	213.4	1.5	0.0	17	<0.10	<0.01	<22
46-331	368_100	360 Complex	93	-20	213.4	214.0	0.6	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	219.0	219.5	0.5	0.0	41	<0.10	0.05	50
46-331	0	360 Complex	93	-20	219.5	220.3	0.9	0.0	17	<0.10	0.01	<22
46-331	370_100	360 Complex	93	-20	220.3	221.6	1.3	0.0	118	0.38	0.45	182
46-331	0	360 Complex	93	-20	221.6	222.7	1.1	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	235.3	235.7	0.5	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	252.5	252.7	0.2	0.0	39	<0.10	0.10	54
46-331	0	360 Complex	93	-20	254.1	254.2	0.2	0.0	43	<0.10	0.19	67
46-331	0	360 Complex	93	-20	258.8	260.1	1.2	0.0	61	<0.10	0.15	81
46-331	0	360 Complex	93	-20	260.1	261.4	1.4	0.0	108	0.45	0.26	151
46-331	0	360 Complex	93	-20	261.4	262.9	1.5	0.0	17	<0.10	0.01	<22
46-331	0	360 Complex	93	-20	262.9	264.0	1.1	0.0	62	0.46	0.17	96
46-331	0	360 Complex	93	-20	264.0	265.3	1.3	0.0	17	0.11	0.01	<22
46-331	0	360 Complex	93	-20	265.3	265.7	0.4	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	265.7	266.8	1.1	0.0	35	0.23	0.10	54
46-331	0	360 Complex	93	-20	266.8	268.3	1.5	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-331	0	360 Complex	93	-20	268.3	269.3	1.0	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	269.3	270.6	1.4	0.0	50	<0.10	0.11	66
46-331	0	360 Complex	93	-20	270.6	271.6	1.0	0.0	107	0.70	0.35	169
46-331	0	360 Complex	93	-20	271.6	272.1	0.5	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	278.9	279.3	0.4	0.0	17	<0.10	<0.01	<22
46-331	new_100	360 Complex	93	-20	279.3	280.0	0.7	0.4	398	20.60	0.02	1,010
46-331	new_100	360 Complex	93	-20	280.0	280.8	0.7	0.4	219	10.90	0.07	550
46-331	0	360 Complex	93	-20	280.8	282.0	1.2	0.0	17	1.00	<0.01	48
46-331	0	360 Complex	93	-20	282.0	282.4	0.4	0.0	58	3.03	<0.01	148
46-331	0	360 Complex	93	-20	282.4	283.5	1.2	0.0	17	<0.10	<0.01	<22
46-331	0	360 Complex	93	-20	283.5	284.7	1.2	0.0	17	0.23	<0.01	25
46-331	0	360 Complex	93	-20	284.7	284.8	0.2	0.0	686	21.20	0.12	1,328
46-331	0	360 Complex	93	-20	284.8	285.4	0.5	0.0	36	1.90	<0.01	93
46-331	0	360 Complex	93	-20	285.4	286.6	1.2	0.0	23	1.08	<0.01	56
46-331	0	360 Complex	93	-20	286.6	286.8	0.2	0.0	104	4.58	<0.01	240
46-331	0	360 Complex	93	-20	286.8	288.1	1.3	0.0	17	0.75	<0.01	41
46-331	0	360 Complex	93	-20	288.1	289.6	1.5	0.0	40	1.70	<0.01	91
46-331	0	360 Complex	93	-20	289.6	291.2	1.5	0.0	40	2.03	<0.01	101
46-331	new_100	360 Complex	93	-20	291.2	291.9	0.7	0.5	233	9.48	0.02	515
46-331	new_100	360 Complex	93	-20	291.9	293.3	1.4	1.0	274	11.30	0.02	610
46-331	0	360 Complex	93	-20	293.3	294.8	1.5	0.0	51	1.97	<0.01	110
46-331	0	360 Complex	93	-20	294.8	296.3	1.5	0.0	56	2.36	<0.01	127
46-331	new_100	360 Complex	93	-20	296.3	297.0	0.7	0.2	377	17.00	0.03	885
46-331	new_100	360 Complex	93	-20	297.0	297.8	0.8	0.3	119	4.92	<0.01	266
46-331	new_100	360 Complex	93	-20	297.8	298.6	0.8	0.3	418	17.20	0.02	930
46-331	new_100	360 Complex	93	-20	298.6	299.1	0.5	0.2	161	6.65	<0.01	359
46-331	0	360 Complex	93	-20	299.1	300.6	1.5	0.0	34	1.61	<0.01	83
46-331	0	360 Complex	93	-20	300.6	302.1	1.5	0.0	43	1.81	<0.01	97
46-331	0	360 Complex	93	-20	302.1	302.7	0.6	0.0	228	12.30	<0.01	593
46-331	0	360 Complex	93	-20	302.7	304.0	1.2	0.0	39	1.88	<0.01	96
46-331	0	360 Complex	93	-20	304.0	304.9	0.9	0.0	44	2.01	<0.01	104
46-331	0	360 Complex	93	-20	304.9	306.1	1.2	0.0	32	1.50	<0.01	77
46-331	0	360 Complex	93	-20	306.1	306.8	0.7	0.0	42	2.34	<0.01	112
46-331	0	360 Complex	93	-20	306.8	307.1	0.3	0.0	83	4.91	<0.01	229
46-331	new_100	360 Complex	93	-20	307.1	307.9	0.8	0.8	220	13.10	0.01	609
46-331	new_100	360 Complex	93	-20	307.9	308.5	0.6	0.6	177	7.84	<0.01	410
46-331	new_100	360 Complex	93	-20	308.5	308.7	0.2	0.2	823	47.20	0.02	2,223
46-331	0	360 Complex	93	-20	308.7	309.3	0.6	0.0	77	4.82	<0.01	221
46-331	0	360 Complex	93	-20	309.3	310.5	1.1	0.0	43	2.30	<0.01	112
46-331	0	360 Complex	93	-20	310.5	311.7	1.3	0.0	24	1.45	<0.01	68
46-331	0	360 Complex	93	-20	311.7	313.0	1.2	0.0	17	1.07	<0.01	50
46-331	new_100	360 Complex	93	-20	313.0	313.6	0.6	0.6	192	11.70	<0.01	539
46-331	new_100	360 Complex	93	-20	313.6	313.9	0.3	0.3	124	6.76	<0.01	326
46-331	0	360 Complex	93	-20	313.9	314.8	1.0	0.0	34	1.87	<0.01	90
46-331	0	360 Complex	93	-20	314.8	315.7	0.9	0.0	17	0.54	<0.01	34
46-331	0	360 Complex	93	-20	315.7	316.9	1.2	0.0	81	4.20	<0.01	206
46-331	new_100	360 Complex	93	-20	316.9	318.1	1.2	1.2	243	11.80	<0.01	594
46-331	new_100	360 Complex	93	-20	318.1	319.4	1.2	1.2	130	6.34	<0.01	319
46-331	new_100	360 Complex	93	-20	319.4	320.4	1.1	1.1	72	3.34	<0.01	172
46-331	new_100	360 Complex	93	-20	320.4	320.9	0.5	0.5	174	8.45	<0.01	425
46-331	new_100	360 Complex	93	-20	320.9	321.4	0.5	0.5	272	13.80	0.01	682
46-331	0	360 Complex	93	-20	321.4	322.4	1.0	0.0	48	2.33	<0.01	119
46-331	0	360 Complex	93	-20	322.4	323.6	1.2	0.0	63	2.95	<0.01	152
46-331	0	360 Complex	93	-20	323.6	323.8	0.2	0.0	53	2.41	0.02	127
46-331	0	360 Complex	93	-20	323.8	324.8	1.0	0.0	97	4.06	<0.01	218
46-331	0	360 Complex	93	-20	324.8	325.9	1.1	0.0	66	2.98	<0.01	156
46-331	0	360 Complex	93	-20	325.9	326.9	0.9	0.0	34	1.61	<0.01	82
46-331	0	360 Complex	93	-20	326.9	327.8	1.0	0.0	129	6.35	<0.01	318
46-331	0	360 Complex	93	-20	329.4	330.6	1.2	0.0	51	2.10	<0.01	114
46-331	0	360 Complex	93	-20	330.6	331.3	0.6	0.0	96	4.23	<0.01	223
46-331	new_100	360 Complex	93	-20	331.3	332.0	0.7	0.7	162	6.80	0.01	364
46-331	new_100	360 Complex	93	-20	332.0	333.5	1.5	1.5	278	12.70	<0.01	656
46-331	0	360 Complex	93	-20	333.5	334.8	1.3	0.0	113	4.90	<0.01	259

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-331	0	360 Complex	93	-20	334.8	335.4	0.6	0.0	92	3.93	<0.01	210
46-331	0	360 Complex	93	-20	335.4	336.9	1.5	0.0	17	0.49	<0.01	33
46-331	0	360 Complex	93	-20	336.9	338.4	1.5	0.0	21	0.88	<0.01	48
46-331	0	360 Complex	93	-20	338.4	339.9	1.5	0.0	25	1.02	<0.01	57
46-331	0	360 Complex	93	-20	339.9	341.5	1.5	0.0	36	1.49	<0.01	81
46-331	0	360 Complex	93	-20	341.5	343.0	1.5	0.0	67	2.52	<0.01	143
46-331	0	360 Complex	93	-20	343.0	344.5	1.5	0.0	74	2.68	<0.01	155
46-331	0	360 Complex	93	-20	344.5	345.1	0.5	0.0	104	2.99	0.05	198
46-332	0	360 Complex	93	-14	47.9	48.2	0.3	0.0	334	0.24	0.10	353
46-332	0	360 Complex	93	-14	51.3	51.6	0.3	0.0	89	0.64	0.10	120
46-332	0	360 Complex	93	-14	51.6	53.0	1.4	0.0	83	<0.10	0.06	93
46-332	0	360 Complex	93	-14	53.0	54.3	1.2	0.0	26	0.69	<0.01	48
46-332	0	360 Complex	93	-14	54.3	55.5	1.2	0.0	17	0.57	<0.01	35
46-332	0	360 Complex	93	-14	55.5	56.7	1.2	0.0	70	2.55	<0.01	147
46-332	0	360 Complex	93	-14	59.7	60.1	0.4	0.0	100	3.67	0.04	213
46-332	0	360 Complex	93	-14	60.1	61.2	1.1	0.0	17	0.21	<0.01	25
46-332	0	360 Complex	93	-14	61.2	61.8	0.7	0.0	47	1.92	<0.01	105
46-332	0	360 Complex	93	-14	81.7	81.9	0.2	0.0	24	1.13	0.09	67
46-332	285_100	360 Complex	93	-14	83.4	83.8	0.5	0.0	76	4.23	<0.01	203
46-332	348_100	360 Complex	93	-14	87.0	88.6	1.5	0.0	26	1.36	<0.01	67
46-332	0	360 Complex	93	-14	105.2	106.7	1.5	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	106.7	108.1	1.4	0.0	19	<0.10	0.01	24
46-332	0	360 Complex	93	-14	108.1	108.9	0.8	0.0	17	<0.10	<0.01	<22
46-332	239_100	360 Complex	93	-14	108.9	109.2	0.3	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	121.6	122.9	1.2	0.0	17	0.23	<0.01	25
46-332	0	360 Complex	93	-14	122.9	123.5	0.6	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	123.5	124.8	1.3	0.0	24	0.46	0.01	38
46-332	0	360 Complex	93	-14	124.8	125.6	0.9	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	125.6	126.5	0.9	0.0	17	0.17	<0.01	23
46-332	242_100	360 Complex	93	-14	126.5	127.4	0.9	0.0	56	1.97	0.01	115
46-332	0	360 Complex	93	-14	127.4	128.9	1.5	0.0	18	0.16	0.03	26
46-332	0	360 Complex	93	-14	138.5	139.1	0.6	0.0	27	0.21	0.03	36
46-332	0	360 Complex	93	-14	144.5	145.1	0.6	0.0	19	0.57	<0.01	37
46-332	0	360 Complex	93	-14	145.1	145.4	0.3	0.0	18	0.23	0.02	26
46-332	0	360 Complex	93	-14	145.4	146.4	0.9	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	146.4	147.7	1.3	0.0	59	2.07	0.02	123
46-332	0	360 Complex	93	-14	147.7	149.0	1.3	0.0	38	1.49	<0.01	83
46-332	0	360 Complex	93	-14	149.0	150.5	1.5	0.0	39	1.20	0.01	76
46-332	0	360 Complex	93	-14	153.7	154.7	1.0	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	154.7	155.0	0.2	0.0	193	<0.10	0.25	226
46-332	0	360 Complex	93	-14	161.0	161.6	0.5	0.0	17	<0.10	<0.01	<22
46-332	304_100	360 Complex	93	-14	161.6	162.0	0.5	0.3	1,495	0.44	2.30	1,777
46-332	304_100	360 Complex	93	-14	162.0	162.7	0.6	0.4	17	<0.10	0.03	23
46-332	0	360 Complex	93	-14	193.9	194.5	0.6	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	194.5	194.7	0.2	0.0	1,481	2.66	1.39	1,723
46-332	0	360 Complex	93	-14	194.7	195.7	1.1	0.0	17	<0.10	<0.01	<22
46-332	0	360 Complex	93	-14	209.6	209.8	0.2	0.0	33	<0.10	0.03	40
46-332	0	360 Complex	93	-14	211.2	211.3	0.2	0.0	59	<0.10	0.06	68
46-332	350_100	360 Complex	93	-14	216.9	217.4	0.5	0.0	17	<0.10	0.01	<22
46-332	0	360 Complex	93	-14	236.8	238.0	1.1	0.0	71	<0.10	0.05	80
46-333	178_100	360 Complex	93	-30	25.5	26.0	0.5	0.0	53	2.47	<0.01	127
46-333	0	360 Complex	93	-30	47.7	48.5	0.8	0.0	17	1.24	<0.01	55
46-333	0	360 Complex	93	-30	53.4	54.0	0.6	0.0	113	3.67	0.02	224
46-333	0	360 Complex	93	-30	59.8	61.0	1.2	0.0	37	0.42	<0.01	50
46-333	348_100	360 Complex	93	-30	61.0	62.2	1.2	0.0	134	0.30	0.07	151
46-333	0	360 Complex	93	-30	62.2	63.0	0.8	0.0	26	0.13	<0.01	31
46-333	0	360 Complex	93	-30	63.0	64.0	1.1	0.0	20	<0.10	0.01	24
46-333	0	360 Complex	93	-30	64.0	64.9	0.9	0.0	36	<0.10	0.02	41
46-333	0	360 Complex	93	-30	64.9	65.5	0.6	0.0	25	<0.10	0.01	29
46-333	0	360 Complex	93	-30	106.4	106.7	0.3	0.0	17	0.13	<0.01	22
46-333	0	360 Complex	93	-30	106.7	107.3	0.6	0.0	34	1.32	0.03	76
46-333	242_100	360 Complex	93	-30	108.5	108.7	0.2	0.0	106	4.94	0.03	256
46-333	242_100	360 Complex	93	-30	108.7	109.4	0.7	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-333	0	360 Complex	93	-30	109.4	110.2	0.8	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	110.2	111.0	0.8	0.0	17	0.70	<0.01	39
46-333	0	360 Complex	93	-30	113.4	114.2	0.8	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	114.2	114.9	0.7	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	114.9	115.5	0.6	0.0	17	<0.10	0.01	<22
46-333	0	360 Complex	93	-30	116.5	117.4	0.9	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	117.4	118.1	0.7	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	129.6	130.8	1.2	0.0	17	0.12	<0.01	<22
46-333	0	360 Complex	93	-30	130.8	131.5	0.7	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	136.0	136.3	0.2	0.0	17	0.30	0.01	27
46-333	0	360 Complex	93	-30	137.4	137.8	0.4	0.0	18	0.48	<0.01	34
46-333	0	360 Complex	93	-30	142.2	142.7	0.5	0.0	17	0.17	<0.01	23
46-333	0	360 Complex	93	-30	155.8	157.0	1.2	0.0	17	0.18	0.01	24
46-333	0	360 Complex	93	-30	157.6	159.1	1.6	0.0	19	0.59	0.02	38
46-333	0	360 Complex	93	-30	163.7	164.3	0.6	0.0	21	0.56	<0.01	39
46-333	0	360 Complex	93	-30	164.3	164.7	0.4	0.0	59	1.51	0.02	105
46-333	368_100	360 Complex	93	-30	206.1	206.7	0.6	0.0	327	0.28	0.18	356
46-333	0	360 Complex	93	-30	210.4	211.1	0.8	0.0	17	<0.10	<0.01	<22
46-333	370_100	360 Complex	93	-30	218.1	218.4	0.3	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	228.4	228.8	0.5	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	230.0	231.3	1.2	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	232.2	233.7	1.5	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	233.7	235.2	1.5	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	237.9	238.1	0.2	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	238.1	238.6	0.5	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	238.6	239.3	0.7	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	239.3	240.9	1.5	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	242.4	243.5	1.2	0.0	53	<0.10	0.03	60
46-333	0	360 Complex	93	-30	243.5	245.0	1.4	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	245.0	245.3	0.3	0.0	212	<0.10	0.12	228
46-333	0	360 Complex	93	-30	253.0	253.2	0.2	0.0	136	0.12	0.10	151
46-333	0	360 Complex	93	-30	264.8	265.3	0.5	0.0	72	<0.10	0.07	83
46-333	366_100	360 Complex	93	-30	265.3	266.1	0.8	0.0	273	<0.10	0.18	297
46-333	0	360 Complex	93	-30	266.1	266.8	0.7	0.0	31	<0.10	0.03	37
46-333	0	360 Complex	93	-30	277.5	277.7	0.2	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	287.0	288.3	1.3	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	314.3	314.7	0.4	0.0	96	3.38	<0.01	197
46-333	0	360 Complex	93	-30	321.0	321.4	0.3	0.0	296	11.10	<0.01	625
46-333	0	360 Complex	93	-30	323.7	324.7	1.0	0.0	68	2.74	0.01	150
46-333	0	360 Complex	93	-30	324.7	325.5	0.8	0.0	64	2.36	<0.01	136
46-333	0	360 Complex	93	-30	325.5	326.2	0.7	0.0	58	1.63	<0.01	107
46-333	new_100	360 Complex	93	-30	326.2	326.3	0.2	0.1	988	42.70	<0.01	2,253
46-333	0	360 Complex	93	-30	326.3	327.7	1.4	0.7	100	3.57	<0.01	207
46-333	0	360 Complex	93	-30	327.7	328.5	0.8	0.0	40	1.35	<0.01	82
46-333	new_100	360 Complex	93	-30	328.5	329.9	1.3	0.2	501	12.50	0.11	884
46-333	new_100	360 Complex	93	-30	329.9	331.2	1.3	0.2	511	13.50	<0.01	912
46-333	new_100	360 Complex	93	-30	331.2	332.6	1.4	0.3	325	2.00	0.30	419
46-333	new_100	360 Complex	93	-30	332.6	334.1	1.5	0.3	91	0.73	0.14	129
46-333	new_100	360 Complex	93	-30	334.1	335.7	1.5	0.3	208	2.41	0.27	311
46-333	0	360 Complex	93	-30	335.7	337.2	1.5	0.0	58	0.37	0.07	77
46-333	0	360 Complex	93	-30	337.2	338.0	0.8	0.0	17	0.22	0.02	26
46-333	0	360 Complex	93	-30	338.0	339.3	1.4	0.0	75	0.26	0.05	88
46-333	0	360 Complex	93	-30	339.3	340.7	1.4	0.0	38	0.20	0.03	48
46-333	0	360 Complex	93	-30	340.7	342.2	1.5	0.0	17	0.11	0.01	<22
46-333	0	360 Complex	93	-30	342.2	343.1	0.9	0.0	30	0.38	<0.01	42
46-333	0	360 Complex	93	-30	350.0	350.2	0.2	0.0	17	<0.10	<0.01	<22
46-333	0	360 Complex	93	-30	353.5	354.9	1.4	0.0	34	<0.10	0.01	39
46-333	new_100	360 Complex	93	-30	354.9	355.2	0.3	0.1	1,152	0.28	0.40	1,207
46-333	new_100	360 Complex	93	-30	355.2	355.6	0.4	0.2	170	<0.10	0.06	181
46-333	new_100	360 Complex	93	-30	355.6	355.8	0.2	0.1	74	<0.10	0.03	80
46-333	0	360 Complex	93	-30	355.8	357.3	1.5	0.0	75	<0.10	0.03	81
46-333	0	360 Complex	93	-30	357.3	358.6	1.3	0.0	23	<0.10	<0.01	27
46-333	0	360 Complex	93	-30	358.6	359.4	0.8	0.0	37	<0.10	0.01	42

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-333	0	360 Complex	93	-30	359.4	360.2	0.8	0.0	63	0.22	0.02	72
46-333	0	360 Complex	93	-30	375.0	376.5	1.5	0.0	38	0.12	0.02	44
46-334	178_100	360 Complex	91	-4	22.3	22.4	0.2	0.0	31	0.85	0.11	69
46-334	0	360 Complex	91	-4	51.7	53.0	1.2	0.0	198	1.23	0.11	248
46-334	0	360 Complex	91	-4	53.0	54.4	1.5	0.0	20	0.46	<0.01	34
46-334	0	360 Complex	91	-4	64.2	65.2	1.1	0.0	17	0.34	0.02	29
46-334	0	360 Complex	91	-4	76.0	76.2	0.2	0.0	124	6.42	<0.01	315
46-334	348_100	360 Complex	91	-4	83.1	83.3	0.2	0.0	46	1.69	0.06	103
46-334	0	360 Complex	91	-4	84.5	85.3	0.9	0.0	17	0.86	<0.01	44
46-334	0	360 Complex	91	-4	99.4	99.5	0.2	0.0	17	<0.10	0.02	23
46-334	0	360 Complex	91	-4	107.3	107.7	0.4	0.0	17	0.11	<0.01	<22
46-334	0	360 Complex	91	-4	107.7	108.4	0.7	0.0	21	0.23	0.06	34
46-334	0	360 Complex	91	-4	108.5	108.8	0.3	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	120.7	121.3	0.6	0.0	32	0.85	0.02	60
46-334	0	360 Complex	91	-4	121.3	121.8	0.5	0.0	17	0.14	<0.01	22
46-334	239_100	360 Complex	91	-4	121.8	122.4	0.6	0.0	103	0.46	0.07	125
46-334	0	360 Complex	91	-4	125.5	126.2	0.8	0.0	25	<0.10	0.02	30
46-334	0	360 Complex	91	-4	126.2	127.3	1.1	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	127.3	128.4	1.1	0.0	17	<0.10	0.01	<22
46-334	0	360 Complex	91	-4	128.4	128.8	0.5	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	128.8	130.0	1.2	0.0	20	0.30	<0.01	30
46-334	0	360 Complex	91	-4	130.0	131.4	1.4	0.0	19	0.12	0.01	24
46-334	0	360 Complex	91	-4	131.4	132.6	1.2	0.0	17	<0.10	<0.01	<22
46-334	293_100	360 Complex	91	-4	132.6	133.0	0.3	0.0	569	1.13	0.64	677
46-334	0	360 Complex	91	-4	133.0	133.1	0.2	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	135.3	135.8	0.5	0.0	17	0.31	<0.01	27
46-334	0	360 Complex	91	-4	156.7	157.3	0.6	0.0	37	<0.10	0.05	47
46-334	0	360 Complex	91	-4	158.6	158.8	0.2	0.0	218	4.41	<0.01	350
46-334	0	360 Complex	91	-4	159.8	159.9	0.2	0.0	206	<0.10	0.22	234
46-334	304_100	360 Complex	91	-4	164.8	165.3	0.5	0.4	45	0.33	0.02	57
46-334	304_100	360 Complex	91	-4	165.3	165.7	0.4	0.4	4,252	5.87	4.44	4,945
46-334	304_100	360 Complex	91	-4	165.7	166.2	0.5	0.5	62	<0.10	0.08	75
46-334	0	360 Complex	91	-4	166.2	166.8	0.6	0.0	17	<0.10	0.02	<22
46-334	0	360 Complex	91	-4	181.3	181.5	0.2	0.0	17	<0.10	0.01	<22
46-334	0	360 Complex	91	-4	181.5	182.7	1.2	0.0	17	0.49	0.12	45
46-334	0	360 Complex	91	-4	182.7	183.1	0.4	0.0	17	0.29	0.03	29
46-334	0	360 Complex	91	-4	183.1	184.1	1.1	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	184.1	184.9	0.8	0.0	17	0.16	0.02	24
46-334	0	360 Complex	91	-4	187.0	187.3	0.3	0.0	285	2.40	1.27	504
46-334	0	360 Complex	91	-4	188.4	188.7	0.3	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	193.0	193.5	0.5	0.0	17	<0.10	<0.01	<22
46-334	350_100	360 Complex	91	-4	193.5	193.8	0.2	0.0	693	1.50	0.94	847
46-334	0	360 Complex	91	-4	193.8	194.5	0.7	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	197.5	198.4	0.9	0.0	43	0.48	0.11	70
46-334	0	360 Complex	91	-4	198.4	199.1	0.7	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	199.1	199.2	0.2	0.0	31	1.18	0.02	69
46-334	0	360 Complex	91	-4	204.8	205.0	0.2	0.0	222	0.73	0.25	273
46-334	0	360 Complex	91	-4	205.0	205.1	0.2	0.0	312	1.03	0.34	382
46-334	0	360 Complex	91	-4	205.1	205.3	0.2	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	221.2	221.5	0.3	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	221.5	222.1	0.6	0.0	17	0.11	<0.01	<22
46-334	370_100	360 Complex	91	-4	222.1	222.8	0.7	0.0	105	2.02	0.09	176
46-334	370_100	360 Complex	91	-4	222.8	223.2	0.4	0.0	384	8.15	0.40	672
46-334	0	360 Complex	91	-4	223.2	223.8	0.6	0.0	17	<0.10	<0.01	<22
46-334	366_100	360 Complex	91	-4	235.1	235.8	0.7	0.0	17	0.39	<0.01	30
46-334	366_100	360 Complex	91	-4	235.8	235.9	0.2	0.0	81	3.37	<0.01	182
46-334	366_100	360 Complex	91	-4	235.9	236.5	0.6	0.0	17	<0.10	<0.01	<22
46-334	360_100	360 Complex	91	-4	242.5	243.0	0.5	0.4	17	<0.10	<0.01	<22
46-334	360_100	360 Complex	91	-4	243.0	243.3	0.2	0.2	562	24.80	0.12	1,311
46-334	360_100	360 Complex	91	-4	243.3	243.5	0.3	0.2	33	1.48	<0.01	78
46-334	360_100	360 Complex	91	-4	243.5	244.0	0.5	0.4	528	19.60	0.38	1,153
46-334	360_100	360 Complex	91	-4	244.0	245.3	1.3	0.0	17	0.11	<0.01	<22
46-334	360_100	360 Complex	91	-4	245.3	245.4	0.2	0.0	306	9.47	0.08	595

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-334	0	360 Complex	91	-4	245.4	246.0	0.5	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	252.4	253.0	0.5	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	253.0	253.1	0.2	0.0	17	0.61	<0.01	36
46-334	0	360 Complex	91	-4	253.1	254.3	1.2	0.0	17	0.27	<0.01	26
46-334	367_100	360 Complex	91	-4	254.3	254.9	0.6	0.3	398	21.00	0.02	1,022
46-334	367_100	360 Complex	91	-4	254.9	256.4	1.5	0.8	97	4.64	0.05	240
46-334	367_100	360 Complex	91	-4	256.4	256.9	0.5	0.2	425	21.40	0.07	1,066
46-334	367_100	360 Complex	91	-4	256.9	257.3	0.4	0.2	66	4.06	<0.01	187
46-334	367_100	360 Complex	91	-4	257.3	257.6	0.3	0.2	249	11.70	<0.01	597
46-334	367_100	360 Complex	91	-4	257.6	258.1	0.5	0.2	124	5.14	0.08	285
46-334	367_100	360 Complex	91	-4	258.1	258.3	0.2	0.1	293	15.70	0.08	767
46-334	367_100	360 Complex	91	-4	258.3	259.4	1.1	0.0	84	4.55	<0.01	220
46-334	0	360 Complex	91	-4	259.4	259.9	0.5	0.0	17	0.87	<0.01	44
46-334	new_100	360 Complex	91	-4	263.0	263.3	0.3	0.3	93	4.06	<0.01	215
46-334	new_100	360 Complex	91	-4	263.3	263.9	0.7	0.7	245	10.50	0.02	557
46-334	0	360 Complex	91	-4	263.9	265.5	1.5	0.0	17	0.92	<0.01	46
46-334	0	360 Complex	91	-4	265.5	265.7	0.3	0.0	453	19.60	0.02	1,036
46-334	0	360 Complex	91	-4	265.7	266.8	1.0	0.0	59	3.27	<0.01	157
46-334	0	360 Complex	91	-4	266.8	267.6	0.8	0.0	18	0.92	<0.01	46
46-334	new_100	360 Complex	91	-4	267.6	268.4	0.8	0.8	102	5.26	<0.01	259
46-334	new_100	360 Complex	91	-4	268.4	269.3	0.9	0.9	221	10.80	<0.01	542
46-334	0	360 Complex	91	-4	269.3	270.4	1.1	0.0	87	4.84	<0.01	232
46-334	0	360 Complex	91	-4	270.4	270.6	0.2	0.0	116	6.16	<0.01	299
46-334	0	360 Complex	91	-4	270.6	271.0	0.4	0.0	25	1.18	<0.01	61
46-334	0	360 Complex	91	-4	271.0	272.0	1.0	0.0	17	<0.10	<0.01	<22
46-334	0	360 Complex	91	-4	272.0	272.9	0.8	0.0	17	<0.10	<0.01	<22
46-334	new_100	360 Complex	91	-4	272.9	273.3	0.5	0.3	168	6.11	<0.01	350
46-334	new_100	360 Complex	91	-4	273.3	273.6	0.3	0.2	672	36.40	<0.01	1,751
46-334	new_100	360 Complex	91	-4	273.6	274.0	0.4	0.3	98	4.09	<0.01	220
46-334	0	360 Complex	91	-4	274.0	275.5	1.5	0.0	17	0.49	<0.01	33
46-334	0	360 Complex	91	-4	275.5	275.9	0.4	0.0	17	0.29	<0.01	27
46-334	0	360 Complex	91	-4	275.9	276.3	0.4	0.0	41	2.04	<0.01	102
46-334	new_100	360 Complex	91	-4	276.3	277.3	1.0	1.0	185	7.76	0.01	416
46-334	new_100	360 Complex	91	-4	277.3	278.3	1.0	1.0	47	2.13	<0.01	111
46-334	new_100	360 Complex	91	-4	278.3	278.6	0.3	0.3	1,084	46.00	0.10	2,457
46-334	new_100	360 Complex	91	-4	278.6	278.7	0.2	0.2	172	5.78	0.05	348
46-334	new_100	360 Complex	91	-4	278.7	278.9	0.2	0.2	302	19.80	0.04	892
46-334	new_100	360 Complex	91	-4	278.9	279.3	0.5	0.5	65	2.69	<0.01	146
46-334	new_100	360 Complex	91	-4	279.3	280.4	1.1	1.1	233	8.70	<0.01	492
46-334	0	360 Complex	91	-4	280.4	280.5	0.2	0.0	99	3.35	<0.01	199
46-334	0	360 Complex	91	-4	280.5	281.6	1.1	0.0	17	0.25	<0.01	26
46-334	0	360 Complex	91	-4	281.6	282.6	1.0	0.0	120	5.35	<0.01	280
46-334	0	360 Complex	91	-4	282.6	282.8	0.2	0.0	43	1.85	<0.01	99
46-334	0	360 Complex	91	-4	282.8	284.1	1.4	0.0	52	1.18	<0.01	88
46-334	0	360 Complex	91	-4	284.1	285.2	1.0	0.0	17	0.19	<0.01	24
46-334	0	360 Complex	91	-4	285.2	286.1	0.9	0.0	112	3.67	<0.01	222
46-334	0	360 Complex	91	-4	286.1	286.6	0.5	0.0	100	3.26	<0.01	197
46-334	0	360 Complex	91	-4	286.6	287.0	0.4	0.0	26	0.71	<0.01	48
46-334	new_100	360 Complex	91	-4	287.0	288.3	1.3	1.3	201	6.07	<0.01	382
46-334	new_100	360 Complex	91	-4	288.3	288.7	0.4	0.4	170	7.67	<0.01	399
46-334	new_100	360 Complex	91	-4	288.7	289.6	0.9	0.9	111	5.11	<0.01	263
46-334	new_100	360 Complex	91	-4	289.6	290.6	1.0	1.0	221	9.24	<0.01	496
46-334	0	360 Complex	91	-4	290.6	291.2	0.5	0.0	31	1.20	<0.01	68
46-334	0	360 Complex	91	-4	291.2	291.6	0.5	0.0	21	0.60	<0.01	40
46-334	new_100	360 Complex	91	-4	291.6	292.3	0.6	0.4	327	7.84	0.02	562
46-334	new_100	360 Complex	91	-4	292.3	292.7	0.4	0.3	112	2.67	<0.01	192
46-334	0	360 Complex	91	-4	292.7	293.5	0.8	0.0	17	0.46	<0.01	32
46-334	0	360 Complex	91	-4	293.5	294.4	0.9	0.0	91	2.21	0.01	158
46-334	0	360 Complex	91	-4	294.4	294.8	0.5	0.0	151	3.50	<0.01	256
46-334	0	360 Complex	91	-4	314.0	314.2	0.2	0.0	187	8.00	0.02	426
46-335	0	360 Complex	88	-12	7.6	7.7	0.2	0.0	24	0.81	<0.01	49
46-335	0	360 Complex	88	-12	16.2	16.3	0.2	0.0	18	0.97	<0.01	48
46-335	0	360 Complex	88	-12	40.2	40.9	0.6	0.0	37	0.33	0.02	49

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-335	0	360 Complex	88	-12	45.9	46.0	0.2	0.0	21	0.44	<0.01	35
46-335	0	360 Complex	88	-12	48.5	49.0	0.4	0.0	28	0.86	<0.01	55
46-335	0	360 Complex	88	-12	59.5	59.8	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	59.8	59.9	0.2	0.0	71	1.87	<0.01	128
46-335	0	360 Complex	88	-12	59.9	61.1	1.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	61.1	61.6	0.5	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	61.6	62.1	0.5	0.0	31	1.16	<0.01	66
46-335	0	360 Complex	88	-12	62.1	62.3	0.2	0.0	17	0.18	<0.01	24
46-335	0	360 Complex	88	-12	62.3	62.5	0.2	0.0	521	22.90	0.13	1,215
46-335	0	360 Complex	88	-12	62.5	63.2	0.7	0.0	17	0.15	<0.01	23
46-335	0	360 Complex	88	-12	63.2	63.3	0.2	0.0	17	0.56	<0.01	35
46-335	0	360 Complex	88	-12	63.3	63.7	0.4	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	67.3	67.5	0.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	67.5	67.7	0.2	0.0	17	0.77	<0.01	41
46-335	0	360 Complex	88	-12	67.7	68.0	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	68.0	68.2	0.2	0.0	17	0.33	<0.01	28
46-335	0	360 Complex	88	-12	68.2	68.4	0.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	68.4	68.5	0.2	0.0	17	0.18	<0.01	24
46-335	0	360 Complex	88	-12	68.5	68.7	0.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	68.7	69.8	1.1	0.0	17	0.39	<0.01	30
46-335	0	360 Complex	88	-12	69.8	70.1	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	73.6	73.9	0.2	0.0	121	3.12	0.02	215
46-335	0	360 Complex	88	-12	73.9	74.2	0.3	0.0	49	0.63	<0.01	69
46-335	0	360 Complex	88	-12	74.2	74.7	0.5	0.0	17	0.22	<0.01	25
46-335	0	360 Complex	88	-12	74.7	75.9	1.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	75.9	76.1	0.3	0.0	35	1.69	<0.01	86
46-335	0	360 Complex	88	-12	80.5	80.6	0.2	0.0	17	0.13	<0.01	22
46-335	0	360 Complex	88	-12	80.6	80.8	0.2	0.0	30	1.35	<0.01	71
46-335	0	360 Complex	88	-12	80.8	81.1	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	83.5	83.8	0.3	0.0	18	0.99	<0.01	49
46-335	239_100	360 Complex	88	-12	83.8	84.2	0.4	0.0	121	5.90	0.02	299
46-335	0	360 Complex	88	-12	84.2	84.8	0.5	0.0	17	0.22	<0.01	25
46-335	0	360 Complex	88	-12	88.4	89.0	0.7	0.0	17	0.77	0.01	41
46-335	0	360 Complex	88	-12	89.0	89.9	0.9	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	89.9	90.5	0.6	0.0	17	0.25	<0.01	26
46-335	0	360 Complex	88	-12	90.5	90.7	0.2	0.0	17	0.21	<0.01	25
46-335	0	360 Complex	88	-12	103.5	103.8	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	103.8	104.9	1.1	0.0	110	3.50	0.05	220
46-335	0	360 Complex	88	-12	104.9	105.2	0.3	0.0	17	<0.10	<0.01	<22
46-335	242_100	360 Complex	88	-12	107.5	107.8	0.2	0.0	221	0.11	0.53	287
46-335	242_100	360 Complex	88	-12	107.8	108.0	0.2	0.0	166	1.79	0.43	269
46-335	0	360 Complex	88	-12	108.0	108.3	0.3	0.0	18	0.18	0.04	28
46-335	0	360 Complex	88	-12	126.7	127.0	0.2	0.0	25	0.14	0.04	34
46-335	0	360 Complex	88	-12	128.0	129.3	1.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	129.3	130.2	0.9	0.0	17	0.19	<0.01	24
46-335	0	360 Complex	88	-12	130.2	130.6	0.5	0.0	96	2.68	0.05	181
46-335	0	360 Complex	88	-12	130.6	131.3	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	150.5	150.9	0.5	0.0	18	<0.10	0.03	25
46-335	0	360 Complex	88	-12	153.5	154.6	1.1	0.0	25	<0.10	0.04	33
46-335	0	360 Complex	88	-12	154.6	155.0	0.5	0.0	60	<0.10	0.07	71
46-335	0	360 Complex	88	-12	156.7	157.3	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	157.3	157.5	0.2	0.0	226	0.25	0.18	255
46-335	0	360 Complex	88	-12	157.5	158.1	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	159.9	160.1	0.2	0.0	35	<0.10	0.09	49
46-335	0	360 Complex	88	-12	160.7	161.4	0.7	0.0	17	<0.10	0.03	23
46-335	0	360 Complex	88	-12	161.4	162.3	1.0	0.0	17	<0.10	0.03	24
46-335	0	360 Complex	88	-12	162.3	162.7	0.3	0.0	151	0.70	1.10	300
46-335	0	360 Complex	88	-12	164.3	164.6	0.3	0.0	20	0.14	0.04	29
46-335	0	360 Complex	88	-12	164.6	164.9	0.3	0.0	110	1.16	0.09	155
46-335	0	360 Complex	88	-12	164.9	165.2	0.3	0.0	40	0.11	0.12	57
46-335	0	360 Complex	88	-12	166.8	166.9	0.2	0.0	17	0.12	0.01	<22
46-335	0	360 Complex	88	-12	172.6	172.7	0.2	0.0	94	0.15	0.37	142
46-335	0	360 Complex	88	-12	175.3	175.9	0.6	0.0	17	0.11	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-335	304_100	360 Complex	88	-12	175.9	176.4	0.5	0.3	3,841	14.50	4.03	4,741
46-335	0	360 Complex	88	-12	176.4	177.6	1.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	179.1	179.3	0.2	0.0	17	<0.10	0.01	<22
46-335	0	360 Complex	88	-12	180.9	181.7	0.9	0.0	40	<0.10	0.08	52
46-335	0	360 Complex	88	-12	182.4	183.5	1.1	0.0	17	<0.10	0.01	<22
46-335	0	360 Complex	88	-12	187.2	187.8	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	187.8	189.0	1.2	0.0	41	<0.10	0.04	49
46-335	0	360 Complex	88	-12	189.0	189.9	0.9	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	189.9	191.2	1.2	0.0	18	0.39	<0.01	31
46-335	0	360 Complex	88	-12	191.2	192.1	0.9	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	192.8	193.1	0.3	0.0	17	0.15	0.01	23
46-335	0	360 Complex	88	-12	194.8	195.8	1.0	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	195.8	196.1	0.3	0.0	75	0.81	0.15	117
46-335	0	360 Complex	88	-12	196.1	196.7	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	198.8	199.6	0.9	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	199.6	200.2	0.5	0.0	17	0.18	<0.01	24
46-335	0	360 Complex	88	-12	200.2	200.8	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	200.8	200.9	0.2	0.0	17	0.23	<0.01	25
46-335	0	360 Complex	88	-12	200.9	202.0	1.1	0.0	17	0.33	<0.01	28
46-335	0	360 Complex	88	-12	202.0	202.7	0.8	0.0	28	0.60	0.01	48
46-335	0	360 Complex	88	-12	202.7	203.9	1.2	0.0	59	1.44	0.03	106
46-335	0	360 Complex	88	-12	203.9	204.2	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	204.2	205.5	1.3	0.0	46	1.78	0.06	105
46-335	0	360 Complex	88	-12	205.5	207.0	1.5	0.0	17	0.28	<0.01	26
46-335	0	360 Complex	88	-12	213.3	213.8	0.5	0.0	21	<0.10	0.04	29
46-335	0	360 Complex	88	-12	221.6	221.9	0.2	0.0	44	0.48	0.08	68
46-335	0	360 Complex	88	-12	225.1	225.4	0.4	0.0	20	0.35	0.05	37
46-335	0	360 Complex	88	-12	228.7	230.2	1.5	0.0	17	0.20	<0.01	24
46-335	0	360 Complex	88	-12	232.8	233.4	0.6	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	233.4	234.8	1.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	234.8	236.0	1.2	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	236.0	236.7	0.8	0.0	17	<0.10	<0.01	<22
46-335	367_100	360 Complex	88	-12	236.7	237.3	0.5	0.0	202	7.10	<0.01	413
46-335	367_100	360 Complex	88	-12	237.3	238.0	0.7	0.0	32	1.00	0.02	64
46-335	367_100	360 Complex	88	-12	238.0	239.3	1.4	0.0	27	1.24	<0.01	65
46-335	367_100	360 Complex	88	-12	239.3	239.9	0.6	0.0	215	7.93	0.02	452
46-335	367_100	360 Complex	88	-12	239.9	241.2	1.2	0.0	17	0.66	<0.01	38
46-335	367_100	360 Complex	88	-12	241.2	242.4	1.2	0.0	24	1.43	<0.01	67
46-335	367_100	360 Complex	88	-12	242.4	243.1	0.7	0.0	97	5.41	<0.01	258
46-335	367_100	360 Complex	88	-12	243.1	243.3	0.2	0.2	453	31.60	0.42	1,437
46-335	367_100	360 Complex	88	-12	243.3	244.3	1.0	0.9	111	6.90	<0.01	316
46-335	0	360 Complex	88	-12	244.3	245.4	1.1	0.0	17	0.67	<0.01	38
46-335	0	360 Complex	88	-12	245.4	247.0	1.5	0.0	33	2.13	<0.01	98
46-335	0	360 Complex	88	-12	247.0	248.5	1.5	0.0	84	5.23	0.02	242
46-335	0	360 Complex	88	-12	248.5	250.0	1.5	0.0	80	5.04	<0.01	231
46-335	0	360 Complex	88	-12	250.0	251.5	1.5	0.0	17	1.01	<0.01	48
46-335	0	360 Complex	88	-12	251.5	253.0	1.5	0.0	30	1.98	<0.01	90
46-335	new_100	360 Complex	88	-12	253.0	254.6	1.5	0.0	78	4.84	<0.01	222
46-335	new_100	360 Complex	88	-12	254.6	256.1	1.5	1.5	115	6.87	<0.01	320
46-335	0	360 Complex	88	-12	256.1	257.6	1.5	0.0	33	1.97	<0.01	92
46-335	0	360 Complex	88	-12	257.6	259.1	1.5	0.0	17	0.60	<0.01	36
46-335	0	360 Complex	88	-12	259.1	260.7	1.5	0.0	28	1.66	<0.01	78
46-335	0	360 Complex	88	-12	260.7	262.2	1.5	0.0	68	3.41	<0.01	170
46-335	0	360 Complex	88	-12	262.2	263.1	0.9	0.0	112	4.38	<0.01	243
46-335	0	360 Complex	88	-12	263.1	264.6	1.5	0.0	45	1.36	<0.01	87
46-335	0	360 Complex	88	-12	289.9	290.2	0.3	0.0	17	<0.10	<0.01	<22
46-335	0	360 Complex	88	-12	294.8	295.4	0.6	0.0	96	0.87	0.07	130
46-335	0	360 Complex	88	-12	307.3	307.5	0.2	0.0	20	<0.10	0.02	25
46-336	0	360 Complex	82	-20	20.4	20.9	0.4	0.0	24	0.43	<0.01	38
46-336	0	360 Complex	82	-20	20.9	21.0	0.2	0.0	40	0.49	0.04	59
46-336	0	360 Complex	82	-20	21.0	21.6	0.6	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	21.6	22.2	0.5	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	22.2	22.4	0.2	0.0	49	0.22	0.03	59

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-336	0	360 Complex	82	-20	22.4	22.9	0.5	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	26.7	27.0	0.3	0.0	17	0.21	<0.01	24
46-336	0	360 Complex	82	-20	27.0	27.2	0.2	0.0	17	0.14	<0.01	22
46-336	0	360 Complex	82	-20	27.2	27.3	0.2	0.0	37	0.69	0.01	59
46-336	0	360 Complex	82	-20	27.3	27.5	0.2	0.0	17	0.14	<0.01	22
46-336	0	360 Complex	82	-20	27.5	27.8	0.3	0.0	49	1.10	0.02	83
46-336	0	360 Complex	82	-20	27.8	28.6	0.8	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	28.6	28.8	0.3	0.0	17	0.33	<0.01	28
46-336	0	360 Complex	82	-20	31.3	31.7	0.4	0.0	25	0.53	<0.01	42
46-336	0	360 Complex	82	-20	31.7	32.1	0.4	0.0	100	1.52	0.02	148
46-336	0	360 Complex	82	-20	32.1	32.8	0.6	0.0	17	0.14	<0.01	22
46-336	0	360 Complex	82	-20	34.8	35.2	0.4	0.0	32	0.85	0.01	58
46-336	0	360 Complex	82	-20	35.2	35.5	0.3	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	35.5	36.4	0.9	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	36.4	36.7	0.3	0.0	17	0.51	<0.01	34
46-336	0	360 Complex	82	-20	36.7	37.0	0.3	0.0	17	0.30	<0.01	27
46-336	0	360 Complex	82	-20	38.5	39.4	0.9	0.0	17	0.21	<0.01	25
46-336	0	360 Complex	82	-20	39.4	40.0	0.6	0.0	17	0.21	<0.01	25
46-336	new_100	360 Complex	82	-20	40.0	40.7	0.7	0.4	151	11.70	0.01	499
46-336	0	360 Complex	82	-20	40.7	41.3	0.6	0.0	17	0.68	<0.01	38
46-336	0	360 Complex	82	-20	41.3	41.6	0.3	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	48.7	49.1	0.5	0.0	30	1.35	<0.01	71
46-336	0	360 Complex	82	-20	52.3	52.9	0.6	0.0	17	0.29	0.01	27
46-336	348_100	360 Complex	82	-20	52.9	54.2	1.3	0.0	75	2.23	0.05	147
46-336	0	360 Complex	82	-20	54.2	55.5	1.3	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	55.5	56.1	0.6	0.0	20	0.33	0.04	34
46-336	0	360 Complex	82	-20	57.3	57.9	0.6	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	57.9	59.3	1.3	0.0	37	1.65	0.03	89
46-336	0	360 Complex	82	-20	59.3	60.1	0.8	0.0	17	0.27	<0.01	26
46-336	0	360 Complex	82	-20	60.1	60.7	0.6	0.0	70	2.64	0.02	150
46-336	0	360 Complex	82	-20	60.7	61.3	0.7	0.0	38	1.43	<0.01	81
46-336	0	360 Complex	82	-20	62.8	63.1	0.3	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	63.1	63.3	0.2	0.0	125	0.17	0.36	172
46-336	0	360 Complex	82	-20	63.3	63.7	0.4	0.0	17	<0.10	0.01	<22
46-336	0	360 Complex	82	-20	63.7	64.6	0.9	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	64.6	64.8	0.2	0.0	68	1.40	0.04	114
46-336	0	360 Complex	82	-20	70.4	70.7	0.3	0.0	17	0.18	<0.01	24
46-336	0	360 Complex	82	-20	72.7	72.9	0.2	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	72.9	73.0	0.2	0.0	17	0.15	<0.01	23
46-336	0	360 Complex	82	-20	73.0	73.3	0.2	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	82.3	82.6	0.3	0.0	17	0.13	<0.01	22
46-336	0	360 Complex	82	-20	82.6	82.8	0.2	0.0	30	0.50	0.06	52
46-336	0	360 Complex	82	-20	82.8	83.2	0.4	0.0	17	0.14	0.02	23
46-336	0	360 Complex	82	-20	83.2	83.8	0.7	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	83.8	84.2	0.4	0.0	76	2.60	<0.01	154
46-336	0	360 Complex	82	-20	84.2	84.7	0.5	0.0	17	0.26	<0.01	26
46-336	0	360 Complex	82	-20	87.5	87.9	0.4	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	87.9	88.3	0.4	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	88.3	88.7	0.4	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	107.6	108.1	0.5	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	108.1	108.5	0.4	0.0	35	<0.10	0.03	42
46-336	0	360 Complex	82	-20	108.5	109.1	0.7	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	140.9	141.5	0.6	0.0	17	<0.10	0.02	22
46-336	0	360 Complex	82	-20	141.5	141.6	0.2	0.0	22	1.18	0.11	69
46-336	0	360 Complex	82	-20	141.6	142.3	0.7	0.0	17	<0.10	0.01	<22
46-336	0	360 Complex	82	-20	142.3	142.6	0.3	0.0	17	<0.10	0.01	<22
46-336	0	360 Complex	82	-20	142.6	142.8	0.2	0.0	18	1.69	0.51	128
46-336	0	360 Complex	82	-20	142.8	143.3	0.5	0.0	17	<0.10	0.01	<22
46-336	0	360 Complex	82	-20	144.8	145.4	0.6	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	145.4	146.3	0.9	0.0	17	<0.10	0.04	24
46-336	0	360 Complex	82	-20	146.3	146.9	0.5	0.0	17	<0.10	0.02	22
46-336	0	360 Complex	82	-20	178.3	178.7	0.4	0.0	17	<0.10	<0.01	<22
46-336	0	360 Complex	82	-20	178.7	178.9	0.2	0.0	17	0.49	0.02	34

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-336		0 360 Complex	82	-20	178.9	179.5	0.6	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	181.3	181.7	0.4	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	181.7	181.9	0.2	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	181.9	182.4	0.5	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	190.3	190.8	0.4	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	190.8	191.5	0.7	0.0	86	0.27	0.19	117
46-336		0 360 Complex	82	-20	191.5	192.1	0.6	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	197.3	198.0	0.6	0.0	17	0.40	<0.01	30
46-336		0 360 Complex	82	-20	198.0	199.1	1.1	0.0	45	2.04	<0.01	106
46-336		0 360 Complex	82	-20	199.1	199.7	0.6	0.0	32	1.27	<0.01	71
46-336		0 360 Complex	82	-20	199.7	200.4	0.7	0.0	24	0.88	<0.01	51
46-336		0 360 Complex	82	-20	200.4	200.6	0.2	0.0	111	4.28	<0.01	239
46-336		0 360 Complex	82	-20	221.6	222.3	0.6	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	222.3	222.6	0.3	0.0	45	0.14	0.06	56
46-336		0 360 Complex	82	-20	222.6	222.9	0.3	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	233.9	234.5	0.6	0.0	17	<0.10	<0.01	<22
46-336	new_100	0 360 Complex	82	-20	234.5	235.1	0.6	0.0	353	0.35	0.66	441
46-336		0 360 Complex	82	-20	235.1	235.6	0.5	0.0	17	<0.10	<0.01	<22
46-336		0 360 Complex	82	-20	244.8	245.0	0.2	0.0	17	0.11	<0.01	<22
46-336		0 360 Complex	82	-20	245.0	245.4	0.4	0.0	17	0.31	<0.01	27
46-336		0 360 Complex	82	-20	245.4	245.6	0.2	0.0	22	0.42	<0.01	36
46-336		0 360 Complex	82	-20	245.6	245.8	0.2	0.0	17	0.22	<0.01	25
46-336		0 360 Complex	82	-20	248.0	248.7	0.6	0.0	105	2.91	<0.01	192
46-336		0 360 Complex	82	-20	248.7	250.0	1.3	0.0	109	3.96	<0.01	227
46-336		0 360 Complex	82	-20	250.0	250.9	0.9	0.0	58	2.17	<0.01	123
46-336		0 360 Complex	82	-20	250.9	252.1	1.2	0.0	55	1.94	<0.01	114
46-336		0 360 Complex	82	-20	252.1	253.0	0.9	0.0	17	0.39	<0.01	30
46-336		0 360 Complex	82	-20	253.0	254.2	1.2	0.0	17	0.15	<0.01	23
46-336		0 360 Complex	82	-20	254.2	255.1	0.9	0.0	17	0.35	<0.01	29
46-336		0 360 Complex	82	-20	255.1	255.2	0.2	0.0	240	8.44	0.05	495
46-336		0 360 Complex	82	-20	255.2	255.8	0.5	0.0	17	0.14	<0.01	22
46-336		0 360 Complex	82	-20	257.6	257.8	0.2	0.0	17	0.36	<0.01	29
46-336		0 360 Complex	82	-20	257.8	258.0	0.2	0.0	17	0.53	0.03	36
46-336		0 360 Complex	82	-20	258.0	259.5	1.4	0.0	17	0.37	<0.01	29
46-336		0 360 Complex	82	-20	261.9	262.4	0.5	0.0	17	0.12	<0.01	<22
46-336		0 360 Complex	82	-20	262.4	262.7	0.3	0.0	38	1.28	<0.01	77
46-336		0 360 Complex	82	-20	262.7	263.7	1.0	0.0	17	0.39	<0.01	30
46-336		0 360 Complex	82	-20	263.7	264.4	0.8	0.0	28	0.96	<0.01	57
46-336		0 360 Complex	82	-20	264.4	265.8	1.4	0.0	17	0.46	<0.01	32
46-336		0 360 Complex	82	-20	265.8	266.1	0.3	0.0	191	5.90	0.01	367
46-336		0 360 Complex	82	-20	266.1	266.6	0.4	0.0	17	0.11	<0.01	<22
46-336		0 360 Complex	82	-20	268.9	269.4	0.5	0.0	17	0.34	<0.01	28
46-336		0 360 Complex	82	-20	269.4	270.7	1.3	0.0	31	1.21	<0.01	68
46-336		0 360 Complex	82	-20	270.7	271.3	0.6	0.0	26	0.88	<0.01	53
46-336	new_100	360 Complex	82	-20	273.4	274.0	0.6	0.0	91	3.29	<0.01	189
46-336	new_100	360 Complex	82	-20	274.0	275.1	1.0	0.7	193	7.22	0.10	418
46-336		0 360 Complex	82	-20	275.1	275.6	0.6	0.0	17	0.38	<0.01	30
46-336		0 360 Complex	82	-20	275.6	275.8	0.2	0.0	36	0.57	0.03	57
46-336		0 360 Complex	82	-20	275.8	276.1	0.3	0.0	17	0.16	<0.01	23
46-337		0 360 Complex	80	-30	7.2	7.8	0.6	0.0	17	0.28	<0.01	27
46-337		0 360 Complex	80	-30	7.8	8.1	0.3	0.0	68	2.08	<0.01	131
46-337		0 360 Complex	80	-30	8.1	8.6	0.5	0.0	69	1.61	<0.01	118
46-337		0 360 Complex	80	-30	8.6	8.9	0.3	0.0	66	1.81	<0.01	121
46-337		0 360 Complex	80	-30	8.9	9.1	0.2	0.0	17	0.50	<0.01	33
46-337		0 360 Complex	80	-30	9.1	9.8	0.6	0.0	17	0.33	<0.01	28
46-337		0 360 Complex	80	-30	9.8	10.2	0.4	0.0	17	0.17	<0.01	23
46-337		0 360 Complex	80	-30	10.2	10.4	0.2	0.0	17	0.31	0.01	28
46-337		0 360 Complex	80	-30	10.4	10.9	0.5	0.0	17	0.19	<0.01	24
46-337		0 360 Complex	80	-30	10.9	11.6	0.7	0.0	23	0.60	<0.01	42
46-337		0 360 Complex	80	-30	11.6	12.3	0.7	0.0	31	1.09	<0.01	65
46-337		0 360 Complex	80	-30	12.3	12.8	0.5	0.0	17	0.25	<0.01	26
46-337		0 360 Complex	80	-30	12.8	13.4	0.6	0.0	17	0.46	<0.01	32
46-337		0 360 Complex	80	-30	17.4	17.7	0.3	0.0	17	0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-337	0	360 Complex	80	-30	17.7	18.2	0.5	0.0	67	1.80	0.02	123
46-337	0	360 Complex	80	-30	18.2	18.8	0.6	0.0	20	0.16	<0.01	25
46-337	0	360 Complex	80	-30	25.7	25.9	0.2	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	25.9	26.1	0.2	0.0	17	0.15	0.02	24
46-337	0	360 Complex	80	-30	26.1	26.5	0.4	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	26.5	26.7	0.2	0.0	89	4.23	0.01	216
46-337	0	360 Complex	80	-30	26.7	27.4	0.8	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	27.4	28.0	0.6	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	28.0	28.4	0.4	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	28.4	29.8	1.3	0.0	17	0.65	<0.01	38
46-337	0	360 Complex	80	-30	29.8	30.3	0.5	0.0	24	1.07	<0.01	57
46-337	0	360 Complex	80	-30	30.3	30.8	0.5	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	30.8	31.6	0.8	0.0	17	0.19	<0.01	24
46-337	0	360 Complex	80	-30	31.6	32.1	0.5	0.0	19	0.41	<0.01	32
46-337	0	360 Complex	80	-30	32.1	32.3	0.3	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	32.3	32.7	0.3	0.2	84	2.95	<0.01	173
46-337	0	360 Complex	80	-30	32.7	33.3	0.6	0.4	17	<0.10	<0.01	<22
46-337	new_100	360 Complex	80	-30	33.3	33.5	0.2	0.1	1,084	24.40	0.11	1,819
46-337	0	360 Complex	80	-30	33.5	34.0	0.4	0.0	17	0.30	<0.01	27
46-337	0	360 Complex	80	-30	34.0	34.2	0.2	0.0	118	4.14	<0.01	242
46-337	0	360 Complex	80	-30	34.2	34.9	0.7	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	34.9	35.1	0.2	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	35.1	35.5	0.4	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	37.8	38.1	0.3	0.0	18	0.15	0.02	25
46-337	0	360 Complex	80	-30	38.1	38.3	0.2	0.0	19	0.36	0.05	35
46-337	0	360 Complex	80	-30	38.3	38.9	0.6	0.0	17	0.14	0.02	24
46-337	0	360 Complex	80	-30	44.5	44.8	0.3	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	44.8	45.2	0.4	0.0	17	<0.10	0.01	<22
46-337	0	360 Complex	80	-30	45.2	45.7	0.5	0.0	106	<0.10	0.04	113
46-337	0	360 Complex	80	-30	45.7	46.1	0.4	0.0	26	0.59	<0.01	45
46-337	0	360 Complex	80	-30	46.1	46.5	0.4	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	49.7	50.0	0.3	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	50.0	50.3	0.3	0.0	63	2.34	0.02	134
46-337	0	360 Complex	80	-30	50.3	50.6	0.3	0.0	17	0.38	<0.01	30
46-337	0	360 Complex	80	-30	50.6	50.9	0.3	0.0	17	0.66	<0.01	38
46-337	0	360 Complex	80	-30	50.9	51.2	0.3	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	59.9	60.2	0.3	0.0	22	0.83	0.02	49
46-337	0	360 Complex	80	-30	60.2	60.3	0.2	0.0	36	0.32	0.05	52
46-337	0	360 Complex	80	-30	60.3	60.7	0.4	0.0	17	0.11	<0.01	<22
46-337	0	360 Complex	80	-30	73.5	73.9	0.5	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	73.9	74.1	0.2	0.0	166	7.40	0.02	388
46-337	0	360 Complex	80	-30	74.1	74.5	0.4	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	74.5	74.7	0.2	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	74.7	75.4	0.7	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	81.3	81.5	0.2	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	81.5	82.0	0.5	0.0	17	0.16	<0.01	23
46-337	0	360 Complex	80	-30	82.0	82.3	0.2	0.0	17	0.13	0.01	22
46-337	0	360 Complex	80	-30	88.5	88.7	0.2	0.0	17	<0.10	0.01	<22
46-337	0	360 Complex	80	-30	88.7	89.0	0.3	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	89.0	89.5	0.4	0.0	31	0.32	0.04	45
46-337	0	360 Complex	80	-30	89.5	89.9	0.5	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	91.9	93.0	1.1	0.0	49	2.17	0.01	115
46-337	0	360 Complex	80	-30	93.0	93.8	0.9	0.0	28	1.47	<0.01	72
46-337	0	360 Complex	80	-30	93.8	94.0	0.2	0.0	17	0.38	<0.01	29
46-337	0	360 Complex	80	-30	94.0	94.2	0.2	0.0	52	2.38	0.01	124
46-337	0	360 Complex	80	-30	94.2	94.7	0.5	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	94.7	95.4	0.7	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	95.4	96.0	0.6	0.0	28	0.73	0.02	51
46-337	0	360 Complex	80	-30	96.0	96.3	0.3	0.0	40	0.45	0.04	58
46-337	0	360 Complex	80	-30	96.3	97.0	0.6	0.0	17	<0.10	<0.01	<22
46-337	0	360 Complex	80	-30	97.0	97.1	0.2	0.0	17	0.12	<0.01	<22
46-337	0	360 Complex	80	-30	99.7	100.2	0.5	0.0	17	<0.10	<0.01	<22
46-337	285_100	360 Complex	80	-30	100.2	101.6	1.4	0.0	146	4.57	0.07	289

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-337		0 360 Complex	80	-30	101.6	102.1	0.5	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	117.4	117.7	0.3	0.0	38	<0.10	0.05	47
46-337		0 360 Complex	80	-30	118.9	120.4	1.5	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	123.5	124.7	1.2	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	124.7	125.6	0.9	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	125.6	127.1	1.5	0.0	17	<0.10	0.01	<22
46-337		0 360 Complex	80	-30	127.1	128.2	1.0	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	141.7	141.9	0.2	0.0	92	<0.10	0.10	107
46-337		0 360 Complex	80	-30	150.5	150.8	0.2	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	156.6	157.7	1.1	0.0	32	0.13	0.06	44
46-337		0 360 Complex	80	-30	159.3	160.4	1.1	0.0	19	0.29	0.05	33
46-337		0 360 Complex	80	-30	161.5	161.9	0.4	0.0	51	1.16	0.02	88
46-337		0 360 Complex	80	-30	163.7	164.9	1.2	0.0	73	0.89	0.08	110
46-337		0 360 Complex	80	-30	164.9	166.2	1.2	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	166.2	167.4	1.2	0.0	20	0.13	0.02	26
46-337		0 360 Complex	80	-30	167.4	168.5	1.1	0.0	17	0.59	<0.01	36
46-337		0 360 Complex	80	-30	168.5	168.7	0.2	0.0	946	28.70	0.08	1,806
46-337		0 360 Complex	80	-30	168.7	169.2	0.5	0.0	104	0.61	0.05	128
46-337		0 360 Complex	80	-30	169.2	169.4	0.2	0.0	74	2.13	0.05	142
46-337	368_100	360 Complex	80	-30	173.7	173.9	0.2	0.0	1,029	1.17	1.72	1,264
46-337		0 360 Complex	80	-30	178.0	178.9	0.9	0.0	61	0.91	0.07	96
46-337		0 360 Complex	80	-30	178.9	179.4	0.5	0.0	89	1.49	0.10	145
46-337		0 360 Complex	80	-30	179.4	179.9	0.5	0.0	28	<0.10	0.04	36
46-337		0 360 Complex	80	-30	184.6	185.6	1.0	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	185.6	187.1	1.5	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	187.1	187.4	0.3	0.0	202	0.11	0.36	248
46-337		0 360 Complex	80	-30	187.4	188.7	1.3	0.0	17	<0.10	0.03	23
46-337		0 360 Complex	80	-30	196.8	197.9	1.1	0.0	17	<0.10	0.01	<22
46-337		0 360 Complex	80	-30	203.0	204.3	1.2	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	204.3	204.6	0.3	0.0	56	1.87	0.03	115
46-337		0 360 Complex	80	-30	204.6	205.5	0.9	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	205.5	206.5	1.0	0.0	17	0.38	<0.01	30
46-337		0 360 Complex	80	-30	206.5	206.8	0.3	0.0	97	1.98	0.16	174
46-337		0 360 Complex	80	-30	206.8	207.3	0.5	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	216.2	216.6	0.5	0.0	17	0.27	0.01	27
46-337		0 360 Complex	80	-30	216.6	217.7	1.0	0.0	154	5.83	0.12	341
46-337		0 360 Complex	80	-30	217.7	218.3	0.6	0.0	17	0.58	0.03	38
46-337		0 360 Complex	80	-30	218.3	218.4	0.2	0.0	32	1.43	<0.01	75
46-337		0 360 Complex	80	-30	220.3	221.3	1.1	0.0	30	1.44	<0.01	74
46-337		0 360 Complex	80	-30	221.3	222.3	0.9	0.0	94	4.34	<0.01	224
46-337	304_100	360 Complex	80	-30	222.3	222.6	0.3	0.3	713	30.00	0.22	1,627
46-337	304_100	360 Complex	80	-30	222.6	224.1	1.5	1.5	195	10.40	0.07	512
46-337	304_100	360 Complex	80	-30	224.1	225.6	1.5	1.5	147	6.81	0.02	350
46-337		0 360 Complex	80	-30	225.6	226.5	0.9	0.0	34	1.18	<0.01	70
46-337		0 360 Complex	80	-30	226.5	226.8	0.3	0.0	163	7.57	<0.01	388
46-337		0 360 Complex	80	-30	226.8	228.7	1.8	0.0	18	0.93	<0.01	47
46-337		0 360 Complex	80	-30	228.7	229.0	0.3	0.0	79	3.64	<0.01	187
46-337		0 360 Complex	80	-30	229.0	229.6	0.6	0.0	248	11.80	<0.01	599
46-337		0 360 Complex	80	-30	229.6	230.0	0.5	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	246.8	248.2	1.4	0.0	17	<0.10	<0.01	<22
46-337		0 360 Complex	80	-30	248.2	248.8	0.7	0.0	17	<0.10	<0.01	<22
46-338		0 360 Complex	60	15	21.4	22.0	0.5	0.0	17	<0.10	<0.01	<22
46-338	178_100	360 Complex	60	15	22.0	22.1	0.2	0.0	772	17.80	0.19	1,321
46-338	178_100	360 Complex	60	15	22.1	22.7	0.6	0.0	180	3.47	0.02	285
46-338		0 360 Complex	60	15	38.2	38.7	0.5	0.0	17	0.30	<0.01	27
46-338		0 360 Complex	60	15	38.7	38.9	0.2	0.0	67	3.14	0.01	161
46-338		0 360 Complex	60	15	38.9	40.2	1.3	0.0	17	0.81	<0.01	42
46-338		0 360 Complex	60	15	40.2	41.0	0.8	0.0	18	0.91	<0.01	46
46-338		0 360 Complex	60	15	41.0	41.6	0.6	0.0	37	1.89	<0.01	95
46-338		0 360 Complex	60	15	41.6	42.7	1.1	0.0	34	1.62	<0.01	83
46-338		0 360 Complex	60	15	42.7	44.2	1.5	0.0	17	0.56	<0.01	35
46-338		0 360 Complex	60	15	44.2	45.7	1.5	0.0	17	0.49	0.02	34
46-338		0 360 Complex	60	15	50.1	51.4	1.3	0.0	48	2.50	<0.01	124

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-338	0	360 Complex	60	15	56.4	57.9	1.5	0.0	17	0.48	<0.01	32
46-338	348_100	360 Complex	60	15	57.9	58.2	0.3	0.0	322	14.60	0.08	764
46-338	0	360 Complex	60	15	58.2	59.5	1.2	0.0	17	0.97	<0.01	47
46-338	0	360 Complex	60	15	61.9	62.1	0.2	0.0	76	1.11	0.01	110
46-338	0	360 Complex	60	15	67.2	68.4	1.2	0.0	17	<0.10	0.02	<22
46-338	0	360 Complex	60	15	68.4	68.7	0.3	0.0	67	0.28	0.13	91
46-338	0	360 Complex	60	15	68.7	69.1	0.3	0.0	17	0.41	<0.01	30
46-338	0	360 Complex	60	15	69.1	70.1	1.1	0.0	55	1.80	0.02	111
46-338	0	360 Complex	60	15	70.1	71.0	0.9	0.0	101	4.82	0.06	250
46-338	0	360 Complex	60	15	71.0	71.3	0.3	0.0	17	0.38	0.03	31
46-338	0	360 Complex	60	15	84.7	84.9	0.2	0.0	17	0.22	<0.01	25
46-338	0	360 Complex	60	15	87.5	87.7	0.2	0.0	17	0.23	<0.01	25
46-338	0	360 Complex	60	15	90.3	90.7	0.4	0.0	17	0.30	<0.01	27
46-338	0	360 Complex	60	15	93.7	94.1	0.4	0.0	17	0.58	0.02	37
46-338	0	360 Complex	60	15	123.5	124.1	0.6	0.0	31	0.71	0.04	57
46-338	285_100	360 Complex	60	15	124.1	124.4	0.2	0.0	193	4.16	0.20	339
46-338	285_100	360 Complex	60	15	124.4	125.0	0.6	0.0	126	1.24	0.27	194
46-338	0	360 Complex	60	15	125.0	126.5	1.5	0.0	17	<0.10	<0.01	<22
46-338	0	360 Complex	60	15	126.5	127.7	1.3	0.0	17	0.63	0.03	39
46-338	br2_100	360 Complex	60	15	131.3	131.6	0.4	0.0	226	1.16	0.57	327
46-338	br2_100	360 Complex	60	15	131.6	132.0	0.4	0.0	281	9.64	0.43	617
46-338	0	360 Complex	60	15	132.0	132.6	0.6	0.0	17	0.13	<0.01	22
46-338	0	360 Complex	60	15	132.6	134.1	1.5	0.0	17	0.20	<0.01	24
46-338	0	360 Complex	60	15	134.1	135.7	1.5	0.0	17	0.92	<0.01	46
46-338	br1_100	360 Complex	60	15	135.7	137.2	1.5	0.0	112	5.84	<0.01	286
46-338	br1_100	360 Complex	60	15	137.2	138.7	1.5	1.5	243	15.10	0.04	694
46-338	br1_100	360 Complex	60	15	138.7	140.2	1.5	1.5	116	9.12	<0.01	387
46-338	br1_100	360 Complex	60	15	140.2	141.8	1.5	1.5	102	8.96	<0.01	368
46-338	br1_100	360 Complex	60	15	141.8	143.3	1.5	1.5	78	6.28	<0.01	265
46-338	br1_100	360 Complex	60	15	143.3	144.8	1.5	1.5	111	6.64	<0.01	309
46-338	368_100	360 Complex	60	15	144.8	146.3	1.5	1.5	131	5.56	0.02	299
46-338	368_100	360 Complex	60	15	146.3	147.9	1.5	1.5	167	7.20	<0.01	381
46-338	368_100	360 Complex	60	15	147.9	149.4	1.5	1.5	108	8.92	<0.01	373
46-338	368_100	360 Complex	60	15	149.4	150.9	1.5	1.5	122	6.76	<0.01	323
46-338	368_100	360 Complex	60	15	150.9	152.1	1.2	1.2	301	8.64	<0.01	558
46-338	368_100	360 Complex	60	15	152.1	152.4	0.3	0.3	40	1.12	<0.01	75
46-338	368_100	360 Complex	60	15	152.4	153.8	1.4	1.4	228	5.04	<0.01	378
46-338	0	360 Complex	60	15	153.8	155.2	1.4	0.0	17	<0.10	<0.01	<22
46-338	0	360 Complex	60	15	157.6	158.5	0.9	0.0	27	1.22	<0.01	65
46-338	0	360 Complex	60	15	158.5	160.1	1.5	0.0	33	1.76	<0.01	86
46-338	0	360 Complex	60	15	160.1	161.6	1.5	0.0	84	4.72	<0.01	225
46-338	0	360 Complex	60	15	161.6	163.0	1.4	0.0	69	3.88	<0.01	185
46-338	0	360 Complex	60	15	173.9	174.8	0.9	0.0	50	2.26	0.02	120
46-339	0	360 Complex	60	-30	6.5	7.6	1.1	0.0	48	0.91	<0.01	76
46-339	178_100	360 Complex	60	-30	11.3	11.6	0.3	0.0	71	3.64	<0.01	180
46-339	178_100	360 Complex	60	-30	11.6	12.6	1.0	0.0	17	<0.10	<0.01	<22
46-339	178_100	360 Complex	60	-30	12.6	12.8	0.2	0.0	195	14.20	<0.01	616
46-339	0	360 Complex	60	-30	12.8	14.3	1.5	0.0	17	0.24	<0.01	25
46-339	0	360 Complex	60	-30	14.3	15.9	1.5	0.0	19	0.75	<0.01	42
46-339	0	360 Complex	60	-30	15.9	17.4	1.5	0.0	17	0.32	<0.01	28
46-339	0	360 Complex	60	-30	17.4	18.1	0.7	0.0	18	0.70	<0.01	40
46-339	0	360 Complex	60	-30	18.1	19.2	1.1	0.0	17	0.16	<0.01	23
46-339	0	360 Complex	60	-30	19.2	20.4	1.2	0.0	47	0.87	<0.01	74
46-339	0	360 Complex	60	-30	20.4	20.7	0.3	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	20.7	21.1	0.4	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	26.8	27.6	0.8	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	27.6	29.1	1.5	0.0	55	0.20	0.04	66
46-339	0	360 Complex	60	-30	29.1	30.5	1.4	0.0	18	0.55	<0.01	36
46-339	0	360 Complex	60	-30	30.5	31.8	1.3	0.0	21	0.54	0.02	39
46-339	0	360 Complex	60	-30	31.8	33.2	1.4	0.0	17	<0.10	0.03	24
46-339	0	360 Complex	60	-30	33.2	34.6	1.5	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	34.6	35.2	0.6	0.0	31	1.16	0.02	68
46-339	0	360 Complex	60	-30	44.4	44.6	0.2	0.0	17	0.47	<0.01	32

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-339	0	360 Complex	60	-30	48.6	49.5	0.9	0.0	41	1.92	<0.01	99
46-339	0	360 Complex	60	-30	52.0	52.1	0.2	0.0	257	12.60	<0.01	631
46-339	0	360 Complex	60	-30	57.7	59.3	1.5	0.0	18	1.01	<0.01	49
46-339	0	360 Complex	60	-30	59.3	60.8	1.5	0.0	17	0.27	<0.01	26
46-339	0	360 Complex	60	-30	60.8	62.3	1.5	0.0	17	0.63	<0.01	37
46-339	0	360 Complex	60	-30	78.3	78.9	0.6	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	78.9	80.1	1.2	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	92.0	93.3	1.3	0.0	18	0.42	<0.01	32
46-339	0	360 Complex	60	-30	93.3	94.7	1.4	0.0	46	2.09	0.01	109
46-339	0	360 Complex	60	-30	98.6	98.8	0.2	0.0	23	0.52	0.07	46
46-339	0	360 Complex	60	-30	104.1	104.3	0.3	0.0	17	0.22	0.04	28
46-339	0	360 Complex	60	-30	104.3	105.0	0.6	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	105.0	105.7	0.7	0.0	35	0.59	0.09	62
46-339	0	360 Complex	60	-30	117.5	118.9	1.4	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	134.6	134.8	0.2	0.0	131	0.38	0.19	164
46-339	0	360 Complex	60	-30	143.3	144.8	1.5	0.0	17	0.36	<0.01	29
46-339	0	360 Complex	60	-30	144.8	146.3	1.5	0.0	70	2.77	<0.01	153
46-339	370_100	360 Complex	60	-30	146.3	147.9	1.5	0.0	100	3.92	0.12	230
46-339	370_100	360 Complex	60	-30	147.9	148.3	0.5	0.4	196	9.08	0.12	479
46-339	370_100	360 Complex	60	-30	148.3	148.6	0.3	0.3	300	17.10	1.38	967
46-339	370_100	360 Complex	60	-30	148.6	149.4	0.8	0.7	173	7.28	<0.01	390
46-339	370_100	360 Complex	60	-30	149.4	150.0	0.6	0.6	301	11.10	0.48	685
46-339	370_100	360 Complex	60	-30	150.0	150.8	0.8	0.7	174	7.20	0.03	390
46-339	370_100	360 Complex	60	-30	150.8	151.0	0.2	0.2	230	10.10	1.25	675
46-339	0	360 Complex	60	-30	151.0	152.4	1.4	0.0	46	1.66	0.02	98
46-339	366_100	360 Complex	60	-30	152.4	153.7	1.2	0.0	89	3.26	<0.01	187
46-339	366_100	360 Complex	60	-30	153.7	154.9	1.2	1.2	211	9.56	0.02	497
46-339	0	360 Complex	60	-30	154.9	156.4	1.5	0.0	28	1.07	<0.01	61
46-339	0	360 Complex	60	-30	156.4	157.9	1.5	0.0	46	1.89	<0.01	103
46-339	0	360 Complex	60	-30	157.9	159.1	1.2	0.0	29	1.20	<0.01	65
46-339	360_100	360 Complex	60	-30	159.1	160.4	1.2	0.0	91	3.79	<0.01	205
46-339	360_100	360 Complex	60	-30	160.4	161.6	1.2	0.0	37	1.32	<0.01	77
46-339	360_100	360 Complex	60	-30	161.6	162.8	1.2	0.0	98	3.57	<0.01	205
46-339	0	360 Complex	60	-30	173.0	173.6	0.6	0.0	17	<0.10	<0.01	<22
46-339	0	360 Complex	60	-30	180.9	181.2	0.4	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	12.2	12.9	0.7	0.0	17	<0.10	<0.01	<22
46-340	178_100	360 Complex	55	-8	12.9	13.2	0.3	0.0	296	8.88	0.04	563
46-340	178_100	360 Complex	55	-8	13.2	14.2	1.0	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	14.2	15.0	0.8	0.0	21	0.38	<0.01	33
46-340	0	360 Complex	55	-8	15.0	16.2	1.2	0.0	17	0.20	<0.01	24
46-340	0	360 Complex	55	-8	16.2	17.5	1.3	0.0	17	0.37	<0.01	29
46-340	0	360 Complex	55	-8	17.5	18.0	0.5	0.0	47	3.40	<0.01	149
46-340	0	360 Complex	55	-8	18.0	19.4	1.4	0.0	17	0.47	<0.01	32
46-340	0	360 Complex	55	-8	19.4	20.7	1.4	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	20.7	22.3	1.5	0.0	17	0.73	<0.01	40
46-340	0	360 Complex	55	-8	30.5	31.6	1.0	0.0	61	1.67	<0.01	112
46-340	0	360 Complex	55	-8	43.1	43.4	0.3	0.0	44	1.28	0.01	83
46-340	0	360 Complex	55	-8	46.8	47.6	0.9	0.0	18	0.13	0.02	24
46-340	0	360 Complex	55	-8	50.3	51.5	1.2	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	51.5	52.6	1.1	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	55.5	56.1	0.6	0.0	17	0.46	<0.01	32
46-340	0	360 Complex	55	-8	58.5	58.8	0.3	0.0	33	0.59	0.01	52
46-340	0	360 Complex	55	-8	62.7	64.0	1.4	0.0	17	0.21	0.03	27
46-340	0	360 Complex	55	-8	64.0	65.3	1.3	0.0	17	0.31	<0.01	27
46-340	0	360 Complex	55	-8	65.3	66.9	1.5	0.0	74	2.37	0.05	150
46-340	0	360 Complex	55	-8	66.9	67.5	0.6	0.0	17	0.50	0.02	34
46-340	0	360 Complex	55	-8	69.4	70.5	1.1	0.0	17	0.30	<0.01	27
46-340	0	360 Complex	55	-8	71.6	72.0	0.3	0.0	17	0.21	0.02	25
46-340	0	360 Complex	55	-8	74.4	75.0	0.6	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	75.0	75.6	0.6	0.0	34	0.44	0.06	55
46-340	0	360 Complex	55	-8	75.6	76.7	1.1	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	81.3	82.1	0.8	0.0	17	0.29	<0.01	27
46-340	0	360 Complex	55	-8	82.1	83.6	1.5	0.0	17	0.37	<0.01	29

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-340	0	360 Complex	55	-8	88.4	88.6	0.2	0.0	21	0.67	0.09	52
46-340	0	360 Complex	55	-8	91.3	91.8	0.5	0.0	17	0.18	<0.01	24
46-340	0	360 Complex	55	-8	91.8	93.0	1.2	0.0	17	0.31	0.02	29
46-340	0	360 Complex	55	-8	96.4	96.7	0.3	0.0	130	3.37	<0.01	231
46-340	0	360 Complex	55	-8	96.7	98.1	1.4	0.0	27	0.72	<0.01	50
46-340	0	360 Complex	55	-8	98.1	98.2	0.1	0.0	160	4.41	0.04	295
46-340	0	360 Complex	55	-8	98.2	99.5	1.3	0.0	25	0.76	<0.01	49
46-340	0	360 Complex	55	-8	99.5	101.0	1.5	0.0	17	0.16	<0.01	23
46-340	0	360 Complex	55	-8	101.0	101.5	0.5	0.0	78	1.83	0.06	139
46-340	0	360 Complex	55	-8	101.5	102.9	1.4	0.0	17	0.25	<0.01	26
46-340	0	360 Complex	55	-8	102.9	104.2	1.3	0.0	19	0.36	0.01	31
46-340	0	360 Complex	55	-8	104.2	105.1	0.9	0.0	63	1.96	0.06	128
46-340	0	360 Complex	55	-8	105.1	105.7	0.6	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	108.8	109.1	0.3	0.0	17	<0.10	<0.01	<22
46-340	0	360 Complex	55	-8	111.7	113.3	1.5	0.0	41	0.71	0.05	67
46-340	0	360 Complex	55	-8	114.6	116.2	1.5	0.0	17	0.17	0.02	25
46-340	0	360 Complex	55	-8	119.8	120.4	0.6	0.0	19	0.26	<0.01	28
46-340	br1_100	360 Complex	55	-8	120.4	121.8	1.3	0.7	1,303	1.44	0.50	1,404
46-340	br1_100	360 Complex	55	-8	121.8	122.7	0.9	0.5	453	8.44	0.16	721
46-340	br1_100	360 Complex	55	-8	122.7	123.6	0.9	0.5	172	5.38	<0.01	333
46-340	br1_100	360 Complex	55	-8	123.6	123.9	0.2	0.1	1,094	34.60	1.21	2,260
46-340	br1_100	360 Complex	55	-8	123.9	125.0	1.1	1.1	293	11.20	0.06	631
46-340	br1_100	360 Complex	55	-8	125.0	126.5	1.5	1.5	204	8.79	0.05	470
46-340	br1_100	360 Complex	55	-8	126.5	128.0	1.5	0.0	70	3.36	<0.01	171
46-340	br1_100	360 Complex	55	-8	128.0	129.6	1.5	1.5	154	8.65	<0.01	412
46-340	0	360 Complex	55	-8	129.6	131.1	1.5	0.0	45	2.76	<0.01	128
46-340	0	360 Complex	55	-8	131.1	132.6	1.5	0.0	38	2.32	<0.01	108
46-340	0	360 Complex	55	-8	132.6	133.1	0.5	0.0	153	10.60	<0.01	468
46-340	0	360 Complex	55	-8	133.1	134.5	1.5	0.0	17	0.45	<0.01	31
46-340	0	360 Complex	55	-8	134.5	135.8	1.3	0.0	17	0.34	<0.01	28
46-340	0	360 Complex	55	-8	135.8	137.3	1.5	0.0	80	4.15	<0.01	204
46-340	0	360 Complex	55	-8	137.3	138.0	0.6	0.0	17	0.53	<0.01	34
46-341	0	360 Complex	55	-45	1.3	1.8	0.5	0.0	34	0.81	<0.01	59
46-341	0	360 Complex	55	-45	1.8	3.4	1.5	0.0	17	0.10	<0.01	<22
46-341	0	360 Complex	55	-45	4.9	5.5	0.6	0.0	17	0.23	<0.01	25
46-341	0	360 Complex	55	-45	5.5	6.1	0.5	0.0	52	1.61	<0.01	101
46-341	0	360 Complex	55	-45	10.7	12.2	1.5	0.0	17	0.20	<0.01	24
46-341	0	360 Complex	55	-45	12.2	12.7	0.5	0.0	43	1.98	<0.01	103
46-341	0	360 Complex	55	-45	12.7	14.0	1.3	0.0	18	0.76	<0.01	42
46-341	0	360 Complex	55	-45	14.0	14.6	0.6	0.0	44	2.13	<0.01	108
46-341	0	360 Complex	55	-45	14.6	15.9	1.2	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	15.9	17.1	1.2	0.0	21	1.20	<0.01	58
46-341	0	360 Complex	55	-45	17.1	18.2	1.1	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	18.2	19.7	1.5	0.0	23	0.72	<0.01	46
46-341	0	360 Complex	55	-45	19.7	20.6	0.9	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	20.6	20.7	0.2	0.0	68	1.33	<0.01	108
46-341	0	360 Complex	55	-45	23.8	25.3	1.5	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	25.3	26.5	1.2	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	26.5	27.9	1.4	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	33.7	33.8	0.2	0.0	188	0.19	0.11	207
46-341	0	360 Complex	55	-45	35.8	36.4	0.6	0.0	51	1.52	<0.01	98
46-341	0	360 Complex	55	-45	36.4	37.5	1.1	0.0	49	1.73	0.01	102
46-341	0	360 Complex	55	-45	37.5	38.7	1.2	0.0	17	0.76	<0.01	41
46-341	0	360 Complex	55	-45	39.2	39.3	0.2	0.0	18	0.79	<0.01	42
46-341	0	360 Complex	55	-45	41.8	42.2	0.5	0.0	34	1.22	<0.01	71
46-341	0	360 Complex	55	-45	44.5	45.4	0.9	0.0	36	1.10	0.03	72
46-341	0	360 Complex	55	-45	46.6	47.1	0.5	0.0	43	1.66	<0.01	94
46-341	0	360 Complex	55	-45	47.1	48.2	1.1	0.0	24	1.04	<0.01	56
46-341	0	360 Complex	55	-45	50.5	51.2	0.8	0.0	34	1.51	<0.01	80
46-341	0	360 Complex	55	-45	51.2	51.8	0.6	0.0	69	3.42	<0.01	171
46-341	0	360 Complex	55	-45	51.8	52.7	0.9	0.0	17	0.16	<0.01	23
46-341	0	360 Complex	55	-45	54.0	55.2	1.3	0.0	17	<0.10	<0.01	<22
46-341	0	360 Complex	55	-45	56.4	56.6	0.2	0.0	52	0.75	0.02	77

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-341		0 360 Complex	55	-45	59.5	60.1	0.6	0.0	17	0.24	<0.01	25
46-341		0 360 Complex	55	-45	64.6	66.0	1.4	0.0	17	0.18	0.04	27
46-341		0 360 Complex	55	-45	79.6	80.7	1.1	0.0	17	<0.10	<0.01	<22
46-341		0 360 Complex	55	-45	80.7	81.3	0.5	0.0	32	<0.10	0.02	37
46-341		0 360 Complex	55	-45	81.3	82.8	1.5	0.0	62	<0.10	0.05	71
46-341		0 360 Complex	55	-45	99.4	100.9	1.5	0.0	17	<0.10	0.01	<22
46-341		0 360 Complex	55	-45	105.2	105.7	0.5	0.0	27	<0.10	0.02	32
46-341		0 360 Complex	55	-45	107.5	107.7	0.2	0.0	48	0.22	0.05	60
46-341		0 360 Complex	55	-45	123.0	123.2	0.2	0.0	65	2.72	0.85	246
46-341		0 360 Complex	55	-45	125.0	126.2	1.2	0.0	21	0.12	0.03	28
46-341		0 360 Complex	55	-45	126.2	126.6	0.4	0.0	139	0.64	0.18	178
46-341		0 360 Complex	55	-45	126.6	127.5	1.0	0.0	17	<0.10	0.02	23
46-341		0 360 Complex	55	-45	135.9	137.2	1.3	0.0	70	<0.10	0.05	78
46-341		0 360 Complex	55	-45	137.2	138.2	1.0	0.0	69	<0.10	0.04	77
46-341		0 360 Complex	55	-45	139.9	140.1	0.2	0.0	91	<0.10	0.04	99
46-341	370_100	360 Complex	55	-45	153.8	154.5	0.6	0.0	422	0.13	0.18	446
46-341		0 360 Complex	55	-45	183.3	183.4	0.2	0.0	17	<0.10	<0.01	<22
46-341		0 360 Complex	55	-45	211.4	212.5	1.1	0.0	17	<0.10	<0.01	<22
46-342		0 360 Complex	40	15	5.5	5.9	0.3	0.0	27	0.63	<0.01	47
46-342	178_100	360 Complex	40	15	10.5	10.6	0.2	0.1	2,743	<0.10	1.82	2,959
46-342	178_100	360 Complex	40	15	10.6	11.6	0.9	0.3	34	0.66	<0.01	55
46-342	178_100	360 Complex	40	15	11.6	11.9	0.3	0.1	195	3.47	0.09	309
46-342		0 360 Complex	40	15	20.4	22.0	1.5	0.0	17	0.39	0.01	30
46-342		0 360 Complex	40	15	22.0	23.0	1.0	0.0	17	0.13	<0.01	22
46-342		0 360 Complex	40	15	25.4	25.8	0.3	0.0	57	2.40	0.01	130
46-342		0 360 Complex	40	15	26.5	26.9	0.4	0.0	17	0.53	<0.01	34
46-342		0 360 Complex	40	15	31.1	32.1	1.0	0.0	100	5.07	0.01	252
46-342		0 360 Complex	40	15	43.8	44.1	0.3	0.0	80	3.50	0.08	192
46-342		0 360 Complex	40	15	48.3	48.5	0.2	0.0	17	<0.10	<0.01	<22
46-342		0 360 Complex	40	15	53.8	54.0	0.2	0.0	55	1.07	0.05	92
46-342		0 360 Complex	40	15	56.2	56.4	0.2	0.0	17	<0.10	0.02	22
46-342		0 360 Complex	40	15	67.4	67.7	0.3	0.0	47	1.70	0.16	116
46-342		0 360 Complex	40	15	75.0	75.3	0.3	0.0	17	0.31	<0.01	28
46-342		0 360 Complex	40	15	78.0	79.0	1.0	0.0	17	0.22	<0.01	25
46-342		0 360 Complex	40	15	87.4	87.7	0.2	0.0	183	5.62	<0.01	351
46-342		0 360 Complex	40	15	93.1	94.5	1.3	0.0	20	0.53	0.04	40
46-342		0 360 Complex	40	15	94.5	95.7	1.3	0.0	17	<0.10	<0.01	<22
46-342		0 360 Complex	40	15	95.7	96.2	0.5	0.0	31	1.01	<0.01	63
46-342		0 360 Complex	40	15	96.2	97.0	0.8	0.0	26	0.81	<0.01	51
46-342		0 360 Complex	40	15	97.0	97.9	0.9	0.0	17	0.11	<0.01	<22
46-342		0 360 Complex	40	15	97.9	98.8	0.9	0.0	17	0.26	<0.01	26
46-342		0 360 Complex	40	15	98.8	100.3	1.5	0.0	17	0.23	<0.01	25
46-342	350_100	360 Complex	40	15	100.3	100.6	0.3	0.0	80	1.56	<0.01	128
46-342	350_100	360 Complex	40	15	100.6	100.8	0.2	0.0	562	12.70	0.29	973
46-342	350_100	360 Complex	40	15	100.8	101.5	0.8	0.0	112	2.35	<0.01	183
46-342		0 360 Complex	40	15	101.5	102.4	0.9	0.0	83	2.34	<0.01	153
46-342		0 360 Complex	40	15	102.4	103.4	1.0	0.0	126	3.90	0.02	244
46-342		0 360 Complex	40	15	104.3	104.9	0.6	0.0	25	0.44	<0.01	39
46-342		0 360 Complex	40	15	104.9	105.1	0.2	0.0	28	0.58	0.01	46
46-342		0 360 Complex	40	15	105.1	105.3	0.2	0.0	17	0.17	0.01	24
46-342		0 360 Complex	40	15	105.3	105.9	0.6	0.0	17	<0.10	<0.01	<22
46-342	br1_100	360 Complex	40	15	110.2	110.8	0.6	0.0	17	<0.10	<0.01	<22
46-342	br1_100	360 Complex	40	15	110.8	111.0	0.2	0.0	343	23.90	0.79	1,143
46-342	br1_100	360 Complex	40	15	111.0	111.3	0.3	0.0	17	<0.10	<0.01	<22
46-342		0 360 Complex	40	15	127.1	127.3	0.2	0.0	71	1.98	0.08	139
46-343		0 360 Complex	40	0	8.0	8.7	0.7	0.0	33	0.89	<0.01	61
46-343	178_100	360 Complex	40	0	8.7	9.8	1.1	0.7	287	7.68	<0.01	515
46-343		0 360 Complex	40	0	13.6	13.8	0.2	0.0	26	1.41	<0.01	68
46-343		0 360 Complex	40	0	16.0	17.2	1.2	0.0	17	0.20	0.02	25
46-343		0 360 Complex	40	0	17.2	17.8	0.7	0.0	17	0.52	<0.01	34
46-343		0 360 Complex	40	0	22.7	23.6	0.9	0.0	17	<0.10	<0.01	<22
46-343		0 360 Complex	40	0	25.4	26.2	0.8	0.0	94	3.99	0.04	217
46-343		0 360 Complex	40	0	35.4	35.7	0.2	0.0	46	1.33	0.05	91

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-343		0 360 Complex	40	0	38.9	40.3	1.4	0.0	17	0.24	0.02	26
46-343		0 360 Complex	40	0	42.5	43.6	1.1	0.0	17	0.40	0.01	31
46-343		0 360 Complex	40	0	44.6	45.0	0.4	0.0	50	2.04	<0.01	112
46-343		0 360 Complex	40	0	49.0	49.3	0.2	0.0	17	<0.10	<0.01	<22
46-343		0 360 Complex	40	0	62.2	62.4	0.2	0.0	17	0.57	0.02	36
46-343		0 360 Complex	40	0	63.4	64.0	0.6	0.0	17	<0.10	<0.01	<22
46-343		0 360 Complex	40	0	65.0	65.2	0.2	0.0	17	0.11	<0.01	<22
46-343		0 360 Complex	40	0	66.8	67.7	0.9	0.0	17	0.47	0.03	34
46-343		0 360 Complex	40	0	67.7	68.6	1.0	0.0	22	0.72	<0.01	44
46-343		0 360 Complex	40	0	70.9	71.1	0.2	0.0	27	1.06	0.01	60
46-343		0 360 Complex	40	0	71.1	72.5	1.5	0.0	21	0.81	<0.01	47
46-343		0 360 Complex	40	0	72.5	72.7	0.2	0.0	35	1.16	0.20	93
46-343		0 360 Complex	40	0	74.8	75.6	0.9	0.0	17	0.52	0.02	34
46-343		0 360 Complex	40	0	80.2	80.5	0.3	0.0	38	0.99	0.04	72
46-343		0 360 Complex	40	0	82.5	82.9	0.4	0.0	170	3.53	0.03	279
46-343		0 360 Complex	40	0	84.1	84.4	0.3	0.0	17	0.36	<0.01	29
46-343		0 360 Complex	40	0	85.7	86.9	1.2	0.0	17	0.29	<0.01	27
46-343		0 360 Complex	40	0	88.2	88.4	0.2	0.0	27	0.50	0.01	43
46-343		0 360 Complex	40	0	89.9	90.2	0.3	0.0	17	0.21	<0.01	24
46-343		0 360 Complex	40	0	91.5	92.0	0.5	0.0	253	6.76	0.02	455
46-343		0 360 Complex	40	0	98.8	100.0	1.2	0.0	49	1.30	<0.01	88
46-343		0 360 Complex	40	0	100.0	101.2	1.2	0.0	66	1.57	<0.01	113
46-343		0 360 Complex	40	0	101.2	102.1	0.9	0.0	70	1.50	<0.01	115
46-343		0 360 Complex	40	0	102.1	103.7	1.5	0.0	180	3.54	<0.01	286
46-343		0 360 Complex	40	0	103.7	105.2	1.5	0.0	71	1.41	<0.01	114
46-343		0 360 Complex	40	0	105.2	105.6	0.4	0.0	43	0.96	<0.01	72
46-343		0 360 Complex	40	0	105.6	105.9	0.3	0.0	74	1.90	<0.01	132
46-343		0 360 Complex	40	0	105.9	106.7	0.8	0.0	60	1.30	<0.01	99
46-343		0 360 Complex	40	0	106.7	108.2	1.5	0.0	29	0.54	<0.01	47
46-343		0 360 Complex	40	0	108.2	109.8	1.5	0.0	17	0.33	<0.01	28
46-343	br1_100	360 Complex	40	0	109.8	111.3	1.5	0.0	143	3.21	<0.01	240
46-343	br1_100	360 Complex	40	0	111.3	112.2	0.9	0.0	183	4.64	<0.01	321
46-343		0 360 Complex	40	0	141.8	142.1	0.4	0.0	17	<0.10	<0.01	<22
46-343		0 360 Complex	40	0	142.1	142.7	0.6	0.0	17	<0.10	<0.01	<22
46-344		0 360 Complex	40	-15	7.0	8.4	1.4	0.0	17	0.65	<0.01	38
46-344	178_100	360 Complex	40	-15	8.4	8.6	0.2	0.0	412	18.90	0.02	973
46-344	178_100	360 Complex	40	-15	8.6	9.9	1.3	0.0	17	0.52	<0.01	34
46-344	178_100	360 Complex	40	-15	9.9	10.1	0.2	0.0	139	3.68	<0.01	249
46-344		0 360 Complex	40	-15	10.1	11.6	1.5	0.0	36	1.08	<0.01	69
46-344		0 360 Complex	40	-15	13.4	14.9	1.5	0.0	17	0.60	<0.01	36
46-344		0 360 Complex	40	-15	18.5	19.1	0.5	0.0	501	<0.10	0.19	526
46-344		0 360 Complex	40	-15	23.8	24.0	0.2	0.0	75	3.70	<0.01	186
46-344		0 360 Complex	40	-15	24.0	24.4	0.4	0.0	17	<0.10	<0.01	<22
46-344		0 360 Complex	40	-15	24.4	24.6	0.2	0.0	17	<0.10	<0.01	<22
46-344		0 360 Complex	40	-15	35.0	36.3	1.3	0.0	18	0.77	<0.01	42
46-344		0 360 Complex	40	-15	36.3	37.7	1.5	0.0	17	<0.10	<0.01	<22
46-344		0 360 Complex	40	-15	37.7	38.2	0.5	0.0	17	0.45	<0.01	32
46-344		0 360 Complex	40	-15	38.2	39.1	0.8	0.0	17	<0.10	<0.01	<22
46-344		0 360 Complex	40	-15	39.1	39.2	0.2	0.0	41	1.30	0.03	84
46-344		0 360 Complex	40	-15	43.0	43.1	0.2	0.0	24	0.44	0.05	42
46-344		0 360 Complex	40	-15	44.7	44.9	0.2	0.0	17	0.12	<0.01	<22
46-344	242_100	360 Complex	40	-15	53.0	53.1	0.2	0.0	381	0.43	0.31	430
46-344		0 360 Complex	40	-15	57.2	58.2	1.1	0.0	17	0.42	<0.01	31
46-344		0 360 Complex	40	-15	58.2	59.5	1.2	0.0	39	1.41	<0.01	82
46-344		0 360 Complex	40	-15	59.5	60.2	0.8	0.0	17	0.37	0.01	30
46-344		0 360 Complex	40	-15	60.2	61.5	1.2	0.0	17	0.13	<0.01	22
46-344		0 360 Complex	40	-15	63.5	64.4	0.8	0.0	17	0.20	<0.01	24
46-344		0 360 Complex	40	-15	71.4	71.9	0.5	0.0	19	0.18	0.05	30
46-344		0 360 Complex	40	-15	75.2	75.9	0.7	0.0	20	<0.10	0.02	25
46-344		0 360 Complex	40	-15	77.5	78.4	0.9	0.0	50	0.17	0.08	64
46-344		0 360 Complex	40	-15	81.6	82.0	0.5	0.0	121	<0.10	0.09	134
46-344		0 360 Complex	40	-15	82.0	82.3	0.2	0.0	24	<0.10	0.01	28
46-344	350_100	360 Complex	40	-15	82.3	82.7	0.4	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-344	350_100	360 Complex	40	-15	82.7	82.9	0.2	0.0	1,440	0.50	0.80	1,549
46-344	350_100	360 Complex	40	-15	82.9	83.8	0.9	0.0	21	<0.10	0.02	27
46-344	0	360 Complex	40	-15	84.8	85.7	0.9	0.0	18	0.33	0.01	29
46-344	0	360 Complex	40	-15	85.7	86.9	1.2	0.0	17	0.66	<0.01	38
46-344	0	360 Complex	40	-15	86.9	87.0	0.2	0.0	86	2.65	<0.01	166
46-344	0	360 Complex	40	-15	87.0	87.5	0.5	0.0	17	0.52	<0.01	34
46-344	0	360 Complex	40	-15	92.9	93.1	0.2	0.0	53	1.07	<0.01	86
46-344	0	360 Complex	40	-15	97.6	97.7	0.2	0.0	277	0.23	0.09	294
46-344	0	360 Complex	40	-15	101.2	101.5	0.3	0.0	205	<0.10	0.06	216
46-344	0	360 Complex	40	-15	105.9	106.1	0.2	0.0	57	0.28	0.01	67
46-345	0	360 Complex	40	-30	7.0	8.2	1.3	0.0	18	0.88	<0.01	45
46-345	178_100	360 Complex	40	-30	8.2	8.4	0.2	0.0	415	20.30	0.02	1,018
46-345	178_100	360 Complex	40	-30	8.4	9.5	1.0	0.0	22	0.89	<0.01	50
46-345	0	360 Complex	40	-30	9.5	11.0	1.5	0.0	17	0.38	<0.01	29
46-345	0	360 Complex	40	-30	11.6	12.8	1.2	0.0	17	0.15	<0.01	23
46-345	0	360 Complex	40	-30	12.8	14.1	1.3	0.0	17	<0.10	<0.01	<22
46-345	0	360 Complex	40	-30	14.1	15.2	1.2	0.0	17	<0.10	<0.01	<22
46-345	0	360 Complex	40	-30	17.6	18.1	0.5	0.0	17	<0.10	<0.01	<22
46-345	0	360 Complex	40	-30	20.2	20.8	0.5	0.0	17	0.11	<0.01	<22
46-345	0	360 Complex	40	-30	20.8	21.3	0.5	0.0	48	1.54	0.02	96
46-345	0	360 Complex	40	-30	21.3	21.6	0.4	0.0	20	0.81	<0.01	46
46-345	0	360 Complex	40	-30	27.0	27.9	0.9	0.0	20	0.76	<0.01	43
46-345	0	360 Complex	40	-30	30.2	30.4	0.2	0.0	17	0.30	<0.01	27
46-345	0	360 Complex	40	-30	32.8	32.9	0.2	0.0	31	0.59	0.02	51
46-345	0	360 Complex	40	-30	34.1	34.4	0.3	0.0	17	0.24	0.01	26
46-345	0	360 Complex	40	-30	36.4	37.0	0.6	0.0	20	0.49	<0.01	35
46-345	0	360 Complex	40	-30	39.3	40.5	1.2	0.0	17	0.33	<0.01	28
46-345	0	360 Complex	40	-30	42.7	43.0	0.2	0.0	59	2.88	<0.01	146
46-345	0	360 Complex	40	-30	45.8	46.0	0.2	0.0	17	0.44	<0.01	31
46-345	0	360 Complex	40	-30	47.6	48.2	0.6	0.0	17	0.15	<0.01	23
46-345	242_100	360 Complex	40	-30	48.2	49.7	1.5	0.0	17	0.26	<0.01	26
46-345	242_100	360 Complex	40	-30	49.7	49.9	0.2	0.0	206	2.20	0.76	360
46-345	0	360 Complex	40	-30	49.9	51.1	1.2	0.0	17	0.28	<0.01	26
46-345	0	360 Complex	40	-30	51.1	51.7	0.6	0.0	17	0.15	0.01	23
46-345	0	360 Complex	40	-30	57.6	59.0	1.4	0.0	17	0.12	0.02	23
46-345	0	360 Complex	40	-30	75.6	75.8	0.2	0.0	67	1.21	0.20	126
46-345	0	360 Complex	40	-30	75.8	77.0	1.2	0.0	19	0.16	<0.01	25
46-346	178_100	360 Complex	17	15	8.8	10.3	1.4	0.0	33	0.71	<0.01	55
46-346	178_100	360 Complex	17	15	10.3	10.8	0.5	0.0	370	9.14	0.02	643
46-346	0	360 Complex	17	15	10.8	11.3	0.5	0.0	51	1.79	<0.01	106
46-346	0	360 Complex	17	15	16.5	16.8	0.3	0.0	17	0.12	<0.01	<22
46-346	0	360 Complex	17	15	16.8	18.1	1.4	0.0	17	0.16	<0.01	23
46-346	0	360 Complex	17	15	19.9	20.7	0.8	0.0	17	0.29	<0.01	27
46-346	0	360 Complex	17	15	21.6	22.4	0.8	0.0	17	0.39	<0.01	30
46-346	0	360 Complex	17	15	25.4	26.2	0.8	0.0	33	1.59	<0.01	82
46-346	0	360 Complex	17	15	27.7	29.0	1.2	0.0	17	0.51	<0.01	33
46-346	0	360 Complex	17	15	29.0	29.5	0.6	0.0	102	4.98	0.01	251
46-346	0	360 Complex	17	15	37.0	37.2	0.2	0.0	55	1.21	0.06	98
46-346	0	360 Complex	17	15	38.6	39.6	1.0	0.0	17	0.36	<0.01	29
46-346	0	360 Complex	17	15	39.6	40.9	1.3	0.0	27	1.11	<0.01	61
46-346	0	360 Complex	17	15	41.5	41.7	0.2	0.0	17	<0.10	<0.01	<22
46-346	0	360 Complex	17	15	42.3	43.7	1.3	0.0	57	2.58	0.02	135
46-346	0	360 Complex	17	15	47.7	49.0	1.3	0.0	96	2.25	0.02	164
46-346	0	360 Complex	17	15	60.5	61.5	1.0	0.0	17	<0.10	<0.01	<22
46-346	0	360 Complex	17	15	61.5	63.0	1.5	0.0	17	<0.10	<0.01	<22
46-346	0	360 Complex	17	15	63.0	64.4	1.3	0.0	40	0.53	0.03	59
46-346	0	360 Complex	17	15	64.4	65.4	1.0	0.0	17	<0.10	<0.01	<22
46-346	0	360 Complex	17	15	65.4	65.6	0.2	0.0	17	<0.10	<0.01	<22
46-346	0	360 Complex	17	15	77.1	78.5	1.4	0.0	17	0.44	<0.01	31
46-346	0	360 Complex	17	15	81.7	82.7	1.0	0.0	22	0.63	<0.01	42
46-346	0	360 Complex	17	15	84.9	85.9	0.9	0.0	35	0.44	0.02	50
46-346	0	360 Complex	17	15	85.9	87.1	1.3	0.0	45	0.12	0.03	51
46-346	0	360 Complex	17	15	91.2	92.5	1.3	0.0	59	1.21	<0.01	96

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-346	0	360 Complex	17	15	92.5	93.9	1.4	0.0	23	0.54	<0.01	40
46-346	0	360 Complex	17	15	93.9	95.0	1.1	0.0	20	0.65	<0.01	41
46-346	350_100	360 Complex	17	15	95.0	95.3	0.3	0.0	255	8.86	<0.01	519
46-346	350_100	360 Complex	17	15	95.3	96.0	0.8	0.0	127	2.74	<0.01	210
46-346	0	360 Complex	17	15	99.1	100.6	1.5	0.0	17	0.36	<0.01	29
46-346	0	360 Complex	17	15	100.6	100.8	0.2	0.0	314	6.79	<0.01	516
46-346	0	360 Complex	17	15	100.8	102.0	1.3	0.0	67	1.45	<0.01	111
46-346	0	360 Complex	17	15	102.0	102.3	0.3	0.0	73	1.49	<0.01	118
46-346	0	360 Complex	17	15	105.2	106.3	1.1	0.0	234	4.40	<0.01	365
46-346	368_100	360 Complex	17	15	116.7	118.1	1.5	1.5	259	5.69	0.02	429
46-346	368_100	360 Complex	17	15	118.1	119.6	1.5	1.5	215	4.73	0.03	358
46-346	0	360 Complex	17	15	150.1	150.2	0.2	0.0	17	<0.10	<0.01	<22
46-347	178_100	360 Complex	16	0	7.8	8.5	0.7	0.0	17	0.47	<0.01	32
46-347	178_100	360 Complex	16	0	8.5	8.8	0.3	0.0	157	5.76	<0.01	329
46-347	0	360 Complex	16	0	8.8	9.1	0.3	0.0	17	0.13	<0.01	22
46-347	0	360 Complex	16	0	9.1	10.6	1.4	0.0	17	0.33	<0.01	28
46-347	0	360 Complex	16	0	11.8	11.9	0.2	0.0	19	1.02	<0.01	51
46-347	0	360 Complex	16	0	13.4	14.9	1.5	0.0	28	0.96	0.01	58
46-347	0	360 Complex	16	0	17.3	18.0	0.8	0.0	17	0.74	<0.01	40
46-347	0	360 Complex	16	0	20.9	21.0	0.2	0.0	38	1.69	<0.01	89
46-347	0	360 Complex	16	0	22.3	22.4	0.2	0.0	70	1.96	0.01	130
46-347	0	360 Complex	16	0	29.0	30.0	1.0	0.0	17	0.17	0.01	24
46-347	0	360 Complex	16	0	30.0	30.1	0.1	0.0	57	2.93	<0.01	145
46-347	0	360 Complex	16	0	30.1	30.6	0.5	0.0	17	0.66	<0.01	38
46-347	0	360 Complex	16	0	30.6	30.9	0.4	0.0	17	0.86	<0.01	44
46-347	0	360 Complex	16	0	32.5	32.7	0.2	0.0	90	5.16	0.03	245
46-347	0	360 Complex	16	0	33.4	34.0	0.6	0.0	29	1.40	0.02	73
46-347	0	360 Complex	16	0	34.9	35.4	0.4	0.0	17	0.14	0.02	23
46-347	242_100	360 Complex	16	0	48.3	48.4	0.2	0.0	796	2.81	0.82	974
46-347	0	360 Complex	16	0	53.8	54.9	1.1	0.0	17	<0.10	<0.01	<22
46-347	0	360 Complex	16	0	54.9	55.9	1.0	0.0	18	<0.10	0.02	23
46-347	0	360 Complex	16	0	55.9	57.0	1.1	0.0	17	<0.10	0.01	<22
46-347	0	360 Complex	16	0	71.6	72.3	0.6	0.0	85	2.11	0.16	165
46-347	0	360 Complex	16	0	75.2	76.5	1.2	0.0	30	<0.10	0.02	35
46-347	350_100	360 Complex	16	0	81.8	82.4	0.6	0.0	56	0.89	<0.01	84
46-347	350_100	360 Complex	16	0	82.4	82.6	0.2	0.0	2,346	0.22	0.60	2,422
46-347	350_100	360 Complex	16	0	82.6	83.5	0.9	0.0	24	<0.10	<0.01	28
46-347	0	360 Complex	16	0	86.6	87.3	0.7	0.0	53	0.56	0.01	71
46-347	0	360 Complex	16	0	87.3	87.5	0.2	0.0	919	0.72	0.34	979
46-347	0	360 Complex	16	0	87.5	88.1	0.6	0.0	22	0.13	<0.01	27
46-347	0	360 Complex	16	0	172.6	172.9	0.2	0.0	17	<0.10	<0.01	<22
46-348	0	360 Complex	10	-15	3.0	4.6	1.5	0.0	17	0.18	<0.01	24
46-348	0	360 Complex	10	-15	6.8	7.7	0.9	0.0	17	0.48	<0.01	33
46-348	178_100	360 Complex	10	-15	7.7	8.3	0.6	0.0	41	1.94	<0.01	100
46-348	0	360 Complex	10	-15	8.3	9.5	1.1	0.0	17	0.21	<0.01	24
46-348	0	360 Complex	10	-15	9.5	10.9	1.5	0.0	17	0.12	<0.01	<22
46-348	0	360 Complex	10	-15	10.9	11.6	0.6	0.0	17	0.21	<0.01	25
46-348	0	360 Complex	10	-15	11.6	12.3	0.7	0.0	17	0.19	<0.01	24
46-348	0	360 Complex	10	-15	12.3	13.5	1.3	0.0	20	0.59	<0.01	39
46-348	0	360 Complex	10	-15	13.5	14.2	0.6	0.0	17	0.20	<0.01	24
46-348	0	360 Complex	10	-15	14.2	15.2	1.0	0.0	17	<0.10	<0.01	<22
46-348	0	360 Complex	10	-15	15.2	15.9	0.7	0.0	17	<0.10	<0.01	<22
46-348	0	360 Complex	10	-15	15.9	16.4	0.6	0.0	17	0.33	<0.01	28
46-348	0	360 Complex	10	-15	16.4	17.4	0.9	0.0	17	<0.10	<0.01	<22
46-348	0	360 Complex	10	-15	19.4	19.5	0.2	0.0	35	0.27	0.02	45
46-348	0	360 Complex	10	-15	32.6	32.8	0.2	0.0	40	1.62	<0.01	89
46-348	0	360 Complex	10	-15	33.8	34.4	0.6	0.0	21	0.60	<0.01	40
46-348	239_100	360 Complex	10	-15	39.0	39.1	0.2	0.0	59	3.80	0.02	174
46-348	0	360 Complex	10	-15	44.8	45.0	0.2	0.0	154	0.39	0.19	188
46-348	0	360 Complex	10	-15	52.1	52.9	0.7	0.0	62	<0.10	0.04	69
46-348	0	360 Complex	10	-15	57.6	57.9	0.4	0.0	29	0.59	<0.01	47
46-348	0	360 Complex	10	-15	57.9	59.2	1.3	0.0	102	1.74	0.09	164
46-348	0	360 Complex	10	-15	59.2	60.4	1.2	0.0	17	0.24	<0.01	25

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-348		0 360 Complex	10	-15	67.1	68.4	1.3	0.0	17	0.28	<0.01	27
46-348		0 360 Complex	10	-15	68.4	69.4	1.0	0.0	17	0.33	<0.01	28
46-348		0 360 Complex	10	-15	69.4	70.2	0.8	0.0	17	<0.10	<0.01	<22
46-348		0 360 Complex	10	-15	70.2	70.5	0.3	0.0	74	1.04	0.07	112
46-348		0 360 Complex	10	-15	70.5	71.0	0.6	0.0	17	0.33	0.01	29
46-348		0 360 Complex	10	-15	74.5	75.2	0.6	0.0	49	1.30	<0.01	89
46-348		0 360 Complex	10	-15	75.2	75.4	0.3	0.0	220	5.40	0.12	393
46-348		0 360 Complex	10	-15	75.4	76.4	0.9	0.0	26	0.28	<0.01	36
46-348		0 360 Complex	10	-15	76.4	77.7	1.3	0.0	18	0.44	<0.01	32
46-348		0 360 Complex	10	-15	77.7	77.8	0.2	0.0	146	3.77	0.03	261
46-348		0 360 Complex	10	-15	77.8	78.6	0.8	0.0	54	1.63	<0.01	104
46-348	new_100	360 Complex	10	-15	83.0	83.3	0.3	0.3	3,292	0.18	1.01	3,416
46-349		0 360 Complex	14	-30	7.8	8.8	1.0	0.0	57	2.33	<0.01	127
46-349		0 360 Complex	14	-30	11.9	13.0	1.1	0.0	17	0.22	0.02	26
46-349		0 360 Complex	14	-30	14.4	15.7	1.4	0.0	17	0.18	<0.01	24
46-349		0 360 Complex	14	-30	17.1	18.2	1.1	0.0	30	0.95	0.02	60
46-349		0 360 Complex	14	-30	23.9	24.1	0.2	0.0	75	3.69	0.01	186
46-349	348_100	360 Complex	14	-30	32.6	32.8	0.2	0.0	158	3.87	0.06	279
46-349		0 360 Complex	14	-30	34.3	35.4	1.0	0.0	28	0.59	0.03	48
46-349		0 360 Complex	14	-30	35.4	36.6	1.2	0.0	25	<0.10	0.01	30
46-349		0 360 Complex	14	-30	39.0	39.4	0.4	0.0	24	<0.10	0.01	28
46-349		0 360 Complex	14	-30	42.7	42.9	0.2	0.0	62	3.12	<0.01	155
46-349		0 360 Complex	14	-30	42.9	43.3	0.4	0.0	17	<0.10	<0.01	<22
46-349		0 360 Complex	14	-30	43.3	44.5	1.3	0.0	18	0.44	<0.01	32
46-349		0 360 Complex	14	-30	57.5	58.5	1.0	0.0	18	<0.10	<0.01	22
46-349		0 360 Complex	14	-30	58.5	59.5	0.9	0.0	17	<0.10	<0.01	<22
46-349		0 360 Complex	14	-30	68.8	69.2	0.5	0.0	17	<0.10	<0.01	<22
46-349	350_100	360 Complex	14	-30	75.6	77.1	1.5	0.0	17	0.11	<0.01	<22
46-349	350_100	360 Complex	14	-30	77.1	77.4	0.3	0.0	156	0.46	0.11	183
46-349		0 360 Complex	14	-30	77.4	77.9	0.5	0.0	43	0.54	0.02	61
46-349		0 360 Complex	14	-30	103.4	103.6	0.2	0.0	49	<0.10	0.02	54
46-349		0 360 Complex	14	-30	149.0	149.2	0.2	0.0	17	<0.10	<0.01	<22
46-350	178_100	360 Complex	355	15	14.9	15.7	0.8	0.0	142	5.07	<0.01	293
46-350		0 360 Complex	355	15	17.2	17.6	0.4	0.0	64	1.56	<0.01	111
46-350		0 360 Complex	355	15	20.0	21.5	1.5	0.0	17	<0.10	<0.01	<22
46-350		0 360 Complex	355	15	21.5	22.0	0.5	0.0	17	0.10	<0.01	<22
46-350		0 360 Complex	355	15	22.0	22.9	0.9	0.0	29	1.33	<0.01	69
46-350		0 360 Complex	355	15	23.5	23.8	0.3	0.0	19	1.07	<0.01	51
46-350		0 360 Complex	355	15	28.1	28.5	0.4	0.0	22	1.24	<0.01	60
46-350		0 360 Complex	355	15	28.5	29.5	1.0	0.0	17	0.57	<0.01	35
46-350		0 360 Complex	355	15	29.5	29.9	0.3	0.0	50	2.54	0.02	127
46-350		0 360 Complex	355	15	32.6	33.4	0.8	0.0	31	1.24	<0.01	69
46-350		0 360 Complex	355	15	35.9	36.1	0.2	0.0	21	0.51	<0.01	37
46-350		0 360 Complex	355	15	46.8	48.3	1.5	0.0	17	0.63	<0.01	37
46-350		0 360 Complex	355	15	48.3	49.8	1.5	0.0	17	0.54	<0.01	34
46-350		0 360 Complex	355	15	49.8	51.3	1.5	0.0	23	1.40	<0.01	66
46-350		0 360 Complex	355	15	54.0	54.6	0.6	0.0	41	1.63	<0.01	90
46-350		0 360 Complex	355	15	54.6	54.8	0.3	0.0	17	0.40	0.02	32
46-350		0 360 Complex	355	15	54.8	55.8	0.9	0.0	17	0.20	<0.01	24
46-350		0 360 Complex	355	15	63.0	63.3	0.3	0.0	28	0.79	0.02	54
46-350		0 360 Complex	355	15	67.2	67.6	0.4	0.0	17	0.14	<0.01	23
46-350		0 360 Complex	355	15	71.7	73.3	1.5	0.0	17	<0.10	<0.01	<22
46-350		0 360 Complex	355	15	73.3	74.7	1.4	0.0	18	<0.10	<0.01	22
46-350		0 360 Complex	355	15	74.7	75.6	0.9	0.0	37	<0.10	0.02	42
46-350		0 360 Complex	355	15	96.8	97.3	0.5	0.0	63	0.74	0.08	94
46-350		0 360 Complex	355	15	97.3	98.5	1.2	0.0	17	0.37	<0.01	29
46-350		0 360 Complex	355	15	98.5	99.5	1.1	0.0	17	0.51	<0.01	34
46-350		0 360 Complex	355	15	99.5	100.2	0.7	0.0	37	0.71	0.03	61
46-350	new_100	360 Complex	355	15	103.6	103.8	0.2	0.1	604	25.40	0.03	1,359
46-350	new_100	360 Complex	355	15	103.8	104.9	1.1	0.7	64	2.03	<0.01	125
46-350	new_100	360 Complex	355	15	104.9	105.5	0.6	0.4	17	0.37	<0.01	29
46-350	new_100	360 Complex	355	15	105.5	105.9	0.4	0.3	919	33.10	0.03	1,902
46-350		0 360 Complex	355	15	105.9	107.4	1.5	0.0	77	2.24	<0.01	144

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-350	0	360 Complex	355	15	113.4	114.7	1.3	0.0	36	0.26	<0.01	45
46-350	350_100	360 Complex	355	15	121.4	121.5	0.2	0.0	317	5.65	0.01	485
46-350	new_100	360 Complex	355	15	126.7	127.6	0.9	0.5	367	9.88	<0.01	661
46-350	new_100	360 Complex	355	15	127.6	129.0	1.4	0.8	61	1.46	<0.01	105
46-350	new_100	360 Complex	355	15	129.0	130.3	1.4	0.8	45	1.24	<0.01	83
46-350	new_100	360 Complex	355	15	130.3	131.0	0.7	0.4	658	23.30	0.06	1,355
46-350	br1_100	360 Complex	355	15	142.3	142.5	0.2	0.0	195	10.80	0.28	547
46-350	368_100	360 Complex	355	15	151.8	153.0	1.2	1.2	221	6.38	<0.01	411
46-350	368_100	360 Complex	355	15	153.0	153.7	0.6	0.6	200	5.35	<0.01	359
46-351	0	360 Complex	355	0	8.9	9.4	0.5	0.0	53	1.64	<0.01	103
46-351	0	360 Complex	355	0	9.4	10.2	0.9	0.0	17	0.28	<0.01	27
46-351	0	360 Complex	355	0	10.2	11.5	1.3	0.0	19	0.70	<0.01	40
46-351	0	360 Complex	355	0	11.5	11.7	0.2	0.0	54	1.79	<0.01	108
46-351	178_100	360 Complex	355	0	11.7	12.2	0.5	0.0	17	0.13	<0.01	22
46-351	178_100	360 Complex	355	0	12.2	12.5	0.3	0.0	253	8.05	0.05	497
46-351	178_100	360 Complex	355	0	12.5	13.9	1.4	0.0	17	0.54	<0.01	34
46-351	0	360 Complex	355	0	13.9	14.4	0.5	0.0	37	2.09	<0.01	100
46-351	0	360 Complex	355	0	15.5	16.3	0.8	0.0	17	0.37	<0.01	29
46-351	0	360 Complex	355	0	16.3	17.1	0.8	0.0	54	1.57	<0.01	101
46-351	0	360 Complex	355	0	17.1	17.6	0.5	0.0	17	0.37	<0.01	29
46-351	0	360 Complex	355	0	17.6	17.9	0.3	0.0	19	0.38	<0.01	32
46-351	0	360 Complex	355	0	17.9	18.6	0.7	0.0	25	0.59	<0.01	44
46-351	0	360 Complex	355	0	18.6	19.5	0.9	0.0	27	0.64	<0.01	47
46-351	0	360 Complex	355	0	19.5	20.0	0.5	0.0	17	<0.10	<0.01	<22
46-351	0	360 Complex	355	0	20.0	20.4	0.5	0.0	44	0.91	<0.01	72
46-351	0	360 Complex	355	0	21.2	21.4	0.2	0.0	63	3.09	<0.01	155
46-351	0	360 Complex	355	0	21.6	21.8	0.2	0.0	72	3.16	<0.01	167
46-351	0	360 Complex	355	0	22.2	22.6	0.3	0.0	24	1.30	<0.01	64
46-351	0	360 Complex	355	0	23.2	23.5	0.3	0.0	28	1.32	<0.01	69
46-351	0	360 Complex	355	0	25.3	25.9	0.7	0.0	22	1.07	<0.01	55
46-351	0	360 Complex	355	0	29.1	29.7	0.6	0.0	38	1.82	0.01	94
46-351	0	360 Complex	355	0	47.0	47.7	0.6	0.0	17	<0.10	<0.01	<22
46-351	0	360 Complex	355	0	47.7	49.0	1.4	0.0	17	0.37	<0.01	29
46-351	0	360 Complex	355	0	51.1	51.6	0.5	0.0	62	2.01	0.02	124
46-351	0	360 Complex	355	0	57.3	57.5	0.2	0.0	74	4.50	0.01	209
46-351	0	360 Complex	355	0	58.2	58.4	0.2	0.0	55	3.36	<0.01	156
46-351	0	360 Complex	355	0	60.1	60.2	0.2	0.0	17	<0.10	<0.01	<22
46-351	0	360 Complex	355	0	60.2	61.8	1.5	0.0	17	<0.10	<0.01	<22
46-351	0	360 Complex	355	0	61.8	62.7	0.9	0.0	20	0.89	0.02	49
46-351	0	360 Complex	355	0	72.2	72.7	0.5	0.0	17	<0.10	<0.01	<22
46-351	0	360 Complex	355	0	81.3	81.7	0.5	0.0	116	<0.10	0.06	125
46-351	0	360 Complex	355	0	89.1	89.4	0.2	0.0	21	0.12	0.02	27
46-351	0	360 Complex	355	0	90.7	91.0	0.3	0.0	86	1.25	0.06	131
46-351	0	360 Complex	355	0	91.9	92.6	0.7	0.0	77	0.99	0.02	108
46-351	0	360 Complex	355	0	95.5	96.1	0.5	0.0	105	1.44	0.21	173
46-351	0	360 Complex	355	0	96.1	97.0	0.9	0.0	25	0.32	0.03	38
46-351	0	360 Complex	355	0	97.0	97.6	0.5	0.0	226	4.88	0.38	415
46-351	0	360 Complex	355	0	97.6	98.3	0.8	0.0	29	0.52	0.07	53
46-351	0	360 Complex	355	0	101.7	102.0	0.3	0.0	25	0.27	0.03	37
46-351	0	360 Complex	355	0	105.0	105.9	0.9	0.0	35	<0.10	0.02	40
46-351	0	360 Complex	355	0	110.6	110.8	0.2	0.0	37	0.21	0.02	45
46-351	0	360 Complex	355	0	113.5	113.8	0.3	0.0	103	0.15	0.03	111
46-351	0	360 Complex	355	0	124.8	126.0	1.2	0.0	70	0.19	0.03	79
46-351	0	360 Complex	355	0	127.5	127.8	0.3	0.0	44	0.15	0.01	50
46-352	0	360 Complex	350	-15	8.3	8.6	0.3	0.0	17	0.36	<0.01	29
46-352	0	360 Complex	350	-15	10.2	11.5	1.3	0.0	50	1.90	<0.01	107
46-352	0	360 Complex	350	-15	12.9	14.0	1.1	0.0	17	0.49	<0.01	33
46-352	0	360 Complex	350	-15	14.5	15.5	1.1	0.0	18	0.33	<0.01	29
46-352	0	360 Complex	350	-15	15.5	16.8	1.2	0.0	44	1.16	0.01	80
46-352	0	360 Complex	350	-15	17.3	17.6	0.3	0.0	36	1.28	<0.01	75
46-352	0	360 Complex	350	-15	18.8	19.9	1.1	0.0	20	0.96	<0.01	49
46-352	0	360 Complex	350	-15	22.7	23.3	0.6	0.0	245	3.40	0.07	354
46-352	0	360 Complex	350	-15	25.6	25.9	0.2	0.0	28	1.40	<0.01	70

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
46-352		0 360 Complex	350	-15	36.2	36.5	0.3	0.0	134	6.48	0.02	329
46-352		0 360 Complex	350	-15	40.7	42.1	1.3	0.0	17	0.12	0.01	<22
46-352		0 360 Complex	350	-15	42.1	42.8	0.7	0.0	23	<0.10	0.01	27
46-352		0 360 Complex	350	-15	46.9	47.0	0.2	0.0	17	0.31	0.01	28
46-352		0 360 Complex	350	-15	52.9	53.0	0.2	0.0	43	0.68	0.05	69
46-352		0 360 Complex	350	-15	57.8	58.0	0.2	0.0	29	1.40	<0.01	72
46-352		0 360 Complex	350	-15	59.6	59.8	0.2	0.0	27	1.37	<0.01	69
46-352		0 360 Complex	350	-15	63.1	64.0	0.9	0.0	17	0.11	<0.01	<22
46-352		0 360 Complex	350	-15	64.0	65.2	1.2	0.0	44	<0.10	0.03	50
46-352		0 360 Complex	350	-15	65.2	66.3	1.1	0.0	17	<0.10	0.01	<22
46-352		0 360 Complex	350	-15	74.1	75.5	1.4	0.0	17	0.21	0.01	25
46-352		0 360 Complex	350	-15	79.8	80.8	1.0	0.0	63	0.23	0.06	78
46-352		0 360 Complex	350	-15	80.8	82.3	1.5	0.0	17	<0.10	<0.01	<22
46-352		0 360 Complex	350	-15	82.3	82.8	0.5	0.0	61	0.45	0.04	80
46-352		0 360 Complex	350	-15	95.3	95.9	0.6	0.0	364	0.11	0.18	388
46-352	new_100	360 Complex	350	-15	126.4	127.2	0.9	0.8	631	<0.10	0.26	665
46-352	new_100	360 Complex	350	-15	127.2	128.0	0.8	0.8	228	<0.10	0.10	242
46-352		0 360 Complex	350	-15	132.0	132.6	0.6	0.0	370	0.11	0.15	391
46-352		0 360 Complex	350	-15	150.2	150.3	0.2	0.0	17	0.80	<0.01	42
46-353		0 360 Complex	350	-30	8.0	8.2	0.2	0.0	57	2.07	0.02	121
46-353		0 360 Complex	350	-30	9.6	11.0	1.4	0.0	24	0.66	<0.01	45
46-353		0 360 Complex	350	-30	12.2	13.0	0.8	0.0	133	0.74	0.07	164
46-353		0 360 Complex	350	-30	14.4	15.4	1.0	0.0	23	<0.10	0.01	27
46-353		0 360 Complex	350	-30	15.4	16.8	1.3	0.0	24	0.44	<0.01	38
46-353		0 360 Complex	350	-30	16.8	18.0	1.2	0.0	111	2.69	0.03	195
46-353		0 360 Complex	350	-30	18.0	19.1	1.2	0.0	26	0.97	0.01	57
46-353		0 360 Complex	350	-30	27.4	27.8	0.3	0.0	281	1.98	0.16	358
46-353		0 360 Complex	350	-30	34.7	35.5	0.9	0.0	71	3.90	<0.01	188
46-353		0 360 Complex	350	-30	38.5	39.6	1.1	0.0	42	0.14	0.02	49
46-353		0 360 Complex	350	-30	39.6	40.4	0.8	0.0	22	<0.10	<0.01	26
46-353		0 360 Complex	350	-30	40.4	41.0	0.6	0.0	17	0.12	<0.01	<22
46-353		0 360 Complex	350	-30	41.0	41.4	0.4	0.0	39	0.99	<0.01	70
46-353		0 360 Complex	350	-30	55.8	56.6	0.8	0.0	232	2.49	0.05	312
46-353		0 360 Complex	350	-30	61.3	61.6	0.3	0.0	83	2.99	0.01	173
46-353		0 360 Complex	350	-30	61.6	62.1	0.5	0.0	17	<0.10	<0.01	<22
46-353		0 360 Complex	350	-30	62.1	62.4	0.3	0.0	72	1.45	0.28	148
46-353		0 360 Complex	350	-30	62.4	63.3	0.8	0.0	17	0.47	<0.01	32
46-353		0 360 Complex	350	-30	63.3	63.7	0.4	0.0	37	1.06	0.02	71
46-353		0 360 Complex	350	-30	63.7	64.4	0.8	0.0	17	<0.10	<0.01	<22
46-353		0 360 Complex	350	-30	64.4	64.7	0.2	0.0	151	4.94	0.03	301
46-353		0 360 Complex	350	-30	68.7	69.1	0.4	0.0	17	0.12	0.02	23
46-353		0 360 Complex	350	-30	69.8	70.3	0.5	0.0	17	<0.10	<0.01	<22
46-353		0 360 Complex	350	-30	71.2	71.9	0.7	0.0	22	<0.10	0.01	27
46-353		0 360 Complex	350	-30	85.9	86.8	1.0	0.0	50	<0.10	0.03	57
46-353		0 360 Complex	350	-30	98.2	98.4	0.2	0.0	240	0.12	0.13	259
46-353		0 360 Complex	350	-30	105.2	106.7	1.5	0.3	590	0.12	0.32	631
46-353		0 360 Complex	350	-30	139.4	139.7	0.3	0.0	17	<0.10	<0.01	<22
46-353		0 360 Complex	350	-30	142.3	143.3	1.0	0.0	90	<0.10	0.06	99
49-628		0 Caladay	348	-50	314.8	315.0	0.2	0.0	59	0.20	0.02	67
49-628	new_100	Caladay	348	-50	339.9	340.5	0.6	0.0	112	<0.10	0.05	121
49-628	new_100	Caladay	348	-50	340.5	341.2	0.6	0.0	129	<0.10	0.05	138
49-628	new_100	Caladay	348	-50	341.2	342.2	1.1	0.0	124	<0.10	0.06	134
49-629		0 Caladay	355	-20	160.2	161.6	1.4	0.0	18	<0.10	0.04	25
49-629		0 Caladay	355	-20	161.6	163.0	1.4	0.0	17	<0.10	0.03	24
49-629		0 Caladay	355	-20	179.9	181.0	1.1	0.0	25	<0.10	0.03	32
49-629		0 Caladay	355	-20	181.0	181.2	0.2	0.0	21	<0.10	0.02	27
49-629		0 Caladay	355	-20	181.2	182.0	0.8	0.0	71	<0.10	0.09	84
49-629		0 Caladay	355	-20	182.0	183.2	1.2	0.0	202	<0.10	0.23	232
49-629	new_100	Caladay	355	-20	183.2	183.8	0.6	0.6	456	<0.10	0.49	516
49-629	new_100	Caladay	355	-20	183.8	185.1	1.2	1.2	398	<0.10	0.47	455
49-629	new_100	Caladay	355	-20	185.1	185.4	0.3	0.3	1,649	<0.10	1.94	1,879
49-629	new_100	Caladay	355	-20	185.4	186.0	0.6	0.6	446	<0.10	0.52	509
49-629	new_100	Caladay	355	-20	186.0	187.3	1.4	1.4	617	<0.10	0.62	693

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-629	0	Caladay	355	-20	187.3	188.6	1.2	0.0	79	<0.10	0.08	91
49-629	0	Caladay	355	-20	188.6	189.0	0.5	0.0	211	<0.10	0.20	237
49-629	0	Caladay	355	-20	189.0	189.6	0.6	0.0	50	<0.10	0.06	60
49-629	0	Caladay	355	-20	189.6	189.8	0.2	0.0	830	<0.10	0.91	939
49-629	0	Caladay	355	-20	189.8	191.0	1.2	0.0	21	<0.10	0.02	26
49-629	0	Caladay	355	-20	191.0	192.1	1.1	0.0	26	<0.10	0.02	32
49-629	0	Caladay	355	-20	194.5	194.8	0.3	0.0	17	<0.10	0.01	<22
49-629	0	Caladay	355	-20	210.1	211.3	1.2	0.0	83	<0.10	0.04	91
49-629	0	Caladay	355	-20	211.3	211.9	0.6	0.0	17	<0.10	<0.01	<22
49-629	0	Caladay	355	-20	211.9	212.5	0.6	0.0	17	<0.10	<0.01	<22
49-629	0	Caladay	355	-20	213.6	214.9	1.3	0.0	17	<0.10	<0.01	<22
49-629	0	Caladay	355	-20	214.9	215.4	0.5	0.0	31	<0.10	0.01	35
49-629	0	Caladay	355	-20	217.4	217.7	0.3	0.0	511	<0.10	0.23	541
49-629	0	Caladay	355	-20	218.3	218.4	0.2	0.0	182	<0.10	0.08	194
49-629	0	Caladay	355	-20	219.5	220.7	1.2	0.0	104	<0.10	0.05	113
49-629	0	Caladay	355	-20	220.7	222.0	1.2	0.0	142	<0.10	0.07	153
49-629	0	Caladay	355	-20	222.0	223.2	1.2	0.0	26	<0.10	<0.01	31
49-629	0	Caladay	355	-20	224.8	225.7	0.8	0.0	30	<0.10	0.01	34
49-629	257_100	Caladay	355	-20	225.7	226.3	0.6	0.6	3,244	0.12	1.41	3,413
49-629	0	Caladay	355	-20	226.3	226.4	0.2	0.0	34	<0.10	0.02	39
49-629	0	Caladay	355	-20	226.4	227.1	0.7	0.0	17	<0.10	<0.01	<22
49-629	0	Caladay	355	-20	248.3	249.4	1.1	0.0	25	<0.10	0.01	30
49-629	0	Caladay	355	-20	249.4	249.6	0.2	0.0	31	0.16	0.01	37
49-629	0	Caladay	355	-20	249.6	251.0	1.4	0.0	17	<0.10	<0.01	<22
49-629	0	Caladay	355	-20	251.0	251.4	0.3	0.0	132	0.27	0.06	146
49-629	0	Caladay	355	-20	251.4	251.7	0.4	0.0	17	<0.10	<0.01	<22
49-629	0	Caladay	355	-20	263.6	264.0	0.5	0.0	122	4.48	<0.01	256
49-629	0	Caladay	355	-20	264.0	265.2	1.2	0.0	29	1.34	<0.01	70
49-629	0	Caladay	355	-20	265.2	266.2	0.9	0.0	34	1.37	<0.01	76
49-629	0	Caladay	355	-20	266.2	266.8	0.6	0.0	57	2.37	<0.01	128
49-629	0	Caladay	355	-20	266.8	268.0	1.2	0.0	69	2.75	<0.01	152
49-629	368_100	Caladay	355	-20	268.0	268.4	0.4	0.3	617	31.10	0.02	1,541
49-629	368_100	Caladay	355	-20	268.4	269.5	1.1	0.9	17	0.68	<0.01	38
49-629	368_100	Caladay	355	-20	269.5	270.5	1.1	0.9	191	8.29	<0.01	438
49-629	368_100	Caladay	355	-20	270.5	270.8	0.2	0.2	226	9.81	<0.01	518
49-629	0	Caladay	355	-20	270.8	272.3	1.5	0.0	34	1.33	<0.01	74
49-629	0	Caladay	355	-20	272.3	273.8	1.5	0.0	88	3.47	<0.01	192
49-629	0	Caladay	355	-20	273.8	275.0	1.2	0.0	59	2.11	<0.01	122
49-629	366_100	Caladay	355	-20	275.0	276.2	1.2	1.0	160	6.34	<0.01	349
49-629	366_100	Caladay	355	-20	276.2	276.6	0.3	0.3	782	22.20	0.01	1,441
49-629	0	Caladay	355	-20	276.6	277.1	0.6	0.0	17	0.13	<0.01	22
49-629	0	Caladay	355	-20	280.3	280.5	0.2	0.0	58	0.96	<0.01	87
49-629	360_100	Caladay	355	-20	289.0	290.4	1.5	0.0	20	0.12	<0.01	24
49-629	0	Caladay	355	-20	294.2	295.1	0.9	0.0	27	0.20	<0.01	35
49-629	0	Caladay	355	-20	300.1	300.7	0.6	0.0	17	0.29	<0.01	27
49-629	367_100	Caladay	355	-20	300.7	302.1	1.4	0.5	258	4.84	0.03	405
49-629	367_100	Caladay	355	-20	302.1	303.4	1.2	0.0	92	2.07	<0.01	154
49-629	0	Caladay	355	-20	303.4	304.9	1.5	0.0	39	0.27	0.03	50
49-629	0	Caladay	355	-20	304.9	306.4	1.5	0.0	22	0.17	<0.01	28
49-629	0	Caladay	355	-20	306.4	307.9	1.5	0.0	17	0.29	<0.01	27
49-629	br1_100	Caladay	355	-20	307.9	309.5	1.5	1.5	217	7.15	0.01	430
49-629	br1_100	Caladay	355	-20	309.5	311.0	1.5	0.0	108	3.73	<0.01	219
49-629	0	Caladay	355	-20	311.0	312.5	1.5	0.0	87	3.16	<0.01	181
49-629	0	Caladay	355	-20	312.5	313.1	0.6	0.0	44	1.62	<0.01	93
49-629	0	Caladay	355	-20	313.1	314.6	1.5	0.0	17	1.36	<0.01	59
49-629	0	Caladay	355	-20	314.6	315.7	1.2	0.0	122	0.75	<0.01	145
49-629	new_100	Caladay	355	-20	315.7	317.1	1.3	0.0	43	1.74	<0.01	96
49-629	new_100	Caladay	355	-20	317.1	318.6	1.5	0.0	90	3.07	<0.01	182
49-629	new_100	Caladay	355	-20	318.6	320.0	1.4	0.0	76	3.50	<0.01	181
49-630	0	Caladay	352	-30	8.5	8.8	0.3	0.0	17	<0.10	0.37	63
49-630	0	Caladay	352	-30	166.6	166.8	0.2	0.0	233	<0.10	0.33	275
49-630	0	Caladay	352	-30	174.8	174.9	0.2	0.0	41	<0.10	0.06	50
49-630	0	Caladay	352	-30	186.9	187.5	0.6	0.0	228	<0.10	0.24	259

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-630	0	Caladay	352	-30	215.3	215.5	0.2	0.0	583	<0.10	0.26	616
49-630	0	Caladay	352	-30	218.6	219.5	0.9	0.0	186	<0.10	0.08	198
49-630	257_100	Caladay	352	-30	219.5	220.7	1.2	1.2	449	<0.10	0.19	474
49-630	257_100	Caladay	352	-30	220.7	221.0	0.3	0.3	713	<0.10	0.33	755
49-630	0	Caladay	352	-30	221.0	221.3	0.3	0.0	17	<0.10	<0.01	<22
49-630	0	Caladay	352	-30	221.3	222.3	0.9	0.0	21	<0.10	<0.01	25
49-630	0	Caladay	352	-30	238.3	238.4	0.2	0.0	436	<0.10	0.14	455
49-630	178_100	Caladay	352	-30	240.2	240.4	0.2	0.0	521	<0.10	0.18	545
49-630	0	Caladay	352	-30	244.1	244.2	0.2	0.0	65	<0.10	0.02	71
49-630	0	Caladay	352	-30	250.8	250.9	0.2	0.0	679	<0.10	0.20	706
49-630	0	Caladay	352	-30	251.9	252.3	0.4	0.0	58	0.14	0.02	65
49-630	0	Caladay	352	-30	252.7	252.8	0.2	0.0	43	0.27	0.01	52
49-630	0	Caladay	352	-30	256.5	256.7	0.2	0.0	34	0.41	0.01	48
49-630	0	Caladay	352	-30	256.7	257.6	0.9	0.0	17	0.11	<0.01	<22
49-630	0	Caladay	352	-30	257.6	258.3	0.7	0.0	17	0.24	<0.01	25
49-630	239_100	Caladay	352	-30	258.3	258.6	0.3	0.0	480	10.80	0.02	802
49-630	239_100	Caladay	352	-30	258.6	259.6	1.0	0.0	145	2.62	0.02	224
49-630	239_100	Caladay	352	-30	259.6	259.8	0.2	0.0	224	4.60	<0.01	362
49-630	239_100	Caladay	352	-30	259.8	260.7	0.8	0.0	148	3.16	<0.01	243
49-630	0	Caladay	352	-30	265.2	265.5	0.2	0.0	17	0.20	<0.01	24
49-630	368_100	Caladay	352	-30	267.4	267.7	0.3	0.3	190	8.02	<0.01	428
49-630	368_100	Caladay	352	-30	267.7	267.9	0.2	0.2	892	42.30	0.04	2,149
49-630	0	Caladay	352	-30	268.3	269.5	1.2	0.0	17	0.30	<0.01	27
49-630	370_100	Caladay	352	-30	269.5	270.7	1.2	0.0	72	4.01	<0.01	192
49-630	370_100	Caladay	352	-30	270.7	271.2	0.5	0.0	189	7.08	0.02	400
49-630	0	Caladay	352	-30	271.2	272.1	0.9	0.0	17	0.64	<0.01	37
49-630	0	Caladay	352	-30	272.1	273.0	0.9	0.0	17	0.60	<0.01	36
49-630	0	Caladay	352	-30	273.0	274.4	1.4	0.0	21	0.99	<0.01	51
49-630	0	Caladay	352	-30	274.4	274.7	0.3	0.0	58	2.11	0.01	122
49-630	0	Caladay	352	-30	274.7	274.8	0.2	0.0	394	19.50	0.04	976
49-630	0	Caladay	352	-30	274.8	275.9	1.1	0.0	70	3.46	<0.01	174
49-630	0	Caladay	352	-30	275.9	277.1	1.2	0.0	89	3.83	<0.01	204
49-630	366_100	Caladay	352	-30	277.1	277.4	0.3	0.3	250	12.50	0.01	622
49-630	366_100	Caladay	352	-30	277.4	278.0	0.6	0.6	300	10.40	0.02	610
49-630	366_100	Caladay	352	-30	278.0	279.3	1.2	1.2	56	1.79	<0.01	110
49-630	366_100	Caladay	352	-30	279.3	280.8	1.5	1.5	121	3.85	<0.01	236
49-630	366_100	Caladay	352	-30	280.8	281.1	0.3	0.3	686	18.70	0.02	1,242
49-630	0	Caladay	352	-30	281.1	282.0	0.9	0.0	19	0.17	<0.01	25
49-630	0	Caladay	352	-30	282.0	283.5	1.5	0.0	40	0.17	0.02	48
49-630	0	Caladay	352	-30	283.5	285.1	1.5	0.0	61	<0.10	0.03	67
49-630	0	Caladay	352	-30	285.1	285.2	0.2	0.0	84	0.11	0.05	93
49-630	0	Caladay	352	-30	289.4	289.9	0.5	0.0	50	0.37	0.01	63
49-630	0	Caladay	352	-30	293.4	294.3	0.9	0.0	86	0.22	0.03	96
49-630	0	Caladay	352	-30	297.3	297.5	0.2	0.0	221	<0.10	0.07	233
49-630	367_100	Caladay	352	-30	306.9	307.8	0.9	0.0	148	0.31	0.07	166
49-630	367_100	Caladay	352	-30	307.8	308.7	0.9	0.0	20	<0.10	<0.01	24
49-630	0	Caladay	352	-30	314.6	314.8	0.2	0.0	17	<0.10	<0.01	<22
49-630	0	Caladay	352	-30	345.6	345.8	0.2	0.0	17	<0.10	<0.01	<22
49-631	0	Caladay	340	-53	11.4	11.7	0.3	0.0	17	<0.10	0.11	33
49-631	257_100	Caladay	340	-53	265.1	265.2	0.2	0.0	521	16.80	0.02	1,021
49-631	0	Caladay	340	-53	272.0	273.2	1.2	0.0	24	0.80	<0.01	48
49-631	0	Caladay	340	-53	273.2	274.4	1.2	0.0	27	0.79	<0.01	52
49-631	0	Caladay	340	-53	274.4	274.8	0.5	0.0	92	2.46	0.01	166
49-631	178_100	Caladay	340	-53	278.0	278.4	0.4	0.0	172	3.78	0.01	285
49-631	242_100	Caladay	340	-53	300.9	301.5	0.6	0.3	286	6.08	0.02	468
49-631	242_100	Caladay	340	-53	301.5	302.3	0.8	0.5	197	4.96	<0.01	345
49-631	350_00	Caladay	340	-53	305.5	305.8	0.3	0.2	17	0.24	<0.01	25
49-631	350_100	Caladay	340	-53	305.8	306.3	0.5	0.3	686	17.30	0.03	1,202
49-631	350_100	Caladay	340	-53	306.3	306.7	0.5	0.3	17	0.22	<0.01	25
49-631	0	Caladay	340	-53	308.2	308.5	0.3	0.0	1,070	17.60	0.08	1,600
49-631	368_100	Caladay	340	-53	312.4	312.8	0.4	0.0	439	9.20	<0.01	713
49-631	368_100	Caladay	340	-53	312.8	313.7	0.9	0.0	69	2.04	<0.01	131
49-631	0	Caladay	340	-53	314.6	315.5	0.9	0.0	115	3.18	<0.01	210

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-631	370_100	Caladay	340	-53	316.7	317.1	0.4	0.3	1,180	32.20	<0.01	2,134
49-631	370_100	Caladay	340	-53	317.1	318.4	1.3	0.9	110	3.16	<0.01	205
49-631	0	Caladay	340	-53	322.6	323.2	0.6	0.0	105	3.26	<0.01	203
49-632	0	Caladay	338	-45	4.0	4.1	0.2	0.0	17	<0.10	0.43	70
49-632	0	Caladay	338	-45	5.8	5.9	0.2	0.0	17	<0.10	0.24	49
49-632	0	Caladay	338	-45	6.4	6.6	0.2	0.0	17	<0.10	0.20	44
49-632	0	Caladay	338	-45	34.8	34.9	0.2	0.0	107	<0.10	0.04	114
49-633	0	Caladay	336	-49	0.0	0.9	0.9	0.0	17	<0.10	0.07	28
49-633	0	Caladay	336	-49	0.9	1.0	0.2	0.0	28	<0.10	0.21	55
49-633	0	Caladay	336	-49	1.0	1.6	0.6	0.0	17	<0.10	0.11	33
49-633	0	Caladay	336	-49	17.1	18.3	1.2	0.0	95	<0.10	0.08	107
49-634	0	Caladay	336	-60	13.1	13.3	0.2	0.0	460	<0.10	0.20	486
49-634	new_100	Caladay	336	-60	17.1	17.7	0.6	0.5	466	<0.10	0.31	506
49-634	new_100	Caladay	336	-60	17.7	18.0	0.3	0.2	247	<0.10	0.25	279
49-634	new_100	Caladay	336	-60	18.0	18.3	0.3	0.2	150	<0.10	0.13	168
49-634	new_100	Caladay	336	-60	18.3	19.1	0.8	0.0	148	<0.10	0.10	163
49-634	0	Caladay	336	-60	19.1	20.0	0.9	0.0	20	<0.10	0.01	24
49-634	0	Caladay	336	-60	20.0	20.1	0.2	0.0	466	<0.10	0.27	501
49-634	0	Caladay	336	-60	20.8	20.9	0.2	0.0	76	<0.10	0.04	84
49-634	0	Caladay	336	-60	20.9	21.2	0.2	0.0	70	<0.10	0.03	77
49-634	0	Caladay	336	-60	21.6	22.9	1.2	0.0	17	<0.10	<0.01	<22
49-634	0	Caladay	336	-60	23.4	24.3	0.9	0.0	122	<0.10	0.05	131
49-634	new_100	Caladay	336	-60	25.2	25.8	0.6	0.0	255	<0.10	0.10	270
49-634	new_100	Caladay	336	-60	25.8	26.4	0.6	0.0	199	<0.10	0.09	212
49-634	0	Caladay	336	-60	26.4	27.4	1.0	0.0	56	<0.10	0.02	61
49-634	0	Caladay	336	-60	27.4	27.6	0.2	0.0	17	<0.10	<0.01	<22
49-634	0	Caladay	336	-60	27.6	28.0	0.5	0.0	449	<0.10	0.15	470
49-634	0	Caladay	336	-60	28.0	29.1	1.1	0.0	37	<0.10	0.02	42
49-634	0	Caladay	336	-60	29.1	29.3	0.2	0.0	45	<0.10	0.02	50
49-634	new_100	Caladay	336	-60	30.2	30.5	0.3	0.2	350	<0.10	0.13	368
49-634	new_100	Caladay	336	-60	30.5	31.4	0.9	0.7	297	<0.10	0.12	314
49-634	new_100	Caladay	336	-60	31.4	31.8	0.4	0.3	228	<0.10	0.09	242
49-634	0	Caladay	336	-60	31.8	32.9	1.2	0.0	61	<0.10	0.02	66
49-634	0	Caladay	336	-60	34.1	34.9	0.8	0.0	70	<0.10	0.03	76
49-634	0	Caladay	336	-60	34.9	35.2	0.3	0.0	17	<0.10	<0.01	<22
49-634	new_100	Caladay	336	-60	35.2	35.8	0.6	0.5	754	<0.10	0.37	801
49-634	new_100	Caladay	336	-60	35.8	36.3	0.5	0.3	394	<0.10	0.28	430
49-634	new_100	Caladay	336	-60	36.3	36.6	0.3	0.2	988	<0.10	0.62	1,063
49-634	0	Caladay	336	-60	36.6	37.2	0.6	0.0	17	<0.10	<0.01	<22
49-634	0	Caladay	336	-60	37.2	37.8	0.6	0.0	126	<0.10	0.07	137
49-634	0	Caladay	336	-60	49.2	50.3	1.2	0.0	27	<0.10	0.05	35
49-634	0	Caladay	336	-60	63.1	63.9	0.8	0.0	37	<0.10	0.16	58
49-634	0	Caladay	336	-60	63.9	65.2	1.4	0.0	17	<0.10	0.02	22
49-634	0	Caladay	336	-60	81.6	81.7	0.2	0.0	144	<0.10	0.45	200
49-634	0	Caladay	336	-60	288.5	288.9	0.4	0.0	17	<0.10	<0.01	<22
49-634	0	Caladay	336	-60	300.7	301.3	0.6	0.0	65	0.49	0.02	81
49-634	0	Caladay	336	-60	301.3	302.4	1.1	0.0	61	0.91	<0.01	90
49-634	0	Caladay	336	-60	302.4	303.7	1.2	0.0	17	<0.10	<0.01	<22
49-634	348_100	Caladay	336	-60	303.7	304.9	1.3	0.0	153	1.07	0.04	189
49-634	239_100	Caladay	336	-60	324.1	324.3	0.2	0.0	3,944	0.17	0.88	4,052
49-634	new_100	Caladay	336	-60	327.9	328.2	0.3	0.0	2,064	0.30	0.46	2,127
49-634	0	Caladay	336	-60	332.0	332.3	0.3	0.0	79	0.39	0.01	92
49-634	368_100	Caladay	336	-60	341.1	342.5	1.4	1.4	241	6.96	<0.01	449
49-634	0	Caladay	336	-60	342.5	343.3	0.8	0.0	17	0.13	<0.01	22
49-634	0	Caladay	336	-60	343.3	343.4	0.2	0.0	398	15.70	<0.01	864
49-634	0	Caladay	336	-60	343.4	344.5	1.1	0.0	17	0.70	<0.01	39
49-634	370_100	Caladay	336	-60	344.5	344.8	0.3	0.3	232	10.30	0.01	538
49-634	370_100	Caladay	336	-60	344.8	345.3	0.5	0.5	17	0.72	<0.01	40
49-634	370_100	Caladay	336	-60	345.3	345.5	0.2	0.2	394	20.50	0.02	1,004
49-634	0	Caladay	336	-60	347.8	348.2	0.4	0.0	214	12.00	<0.01	570
49-634	0	Caladay	336	-60	349.8	350.6	0.8	0.0	122	5.20	0.02	277
49-634	0	Caladay	336	-60	352.3	353.8	1.5	0.0	110	4.51	<0.01	245
49-634	0	Caladay	336	-60	355.6	355.7	0.1	0.0	151	4.35	<0.01	281

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-635	0	Caladay	17	-55	209.4	210.9	1.5	0.0	134	<0.10	0.07	145
49-635	257_100	Caladay	17	-55	217.0	217.1	0.2	0.0	2,003	0.11	0.60	2,076
49-635	0	Caladay	17	-55	222.7	222.8	0.2	0.0	460	<0.10	0.17	482
49-635	0	Caladay	17	-55	222.8	224.2	1.3	0.0	17	<0.10	<0.01	<22
49-635	0	Caladay	17	-55	224.2	224.4	0.2	0.0	23	<0.10	0.01	28
49-635	0	Caladay	17	-55	224.4	225.2	0.8	0.0	17	<0.10	<0.01	<22
49-635	0	Caladay	17	-55	225.2	225.6	0.4	0.0	62	0.15	0.03	70
49-635	0	Caladay	17	-55	232.9	233.0	0.2	0.0	113	<0.10	0.03	120
49-635	0	Caladay	17	-55	259.5	259.7	0.3	0.0	120	0.10	0.03	126
49-635	0	Caladay	17	-55	274.4	274.6	0.2	0.0	64	<0.10	0.02	69
49-635	0	Caladay	17	-55	275.5	275.7	0.3	0.0	86	0.13	0.02	92
49-635	0	Caladay	17	-55	277.0	277.6	0.6	0.0	98	0.11	0.02	104
49-635	0	Caladay	17	-55	286.9	287.1	0.2	0.0	72	2.02	<0.01	133
49-635	0	Caladay	17	-55	289.2	289.3	0.2	0.0	480	13.50	<0.01	881
49-635	0	Caladay	17	-55	289.3	289.9	0.6	0.0	36	0.85	<0.01	63
49-635	new_100	Caladay	17	-55	289.9	290.3	0.4	0.4	50	1.35	<0.01	91
49-635	new_100	Caladay	17	-55	290.3	291.2	0.8	0.8	301	8.07	0.01	541
49-635	new_100	Caladay	17	-55	292.5	293.3	0.8	0.8	713	0.51	0.17	748
49-635	new_100	Caladay	17	-55	293.3	293.8	0.5	0.5	17	<0.10	<0.01	<22
49-635	0	Caladay	17	-55	293.8	295.1	1.3	0.0	68	<0.10	0.01	73
49-635	new_100	Caladay	17	-55	298.5	298.7	0.2	0.0	1,962	0.32	0.46	2,025
49-635	new_100	Caladay	17	-55	319.3	320.1	0.8	0.8	259	<0.10	0.08	271
49-635	new_100	Caladay	17	-55	320.1	320.7	0.7	0.7	508	0.19	0.14	530
49-635	0	Caladay	17	-55	320.7	321.6	0.9	0.0	86	<0.10	0.03	92
49-635	0	Caladay	17	-55	321.6	322.5	0.9	0.0	46	<0.10	0.02	50
49-635	0	Caladay	17	-55	325.9	327.1	1.2	0.0	61	<0.10	0.02	66
49-635	new_100	Caladay	17	-55	327.1	328.0	0.9	0.9	21	<0.10	<0.01	25
49-635	new_100	Caladay	17	-55	328.0	328.4	0.4	0.4	1,852	<0.10	0.99	1,970
49-635	0	Caladay	17	-55	336.4	336.9	0.5	0.0	69	<0.10	0.03	76
49-635	0	Caladay	17	-55	336.9	337.0	0.2	0.0	439	0.10	0.19	464
49-635	0	Caladay	17	-55	337.0	337.5	0.5	0.0	21	<0.10	0.01	26
49-636	0	Caladay	25	-55	57.1	57.2	0.1	0.0	17	<0.10	0.05	25
49-636	0	Caladay	25	-55	164.2	164.3	0.2	0.0	166	<0.10	0.24	198
49-636	0	Caladay	25	-55	167.4	167.7	0.3	0.0	61	0.11	0.07	72
49-636	0	Caladay	25	-55	168.6	169.8	1.2	0.0	48	<0.10	0.09	61
49-636	0	Caladay	25	-55	169.8	171.0	1.2	0.0	45	<0.10	0.08	57
49-636	0	Caladay	25	-55	171.0	171.6	0.6	0.0	92	<0.10	0.13	110
49-636	0	Caladay	25	-55	177.8	178.1	0.3	0.0	22	0.14	0.02	28
49-636	0	Caladay	25	-55	200.8	200.9	0.2	0.0	93	<0.10	0.06	103
49-636	0	Caladay	25	-55	211.5	213.0	1.5	0.0	78	<0.10	0.04	85
49-636	257_100	Caladay	25	-55	214.3	214.9	0.6	0.5	569	<0.10	0.29	606
49-636	0	Caladay	25	-55	223.7	225.0	1.3	0.0	172	<0.10	0.07	184
49-636	0	Caladay	25	-55	229.0	229.3	0.3	0.0	152	<0.10	0.05	161
49-636	0	Caladay	25	-55	246.2	246.5	0.3	0.0	27	0.20	<0.01	34
49-636	0	Caladay	25	-55	264.1	265.3	1.2	0.0	54	0.22	0.03	64
49-636	0	Caladay	25	-55	265.3	266.3	1.0	0.0	18	0.25	<0.01	26
49-636	367_100	Caladay	25	-55	266.3	267.8	1.5	1.3	155	4.46	0.01	289
49-636	367_100	Caladay	25	-55	267.8	269.3	1.5	1.3	160	5.49	<0.01	324
49-636	0	Caladay	25	-55	269.3	270.3	1.0	0.0	49	1.71	<0.01	101
49-636	0	Caladay	25	-55	270.3	270.6	0.3	0.0	91	3.27	<0.01	189
49-636	0	Caladay	25	-55	270.6	271.5	0.9	0.0	17	0.25	<0.01	26
49-636	0	Caladay	25	-55	271.5	272.7	1.2	0.0	40	1.21	<0.01	77
49-636	new_100	Caladay	25	-55	272.7	273.1	0.4	0.4	337	8.46	0.02	590
49-636	new_100	Caladay	25	-55	273.1	273.7	0.6	0.5	32	0.90	<0.01	60
49-636	0	Caladay	25	-55	282.5	283.0	0.6	0.0	23	0.16	<0.01	29
49-636	0	Caladay	25	-55	285.3	285.6	0.3	0.0	196	0.16	0.08	211
49-636	new_100	Caladay	25	-55	298.0	298.1	0.2	0.1	4,938	1.69	1.91	5,211
49-636	0	Caladay	25	-55	300.5	300.8	0.3	0.0	48	<0.10	0.02	54
49-638	0	Caladay	50	-65	127.5	129.0	1.5	0.0	17	<0.10	0.02	23
49-638	0	Caladay	50	-65	129.0	130.5	1.5	0.0	17	<0.10	<0.01	<22
49-638	0	Caladay	50	-65	130.5	132.0	1.5	0.0	17	<0.10	<0.01	<22
49-638	0	Caladay	50	-65	213.5	213.7	0.2	0.0	50	<0.10	0.05	59
49-638	0	Caladay	50	-65	238.8	238.9	0.1	0.0	63	0.13	0.04	72

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-638	0	Caladay	50	-65	242.7	243.2	0.5	0.0	20	<0.10	0.01	24
49-638	0	Caladay	50	-65	244.8	244.9	0.1	0.0	89	<0.10	0.05	97
49-638	0	Caladay	50	-65	247.3	247.5	0.2	0.0	57	0.14	0.03	64
49-638	0	Caladay	50	-65	250.2	251.5	1.3	0.0	135	<0.10	0.07	146
49-638	0	Caladay	50	-65	251.5	253.0	1.5	0.0	17	<0.10	<0.01	<22
49-638	0	Caladay	50	-65	253.0	253.5	0.5	0.0	92	<0.10	0.04	100
49-638	0	Caladay	50	-65	253.5	254.0	0.5	0.0	87	<0.10	0.04	94
49-638	0	Caladay	50	-65	254.0	255.3	1.3	0.0	17	<0.10	<0.01	<22
49-638	0	Caladay	50	-65	255.3	255.5	0.2	0.0	453	<0.10	0.18	477
49-638	0	Caladay	50	-65	255.5	256.1	0.6	0.0	180	<0.10	0.08	192
49-638	0	Caladay	50	-65	256.1	257.2	1.1	0.0	20	<0.10	<0.01	24
49-638	0	Caladay	50	-65	282.0	283.5	1.5	0.0	52	1.34	<0.01	93
49-638	0	Caladay	50	-65	283.5	283.9	0.4	0.0	152	3.88	<0.01	268
49-638	0	Caladay	50	-65	283.9	284.7	0.8	0.7	56	1.61	<0.01	105
49-638	0	Caladay	50	-65	284.7	285.4	0.7	0.6	360	8.66	0.04	622
49-638	0	Caladay	50	-65	285.4	286.6	1.2	0.0	79	2.20	<0.01	146
49-638	0	Caladay	50	-65	286.6	288.1	1.5	0.0	53	1.72	<0.01	105
49-638	0	Caladay	50	-65	288.1	289.6	1.5	0.0	62	2.26	<0.01	131
49-638	0	Caladay	50	-65	289.6	290.7	1.1	0.0	167	5.19	<0.01	322
49-638	0	Caladay	50	-65	290.7	292.2	1.5	0.0	78	2.30	<0.01	147
49-638	0	Caladay	50	-65	292.2	292.7	0.5	0.4	177	5.86	<0.01	352
49-638	0	Caladay	50	-65	292.7	294.1	1.4	1.2	190	5.52	<0.01	354
49-638	0	Caladay	50	-65	294.1	295.4	1.4	0.0	77	2.19	<0.01	143
49-638	0	Caladay	50	-65	295.4	296.8	1.4	0.0	118	3.86	<0.01	233
49-638	0	Caladay	50	-65	296.8	298.2	1.4	0.0	64	2.22	<0.01	131
49-638	0	Caladay	50	-65	298.2	299.7	1.5	0.0	27	0.98	<0.01	57
49-638	0	Caladay	50	-65	299.7	300.8	1.1	0.0	130	4.45	<0.01	263
49-638	0	Caladay	50	-65	300.8	301.3	0.5	0.0	203	7.24	<0.01	419
49-638	0	Caladay	50	-65	301.3	302.7	1.4	0.0	69	2.33	<0.01	139
49-638	0	Caladay	50	-65	302.7	303.5	0.8	0.0	190	6.56	<0.01	386
49-638	0	Caladay	50	-65	303.5	304.9	1.3	0.0	51	1.35	<0.01	93
49-638	0	Caladay	50	-65	304.9	306.4	1.5	0.0	23	0.73	<0.01	46
49-638	0	Caladay	50	-65	306.4	307.9	1.5	0.0	85	2.99	<0.01	175
49-638	0	Caladay	50	-65	307.9	309.5	1.5	0.0	130	4.63	<0.01	268
49-638	0	Caladay	50	-65	309.5	311.0	1.5	0.0	136	4.47	<0.01	270
49-638	0	Caladay	50	-65	311.0	312.5	1.5	0.0	99	3.67	<0.01	209
49-638	0	Caladay	50	-65	312.5	314.0	1.5	0.0	141	4.80	<0.01	284
49-638	0	Caladay	50	-65	314.0	315.5	1.5	0.0	73	2.35	<0.01	144
49-638	0	Caladay	50	-65	315.5	317.1	1.5	0.0	69	1.95	<0.01	128
49-638	0	Caladay	50	-65	317.1	318.6	1.5	0.0	17	0.12	<0.01	<22
49-638	0	Caladay	50	-65	318.6	320.1	1.5	0.0	17	0.21	<0.01	25
49-638	0	Caladay	50	-65	320.1	321.6	1.5	0.0	88	1.27	<0.01	127
49-638	0	Caladay	50	-65	337.3	337.4	0.2	0.0	65	0.29	0.02	76
49-638	0	Caladay	50	-65	342.8	343.0	0.2	0.2	1,968	0.21	1.10	2,103
49-639	0	LCLZ	50	-3	32.7	33.5	0.8	0.0	45	1.85	<0.01	101
49-639	0	LCLZ	50	-3	33.5	35.1	1.5	0.0	58	2.10	<0.01	122
49-639	0	LCLZ	50	-3	35.1	36.6	1.5	0.0	17	0.55	<0.01	35
49-639	0	LCLZ	50	-3	36.6	38.1	1.5	0.0	23	0.93	<0.01	52
49-639	0	LCLZ	50	-3	38.1	39.6	1.5	0.0	26	0.80	<0.01	51
49-639	174_100	LCLZ	50	-3	39.6	41.2	1.5	0.0	62	2.98	<0.01	152
49-639	0	LCLZ	50	-3	41.2	42.4	1.2	0.0	53	2.14	<0.01	118
49-639	130_100	LCLZ	50	-3	42.4	43.6	1.2	0.0	72	3.56	<0.01	179
49-639	0	LCLZ	50	-3	43.6	44.2	0.6	0.0	17	0.52	<0.01	34
49-639	0	LCLZ	50	-3	44.2	45.7	1.5	0.0	51	2.20	<0.01	117
49-639	0	LCLZ	50	-3	45.7	47.3	1.5	0.0	48	1.98	0.01	108
49-639	1752_100	LCLZ	50	-3	47.3	47.9	0.6	0.0	45	1.49	0.02	91
49-639	1752_100	LCLZ	50	-3	47.9	48.0	0.2	0.1	919	46.60	0.06	2,306
49-639	1752_100	LCLZ	50	-3	48.0	49.4	1.4	1.1	138	6.53	<0.01	332
49-639	1752_100	LCLZ	50	-3	49.4	50.3	0.9	0.0	42	2.36	<0.01	113
49-639	1752_100	LCLZ	50	-3	50.3	50.9	0.6	0.5	112	6.10	<0.01	294
49-639	1752_100	LCLZ	50	-3	50.9	51.4	0.5	0.4	953	56.20	0.05	2,624
49-639	1752_100	LCLZ	50	-3	51.4	52.4	1.0	0.8	278	12.30	0.04	647
49-639	0	LCLZ	50	-3	52.4	53.4	0.9	0.0	50	2.85	<0.01	135

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-639	0	LCLZ	50	-3	53.4	54.9	1.5	0.0	65	3.95	<0.01	183
49-639	0	LCLZ	50	-3	54.9	56.4	1.5	0.0	56	3.23	<0.01	153
49-639	0	LCLZ	50	-3	56.4	57.9	1.5	0.0	38	1.41	<0.01	81
49-639	165_100	LCLZ	50	-3	70.1	70.6	0.5	0.0	576	10.00	0.40	919
49-639	0	LCLZ	50	-3	70.6	72.0	1.3	0.0	17	0.50	<0.01	33
49-639	0	LCLZ	50	-3	72.0	73.2	1.2	0.0	39	1.10	<0.01	73
49-639	0	LCLZ	50	-3	73.2	74.2	1.0	0.0	17	<0.10	<0.01	<22
49-639	0	LCLZ	50	-3	74.2	75.5	1.3	0.0	17	<0.10	<0.01	<22
49-639	167_100	LCLZ	50	-3	75.5	75.7	0.2	0.0	377	17.80	0.06	911
49-639	167_100	LCLZ	50	-3	75.7	76.2	0.5	0.0	67	0.89	0.05	99
49-639	0	LCLZ	50	-3	76.2	77.7	1.5	0.0	17	0.47	<0.01	32
49-639	0	LCLZ	50	-3	77.7	78.4	0.6	0.0	17	<0.10	<0.01	<22
49-639	0	LCLZ	50	-3	78.4	79.3	0.9	0.0	35	0.95	<0.01	64
49-640	0	LCLZ	50	2	34.1	34.7	0.6	0.0	17	<0.10	<0.01	<22
49-640	0	LCLZ	50	2	34.7	35.1	0.3	0.0	17	0.50	<0.01	33
49-640	0	LCLZ	50	2	35.1	36.6	1.5	0.0	33	1.56	<0.01	80
49-640	174_100	LCLZ	50	2	36.6	37.2	0.6	0.0	311	14.60	<0.01	745
49-640	174_100	LCLZ	50	2	37.2	38.1	0.9	0.0	94	4.20	<0.01	219
49-640	174_100	LCLZ	50	2	38.1	39.2	1.1	0.0	29	1.41	<0.01	72
49-640	174_100	LCLZ	50	2	39.2	40.2	1.1	0.0	144	6.96	<0.01	351
49-640	0	LCLZ	50	2	40.2	41.3	1.1	0.0	22	0.98	<0.01	52
49-640	0	LCLZ	50	2	41.3	42.7	1.4	0.0	19	0.90	<0.01	47
49-640	0	LCLZ	50	2	42.7	44.2	1.5	0.0	24	1.14	<0.01	59
49-640	130_100	LCLZ	50	2	44.2	44.4	0.2	0.2	381	12.00	0.04	741
49-640	130_100	LCLZ	50	2	44.4	44.8	0.4	0.3	1,139	49.20	0.17	2,615
49-640	130_100	LCLZ	50	2	44.8	45.3	0.5	0.4	1,495	65.70	0.12	3,454
49-640	130_100	LCLZ	50	2	45.3	46.3	1.1	0.8	112	6.92	<0.01	318
49-640	0	LCLZ	50	2	46.3	47.1	0.8	0.0	18	0.88	<0.01	45
49-640	0	LCLZ	50	2	47.1	47.3	0.2	0.0	70	2.18	0.05	140
49-640	0	LCLZ	50	2	47.3	47.4	0.2	0.0	17	0.46	<0.01	32
49-640	0	LCLZ	50	2	47.4	47.7	0.3	0.0	76	4.24	<0.01	203
49-640	1752_100	LCLZ	50	2	47.7	48.2	0.5	0.0	329	17.80	0.02	859
49-640	1752_100	LCLZ	50	2	48.2	49.4	1.2	0.0	97	4.16	<0.01	221
49-640	1752_100	LCLZ	50	2	49.4	50.2	0.8	0.0	80	4.08	<0.01	202
49-640	1752_100	LCLZ	50	2	50.2	50.6	0.5	0.0	177	9.12	<0.01	449
49-640	0	LCLZ	50	2	50.6	51.6	1.0	0.0	17	0.52	<0.01	34
49-640	0	LCLZ	50	2	51.6	53.0	1.4	0.0	50	2.44	<0.01	123
49-640	0	LCLZ	50	2	53.0	54.0	0.9	0.0	29	1.56	<0.01	76
49-640	176_100	LCLZ	50	2	54.0	54.1	0.2	0.0	84	4.72	<0.01	225
49-640	176_100	LCLZ	50	2	54.1	54.9	0.7	0.0	79	4.12	<0.01	202
49-640	176_100	LCLZ	50	2	54.9	55.6	0.8	0.0	28	1.24	<0.01	66
49-640	0	LCLZ	50	2	55.6	55.8	0.2	0.0	82	2.73	0.01	164
49-640	0	LCLZ	50	2	55.8	56.1	0.3	0.0	17	0.24	<0.01	25
49-640	0	LCLZ	50	2	56.1	57.5	1.4	0.0	45	1.70	<0.01	96
49-640	0	LCLZ	50	2	57.9	59.5	1.5	0.0	17	0.13	<0.01	22
49-640	0	LCLZ	50	2	59.5	60.7	1.3	0.0	17	0.24	<0.01	26
49-640	0	LCLZ	50	2	60.7	61.1	0.4	0.0	28	0.92	<0.01	57
49-640	0	LCLZ	50	2	61.1	61.9	0.8	0.0	17	0.29	<0.01	27
49-640	0	LCLZ	50	2	65.7	66.0	0.3	0.0	17	0.42	<0.01	31
49-640	0	LCLZ	50	2	67.7	67.8	0.2	0.0	48	1.34	<0.01	89
49-640	0	LCLZ	50	2	71.3	72.7	1.4	0.0	17	0.31	<0.01	28
49-640	0	LCLZ	50	2	72.7	74.1	1.4	0.0	25	0.79	<0.01	49
49-640	0	LCLZ	50	2	74.1	75.0	0.9	0.0	17	0.19	<0.01	24
49-640	0	LCLZ	50	2	75.0	76.1	1.1	0.0	17	0.49	<0.01	33
49-640	0	LCLZ	50	2	76.2	76.8	0.5	0.0	17	0.20	<0.01	24
49-640	0	LCLZ	50	2	76.8	77.7	1.0	0.0	17	<0.10	<0.01	<22
49-640	0	LCLZ	50	2	77.7	78.6	0.9	0.0	17	<0.10	<0.01	<22
49-640	0	LCLZ	50	2	78.6	78.8	0.2	0.0	102	3.93	<0.01	219
49-640	0	LCLZ	50	2	79.3	80.0	0.8	0.0	17	0.56	<0.01	35
49-640	0	LCLZ	50	2	80.0	80.9	0.9	0.0	17	0.27	<0.01	26
49-640	0	LCLZ	50	2	80.9	82.3	1.4	0.0	17	0.31	<0.01	27
49-640	0	LCLZ	50	2	82.3	83.2	0.9	0.0	17	0.24	<0.01	25
49-640	0	LCLZ	50	2	83.2	83.4	0.2	0.0	101	3.97	<0.01	220

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-640	0	LCLZ	50	2	83.4	83.8	0.5	0.0	35	1.26	<0.01	73
49-640	0	LCLZ	50	2	83.8	84.9	1.1	0.0	17	0.11	<0.01	<22
49-640	0	LCLZ	50	2	87.5	88.1	0.6	0.2	17	<0.10	<0.01	<22
49-640	169_100	LCLZ	50	2	88.1	88.6	0.5	0.1	658	30.50	0.02	1,564
49-640	0	LCLZ	50	2	88.9	89.6	0.8	0.0	19	0.67	<0.01	40
49-640	0	LCLZ	50	2	89.9	90.5	0.6	0.0	17	0.49	<0.01	33
49-640	0	LCLZ	50	2	90.5	91.8	1.2	0.0	41	1.30	<0.01	81
49-640	0	LCLZ	50	2	91.8	92.5	0.8	0.0	20	0.65	<0.01	40
49-640	0	LCLZ	50	2	92.5	93.0	0.5	0.0	21	0.61	0.02	41
49-640	0	LCLZ	50	2	93.0	94.0	1.0	0.0	17	0.29	<0.01	27
49-640	0	LCLZ	50	2	94.0	94.8	0.8	0.0	62	1.89	0.01	120
49-640	0	LCLZ	50	2	94.8	95.6	0.8	0.0	48	1.53	<0.01	94
49-640	0	LCLZ	50	2	95.6	97.1	1.5	0.0	20	0.64	<0.01	40
49-640	0	LCLZ	50	2	97.6	98.3	0.8	0.0	17	0.30	<0.01	27
49-640	0	LCLZ	50	2	100.3	101.4	1.1	0.0	17	0.11	<0.01	<22
49-640	0	LCLZ	50	2	101.4	101.8	0.5	0.0	29	0.81	<0.01	54
49-640	0	LCLZ	50	2	101.8	103.4	1.5	0.0	17	0.26	<0.01	26
49-640	0	LCLZ	50	2	103.4	104.4	1.1	0.0	17	0.17	<0.01	23
49-640	0	LCLZ	50	2	104.4	104.6	0.2	0.0	30	0.80	<0.01	55
49-640	0	LCLZ	50	2	104.6	105.5	0.9	0.0	32	0.74	0.01	55
49-640	0	LCLZ	50	2	105.5	106.7	1.2	0.0	26	0.58	<0.01	45
49-640	0	LCLZ	50	2	106.7	107.9	1.2	0.0	17	<0.10	<0.01	<22
49-640	168hw_100	LCLZ	50	2	107.9	108.1	0.2	0.0	83	1.80	0.02	138
49-640	0	LCLZ	50	2	108.1	108.2	0.2	0.0	17	<0.10	<0.01	<22
49-640	0	LCLZ	50	2	108.2	109.5	1.2	0.0	17	<0.10	<0.01	<22
49-640	0	LCLZ	50	2	109.5	110.1	0.7	0.0	17	0.11	<0.01	<22
49-640	0	LCLZ	50	2	110.1	111.3	1.2	0.0	28	0.29	0.02	38
49-640	0	LCLZ	50	2	111.3	112.3	1.1	0.0	17	0.11	<0.01	<22
49-640	168_100	LCLZ	50	2	112.3	112.5	0.2	0.0	480	14.20	0.08	909
49-640	168_100	LCLZ	50	2	112.5	113.7	1.2	0.0	23	0.31	0.01	33
49-640	168_100	LCLZ	50	2	113.7	113.8	0.2	0.0	151	3.05	0.08	251
49-640	0	LCLZ	50	2	113.8	114.4	0.6	0.0	37	0.47	0.02	54
49-640	0	LCLZ	50	2	114.4	115.5	1.1	0.0	17	0.16	<0.01	23
49-640	0	LCLZ	50	2	115.5	116.0	0.5	0.0	17	<0.10	<0.01	<22
49-640	0	LCLZ	50	2	116.0	116.6	0.6	0.0	17	<0.10	<0.01	<22
49-641	0	LCLZ	53	1	32.8	34.3	1.5	0.0	17	<0.10	<0.01	<22
49-641	0	LCLZ	53	1	34.3	35.7	1.4	0.0	33	1.11	<0.01	67
49-641	0	LCLZ	53	1	35.7	37.2	1.5	0.0	34	1.32	<0.01	74
49-641	174_100	LCLZ	53	1	37.2	38.7	1.5	0.0	55	2.01	<0.01	115
49-641	0	LCLZ	53	1	38.7	40.2	1.5	0.0	61	2.58	<0.01	138
49-641	0	LCLZ	53	1	40.2	41.8	1.5	0.0	17	0.64	<0.01	37
49-641	0	LCLZ	53	1	41.8	43.3	1.5	0.0	45	1.93	<0.01	103
49-641	130_100	LCLZ	53	1	43.3	44.8	1.5	0.0	112	5.28	<0.01	270
49-641	130_100	LCLZ	53	1	44.8	45.4	0.6	0.0	62	2.70	<0.01	143
49-641	130_100	LCLZ	53	1	45.4	45.6	0.2	0.1	1,056	57.50	0.20	2,782
49-641	130_100	LCLZ	53	1	45.6	45.9	0.3	0.2	72	4.12	<0.01	196
49-641	130_100	LCLZ	53	1	45.9	46.3	0.5	0.4	244	11.70	0.02	592
49-641	130_100	LCLZ	53	1	46.3	46.7	0.4	0.3	28	1.69	<0.01	80
49-641	130_100	LCLZ	53	1	46.7	47.0	0.2	0.2	713	34.60	0.04	1,742
49-641	1752_100	LCLZ	53	1	47.0	47.5	0.5	0.4	39	2.10	<0.01	102
49-641	1752_100	LCLZ	53	1	47.5	47.7	0.2	0.1	892	45.20	0.03	2,233
49-641	1752_100	LCLZ	53	1	47.7	48.2	0.5	0.4	439	21.40	0.04	1,077
49-641	1752_100	LCLZ	53	1	48.2	49.1	0.9	0.0	60	3.46	<0.01	164
49-641	1752_100	LCLZ	53	1	49.1	49.4	0.3	0.0	279	12.60	0.03	657
49-641	0	LCLZ	53	1	49.4	50.5	1.1	0.0	17	0.57	<0.01	35
49-641	0	LCLZ	53	1	50.5	51.2	0.8	0.0	40	1.81	<0.01	95
49-641	0	LCLZ	53	1	51.8	53.2	1.4	0.0	45	2.04	<0.01	107
49-641	0	LCLZ	53	1	53.2	54.6	1.4	0.0	51	2.65	<0.01	130
49-641	176_100	LCLZ	53	1	54.9	56.4	1.5	0.0	80	3.42	<0.01	182
49-641	0	LCLZ	53	1	56.4	57.6	1.2	0.0	39	1.88	<0.01	96
49-641	0	LCLZ	53	1	57.6	58.8	1.2	0.0	17	<0.10	<0.01	<22
49-641	0	LCLZ	53	1	61.7	62.8	1.1	0.0	73	2.96	<0.01	162
49-641	0	LCLZ	53	1	80.0	80.5	0.5	0.0	60	2.14	<0.01	124

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-641	0	LCLZ	53	1	80.5	81.1	0.6	0.0	17	0.32	<0.01	28
49-641	167_100	LCLZ	53	1	83.5	83.7	0.2	0.0	183	6.36	<0.01	373
49-641	0	LCLZ	53	1	87.2	87.4	0.2	0.0	36	1.22	<0.01	74
49-641	0	LCLZ	53	1	87.4	88.1	0.6	0.0	24	0.78	<0.01	48
49-641	0	LCLZ	53	1	88.1	88.3	0.2	0.0	75	2.32	0.01	145
49-641	0	LCLZ	53	1	93.1	94.4	1.2	0.0	27	0.81	<0.01	53
49-641	0	LCLZ	53	1	97.2	97.4	0.2	0.0	110	3.44	0.03	216
49-641	0	LCLZ	53	1	98.8	99.0	0.2	0.0	46	1.29	<0.01	85
49-641	0	LCLZ	53	1	104.5	105.1	0.6	0.0	17	0.20	<0.01	24
49-641	168hw_100	LCLZ	53	1	107.2	107.3	0.2	0.0	194	5.64	0.02	363
49-641	0	LCLZ	53	1	107.3	108.8	1.5	0.0	17	0.13	<0.01	22
49-641	0	LCLZ	53	1	108.8	110.3	1.5	0.0	65	2.19	0.01	132
49-641	180_100	LCLZ	53	1	110.3	111.2	0.9	0.7	1,852	56.50	0.13	3,540
49-641	180_100	LCLZ	53	1	111.2	111.6	0.4	0.3	686	20.80	0.28	1,335
49-641	180_100	LCLZ	53	1	111.6	111.8	0.2	0.2	878	30.00	0.05	1,772
49-641	0	LCLZ	53	1	111.8	112.7	0.9	0.0	45	1.50	<0.01	90
49-641	168_100	LCLZ	53	1	112.7	113.6	1.0	0.0	73	2.04	0.01	135
49-641	0	LCLZ	53	1	113.6	114.9	1.3	0.0	17	0.18	<0.01	24
49-641	0	LCLZ	53	1	114.9	116.5	1.5	0.0	17	<0.10	<0.01	<22
49-642	0	LCLZ	55	1	34.0	34.8	0.8	0.0	17	<0.10	<0.01	<22
49-642	0	LCLZ	55	1	34.8	35.7	0.9	0.0	127	5.40	<0.01	288
49-642	0	LCLZ	55	1	35.7	36.6	0.9	0.0	39	1.40	<0.01	82
49-642	0	LCLZ	55	1	36.6	37.5	0.9	0.0	58	1.34	0.01	99
49-642	0	LCLZ	55	1	37.5	39.0	1.5	0.0	17	0.70	<0.01	39
49-642	0	LCLZ	55	1	39.0	40.1	1.1	0.0	21	0.89	<0.01	49
49-642	174_100	LCLZ	55	1	40.1	40.4	0.3	0.3	1,018	44.80	0.31	2,382
49-642	174_100	LCLZ	55	1	40.4	41.8	1.4	1.4	100	4.68	<0.01	240
49-642	0	LCLZ	55	1	41.8	43.0	1.2	0.0	75	3.03	<0.01	166
49-642	0	LCLZ	55	1	43.0	44.1	1.1	0.0	71	2.66	<0.01	151
49-642	0	LCLZ	55	1	44.1	44.8	0.8	0.0	39	1.42	<0.01	83
49-642	0	LCLZ	55	1	44.8	46.0	1.2	0.0	17	<0.10	<0.01	<22
49-642	0	LCLZ	55	1	46.3	47.3	0.9	0.0	17	0.14	<0.01	22
49-642	0	LCLZ	55	1	47.3	48.2	1.0	0.0	17	0.12	<0.01	<22
49-642	0	LCLZ	55	1	48.2	48.8	0.5	0.0	31	1.28	<0.01	70
49-642	1752_100	LCLZ	55	1	48.8	49.0	0.2	0.0	106	4.36	<0.01	236
49-642	1752_100	LCLZ	55	1	49.0	49.7	0.7	0.0	90	3.74	<0.01	202
49-642	0	LCLZ	55	1	49.7	50.7	1.0	0.0	17	0.70	<0.01	39
49-642	0	LCLZ	55	1	50.7	51.8	1.2	0.0	17	0.31	<0.01	28
49-642	0	LCLZ	55	1	51.8	53.0	1.2	0.0	17	0.55	<0.01	35
49-642	130_100	LCLZ	55	1	53.0	53.4	0.3	0.0	196	7.24	0.07	419
49-642	130_100	LCLZ	55	1	53.4	54.9	1.5	0.0	56	2.11	<0.01	119
49-642	130_100	LCLZ	55	1	54.9	55.0	0.2	0.0	374	14.10	0.06	798
49-642	0	LCLZ	55	1	55.0	56.1	1.1	0.0	29	1.25	<0.01	68
49-642	0	LCLZ	55	1	56.1	57.3	1.2	0.0	29	0.99	<0.01	59
49-642	0	LCLZ	55	1	57.9	59.3	1.4	0.0	17	0.10	<0.01	<22
49-642	0	LCLZ	55	1	59.3	60.7	1.4	0.0	17	<0.10	<0.01	<22
49-642	176_100	LCLZ	55	1	60.7	61.7	1.1	0.0	64	2.70	<0.01	145
49-642	0	LCLZ	55	1	61.7	62.5	0.8	0.0	17	0.20	<0.01	24
49-642	0	LCLZ	55	1	77.9	78.7	0.8	0.0	17	0.15	<0.01	23
49-642	0	LCLZ	55	1	78.7	80.2	1.5	0.0	46	1.76	0.01	100
49-642	0	LCLZ	55	1	80.2	81.3	1.1	0.0	17	0.56	<0.01	35
49-642	0	LCLZ	55	1	81.3	82.0	0.8	0.0	39	1.63	<0.01	89
49-642	0	LCLZ	55	1	82.0	82.3	0.3	0.0	17	0.45	<0.01	32
49-642	0	LCLZ	55	1	82.3	83.5	1.2	0.0	49	1.92	<0.01	107
49-642	0	LCLZ	55	1	84.0	84.5	0.5	0.0	17	0.40	<0.01	30
49-642	0	LCLZ	55	1	84.6	85.5	0.9	0.0	17	0.24	<0.01	25
49-642	0	LCLZ	55	1	85.5	87.0	1.5	0.0	17	0.43	<0.01	31
49-642	0	LCLZ	55	1	87.0	88.3	1.3	0.0	17	0.56	<0.01	35
49-642	167_100	LCLZ	55	1	88.4	88.6	0.2	0.0	305	11.20	0.02	638
49-642	167_100	LCLZ	55	1	88.6	89.9	1.4	0.0	75	2.72	<0.01	157
49-642	0	LCLZ	55	1	89.9	91.5	1.5	0.0	35	1.28	<0.01	74
49-642	0	LCLZ	55	1	91.5	93.0	1.5	0.0	17	0.80	<0.01	42
49-642	0	LCLZ	55	1	93.0	94.2	1.2	0.0	17	0.49	<0.01	33

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-642	0	LCLZ	55	1	94.2	95.4	1.2	0.0	17	0.15	<0.01	23
49-642	169_100	LCLZ	55	1	95.4	95.6	0.2	0.0	590	30.40	0.02	1,492
49-642	0	LCLZ	55	1	95.6	96.2	0.6	0.0	24	1.09	<0.01	58
49-642	0	LCLZ	55	1	96.2	96.8	0.6	0.0	17	0.48	<0.01	33
49-642	0	LCLZ	55	1	96.8	97.0	0.2	0.0	132	4.12	<0.01	255
49-642	0	LCLZ	55	1	97.0	98.0	1.0	0.0	17	0.44	<0.01	31
49-642	0	LCLZ	55	1	98.0	98.9	1.0	0.0	17	<0.10	<0.01	<22
49-642	0	LCLZ	55	1	99.1	99.5	0.4	0.0	24	0.86	<0.01	51
49-642	0	LCLZ	55	1	104.3	105.8	1.5	0.0	17	0.38	<0.01	29
49-642	0	LCLZ	55	1	112.5	113.4	0.9	0.0	17	0.16	<0.01	23
49-642	0	LCLZ	55	1	113.4	114.4	1.0	0.0	20	0.56	<0.01	38
49-642	180_100	LCLZ	55	1	114.4	114.5	0.2	0.0	1,499	46.80	1.10	3,013
49-642	180_100	LCLZ	55	1	114.5	115.0	0.5	0.0	17	0.14	<0.01	23
49-642	180_100	LCLZ	55	1	115.0	115.4	0.4	0.0	204	6.88	<0.01	409
49-642	0	LCLZ	55	1	115.4	116.0	0.6	0.0	17	0.18	<0.01	24
49-642	0	LCLZ	55	1	116.0	117.2	1.2	0.0	17	<0.10	<0.01	<22
49-642	0	LCLZ	55	1	117.2	117.7	0.5	0.0	69	1.60	0.03	119
49-642	168_100	LCLZ	55	1	117.7	119.3	1.5	0.0	79	3.39	0.01	181
49-642	0	LCLZ	55	1	119.3	119.5	0.2	0.0	30	0.21	0.04	41
49-642	0	LCLZ	55	1	119.5	120.6	1.1	0.0	137	0.24	0.12	158
49-642	0	LCLZ	55	1	120.6	122.1	1.5	0.9	329	0.18	0.33	373
49-642	0	LCLZ	55	1	122.1	122.7	0.5	0.0	17	0.18	0.05	29
49-642	0	LCLZ	55	1	122.7	123.2	0.6	0.0	17	<0.10	<0.01	<22
49-643	0	LCLZ	60	-2	33.5	35.1	1.5	0.0	17	<0.10	<0.01	<22
49-643	0	LCLZ	60	-2	35.1	36.6	1.5	0.0	67	2.76	<0.01	150
49-643	0	LCLZ	60	-2	36.6	37.3	0.7	0.0	30	1.13	<0.01	65
49-643	0	LCLZ	60	-2	37.3	38.7	1.4	0.0	17	0.56	<0.01	35
49-643	0	LCLZ	60	-2	38.7	40.2	1.5	0.0	26	1.01	<0.01	57
49-643	0	LCLZ	60	-2	40.2	41.6	1.4	0.0	110	4.39	0.02	242
49-643	0	LCLZ	60	-2	41.6	42.7	1.1	0.0	93	3.76	<0.01	206
49-643	174_100	LCLZ	60	-2	42.7	43.5	0.8	0.0	272	11.10	0.01	602
49-643	0	LCLZ	60	-2	43.5	44.5	1.0	0.0	78	2.99	<0.01	168
49-643	0	LCLZ	60	-2	44.5	45.4	0.9	0.0	19	0.69	<0.01	41
49-643	0	LCLZ	60	-2	49.1	49.4	0.3	0.0	17	0.26	<0.01	26
49-643	0	LCLZ	60	-2	49.4	50.9	1.5	0.0	34	1.25	<0.01	72
49-643	0	LCLZ	60	-2	50.9	51.8	0.9	0.0	17	0.17	<0.01	23
49-643	0	LCLZ	60	-2	51.8	52.9	1.1	0.0	18	0.59	<0.01	36
49-643	0	LCLZ	60	-2	52.9	57.5	4.6	0.0	45	1.46	<0.01	89
49-643	0	LCLZ	60	-2	57.5	58.6	1.2	0.0	17	0.58	<0.01	36
49-643	0	LCLZ	60	-2	61.9	62.5	0.6	0.0	31	0.25	0.03	42
49-643	0	LCLZ	60	-2	62.5	64.0	1.5	0.0	34	1.58	<0.01	82
49-643	130_100	LCLZ	60	-2	64.0	64.3	0.3	0.0	353	16.90	0.03	857
49-643	0	LCLZ	60	-2	64.3	65.4	1.1	0.0	17	<0.10	<0.01	<22
49-643	0	LCLZ	60	-2	65.4	66.5	1.1	0.0	17	<0.10	<0.01	<22
49-643	0	LCLZ	60	-2	66.5	67.4	0.9	0.0	26	0.91	<0.01	54
49-643	0	LCLZ	60	-2	67.4	68.4	1.0	0.0	26	0.89	<0.01	54
49-643	0	LCLZ	60	-2	75.1	75.7	0.6	0.0	17	0.14	<0.01	23
49-643	0	LCLZ	60	-2	75.7	76.7	1.0	0.0	34	1.27	<0.01	73
49-643	0	LCLZ	60	-2	76.7	77.7	1.0	0.0	32	1.05	<0.01	64
49-643	0	LCLZ	60	-2	77.7	78.7	0.9	0.0	17	0.38	<0.01	30
49-643	0	LCLZ	60	-2	78.7	79.9	1.2	0.0	47	1.88	<0.01	104
49-643	0	LCLZ	60	-2	79.9	80.8	0.9	0.0	73	4.01	<0.01	193
49-643	0	LCLZ	60	-2	80.8	81.6	0.8	0.0	140	6.33	<0.01	329
49-643	0	LCLZ	60	-2	81.6	83.1	1.5	0.0	60	2.80	<0.01	144
49-643	0	LCLZ	60	-2	83.1	84.1	1.0	0.0	59	2.41	<0.01	132
49-643	0	LCLZ	60	-2	89.5	89.8	0.3	0.0	17	0.34	0.02	30
49-643	0	LCLZ	60	-2	93.3	94.4	1.1	0.0	17	0.59	<0.01	36
49-643	0	LCLZ	60	-2	95.4	96.5	1.1	0.0	23	1.27	<0.01	62
49-643	167_100	LCLZ	60	-2	96.5	97.0	0.5	0.0	151	3.43	0.10	263
49-643	0	LCLZ	60	-2	99.5	99.7	0.2	0.0	55	2.72	<0.01	137
49-643	169_100	LCLZ	60	-2	102.0	102.4	0.5	0.2	58	2.28	<0.01	126
49-643	169_100	LCLZ	60	-2	102.4	103.5	1.0	0.4	590	27.10	<0.01	1,393
49-643	0	LCLZ	60	-2	103.5	104.1	0.6	0.0	17	0.41	<0.01	31

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-643	0	LCLZ	60	-2	114.2	114.8	0.6	0.0	17	0.13	<0.01	22
49-643	180_100	LCLZ	60	-2	114.8	115.1	0.3	0.2	1,866	49.10	0.65	3,395
49-643	180_100	LCLZ	60	-2	115.1	115.8	0.7	0.6	64	1.21	0.05	105
49-643	0	LCLZ	60	-2	119.7	120.3	0.6	0.0	17	0.46	<0.01	32
49-643	168_100	LCLZ	60	-2	120.3	121.3	1.0	0.0	123	4.62	0.02	263
49-643	168_100	LCLZ	60	-2	121.3	122.8	1.5	0.0	17	0.31	<0.01	27
49-643	168_100	LCLZ	60	-2	122.8	124.0	1.2	1.2	357	1.34	0.48	452
49-643	168_100	LCLZ	60	-2	124.0	124.2	0.2	0.2	206	<0.10	0.31	246
49-644	0	LCLZ	60	2	35.4	36.0	0.6	0.0	17	<0.10	<0.01	<22
49-644	0	LCLZ	60	2	36.0	37.0	1.1	0.0	36	1.30	<0.01	76
49-644	0	LCLZ	60	2	37.0	37.8	0.8	0.0	17	0.48	<0.01	33
49-644	0	LCLZ	60	2	37.8	39.3	1.5	0.0	17	0.41	<0.01	31
49-644	174_100	LCLZ	60	2	39.3	40.9	1.5	0.0	83	3.69	<0.01	193
49-644	174_100	LCLZ	60	2	40.9	42.4	1.5	0.0	111	4.62	<0.01	249
49-644	0	LCLZ	60	2	42.4	43.0	0.6	0.0	17	0.17	<0.01	23
49-644	0	LCLZ	60	2	49.4	50.5	1.1	0.0	27	1.02	0.01	58
49-644	1752_100	LCLZ	60	2	50.5	51.5	1.1	0.0	164	5.34	0.03	325
49-644	0	LCLZ	60	2	51.5	52.3	0.8	0.0	23	0.88	<0.01	50
49-644	0	LCLZ	60	2	61.6	61.9	0.2	0.0	17	0.16	<0.01	23
49-644	0	LCLZ	60	2	61.9	63.2	1.3	0.0	17	0.25	<0.01	26
49-644	0	LCLZ	60	2	63.2	64.7	1.5	0.0	19	1.13	<0.01	54
49-644	165_100	LCLZ	60	2	75.7	75.9	0.2	0.0	261	9.32	0.11	549
49-644	0	LCLZ	60	2	80.1	81.1	1.0	0.0	17	0.58	<0.01	35
49-644	0	LCLZ	60	2	81.1	82.2	1.1	0.0	40	1.96	<0.01	99
49-644	0	LCLZ	60	2	82.2	83.7	1.5	0.0	20	0.83	<0.01	45
49-644	0	LCLZ	60	2	83.7	85.4	1.7	0.0	34	1.83	<0.01	89
49-644	0	LCLZ	60	2	85.4	86.3	0.9	0.0	27	1.03	<0.01	59
49-644	0	LCLZ	60	2	88.8	89.0	0.3	0.0	17	0.39	<0.01	30
49-644	0	LCLZ	60	2	103.0	104.3	1.2	0.0	17	0.47	<0.01	32
49-644	169_100	LCLZ	60	2	104.3	104.5	0.2	0.0	1,070	38.40	<0.01	2,208
49-644	0	LCLZ	60	2	114.6	115.1	0.5	0.0	17	0.21	<0.01	24
49-644	180_100	LCLZ	60	2	115.1	116.5	1.4	0.0	52	1.78	0.01	106
49-644	0	LCLZ	60	2	120.0	120.6	0.6	0.0	17	<0.10	<0.01	<22
49-644	0	LCLZ	60	2	120.6	121.3	0.8	0.0	17	0.35	<0.01	29
49-644	0	LCLZ	60	2	122.0	123.5	1.5	0.0	20	0.68	<0.01	41
49-644	0	LCLZ	60	2	123.5	125.0	1.5	0.0	264	0.65	0.36	326
49-644	0	LCLZ	60	2	125.0	126.5	1.5	0.0	96	<0.10	0.11	112
49-644	0	LCLZ	60	2	126.5	127.1	0.6	0.0	20	<0.10	0.03	26
49-645	0	LCLZ	65	2	36.4	38.0	1.5	0.0	32	1.10	<0.01	66
49-645	0	LCLZ	65	2	38.0	39.5	1.5	0.0	48	1.76	<0.01	101
49-645	0	LCLZ	65	2	39.5	41.0	1.5	0.0	57	2.09	<0.01	120
49-645	0	LCLZ	65	2	41.0	41.6	0.6	0.0	18	0.85	<0.01	44
49-645	0	LCLZ	65	2	64.8	65.2	0.4	0.0	45	1.88	<0.01	102
49-645	0	LCLZ	65	2	65.2	66.2	1.1	0.0	17	0.19	<0.01	24
49-645	0	LCLZ	65	2	66.2	67.4	1.2	0.0	24	0.85	<0.01	50
49-645	0	LCLZ	65	2	71.3	72.9	1.5	0.0	61	2.30	<0.01	130
49-645	165_100	LCLZ	65	2	77.9	78.4	0.5	0.0	327	12.90	0.02	712
49-645	0	LCLZ	65	2	81.4	82.6	1.2	0.0	34	2.36	<0.01	105
49-645	0	LCLZ	65	2	93.6	95.1	1.5	0.0	24	1.41	<0.01	67
49-645	0	LCLZ	65	2	97.7	98.5	0.8	0.0	17	0.38	<0.01	29
49-645	0	LCLZ	65	2	108.8	109.5	0.6	0.0	32	1.18	<0.01	68
49-645	0	LCLZ	65	2	112.4	112.7	0.3	0.0	17	0.49	0.01	33
49-645	0	LCLZ	65	2	112.7	114.2	1.5	0.0	17	0.46	<0.01	32
49-645	180_100	LCLZ	65	2	114.2	115.1	0.9	0.6	754	25.10	0.06	1,505
49-645	180_100	LCLZ	65	2	115.1	116.2	1.0	0.0	40	1.56	<0.01	87
49-645	168hw_100	LCLZ	65	2	119.7	119.9	0.2	0.1	576	10.10	0.15	892
49-645	0	LCLZ	65	2	119.9	121.0	1.2	0.0	17	<0.10	<0.01	<22
49-645	168_100	LCLZ	65	2	121.0	122.0	0.9	0.0	48	2.11	0.01	112
49-645	0	LCLZ	65	2	122.0	123.2	1.2	0.0	17	0.17	<0.01	23
49-645	0	LCLZ	65	2	123.2	124.4	1.2	0.0	35	0.93	0.03	66
49-645	0	LCLZ	65	2	125.5	126.8	1.4	0.0	36	0.24	0.03	46
49-645	0	LCLZ	65	2	126.8	127.4	0.6	0.3	108	0.11	0.07	119
49-645	0	LCLZ	65	2	127.4	127.7	0.3	0.3	470	0.46	0.30	518

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-646	0	LCLZ	68	-1	79.7	80.6	0.9	0.0	54	1.24	0.04	95
49-646	0	LCLZ	68	-1	80.6	81.9	1.3	0.0	17	0.28	<0.01	27
49-646	0	LCLZ	68	-1	81.9	83.1	1.2	0.0	17	0.22	<0.01	25
49-646	0	LCLZ	68	-1	83.1	84.5	1.3	0.0	47	2.53	<0.01	123
49-646	0	LCLZ	68	-1	84.5	86.0	1.5	0.0	39	2.25	<0.01	107
49-646	0	LCLZ	68	-1	86.0	87.5	1.5	0.0	25	1.35	<0.01	66
49-646	0	LCLZ	68	-1	87.5	89.0	1.5	0.0	17	0.94	<0.01	46
49-646	0	LCLZ	68	-1	89.0	90.2	1.2	0.0	17	0.67	<0.01	38
49-646	0	LCLZ	68	-1	90.2	91.5	1.2	0.0	17	0.72	<0.01	40
49-646	0	LCLZ	68	-1	91.5	93.0	1.5	0.0	47	2.86	<0.01	132
49-646	0	LCLZ	68	-1	93.0	94.5	1.5	0.0	17	1.04	<0.01	49
49-646	0	LCLZ	68	-1	94.5	96.0	1.5	0.0	17	0.54	<0.01	34
49-646	0	LCLZ	68	-1	96.0	97.6	1.5	0.0	43	2.45	<0.01	117
49-646	165_100	LCLZ	68	-1	97.6	99.1	1.5	0.0	97	4.64	<0.01	236
49-646	0	LCLZ	68	-1	99.1	100.6	1.5	0.0	57	2.47	<0.01	132
49-646	0	LCLZ	68	-1	100.6	102.1	1.5	0.0	19	1.20	<0.01	56
49-646	0	LCLZ	68	-1	102.1	103.7	1.5	0.0	36	1.83	<0.01	91
49-646	0	LCLZ	68	-1	103.7	105.2	1.5	0.0	22	1.10	<0.01	56
49-646	0	LCLZ	68	-1	105.2	106.7	1.5	0.0	17	0.36	<0.01	29
49-646	0	LCLZ	68	-1	106.7	108.2	1.5	0.0	26	1.03	<0.01	57
49-646	0	LCLZ	68	-1	108.2	109.8	1.5	0.0	20	0.62	<0.01	40
49-646	0	LCLZ	68	-1	109.8	111.3	1.5	0.0	17	0.15	<0.01	23
49-646	0	LCLZ	68	-1	111.3	112.8	1.5	0.0	17	0.23	<0.01	25
49-646	0	LCLZ	68	-1	112.8	113.9	1.1	0.0	17	0.22	<0.01	25
49-646	0	LCLZ	68	-1	113.9	115.2	1.4	0.0	19	0.63	<0.01	39
49-646	0	LCLZ	68	-1	115.2	116.5	1.2	0.0	22	0.72	<0.01	44
49-646	0	LCLZ	68	-1	116.5	117.7	1.2	0.0	22	0.75	<0.01	45
49-646	168_100	LCLZ	68	-1	129.6	130.3	0.8	0.7	315	14.00	0.05	736
49-646	0	LCLZ	68	-1	130.3	131.9	1.5	0.0	24	1.22	<0.01	62
49-646	0	LCLZ	68	-1	131.9	133.4	1.5	0.0	17	0.17	<0.01	23
49-646	0	LCLZ	68	-1	133.4	134.9	1.5	0.0	17	0.19	<0.01	24
49-646	0	LCLZ	68	-1	134.9	135.9	1.0	0.0	53	2.10	0.04	120
49-646	0	LCLZ	68	-1	135.9	136.3	0.5	0.0	17	<0.10	<0.01	<22
49-646	0	LCLZ	68	-1	136.3	137.0	0.6	0.0	82	5.80	0.02	257
49-646	0	LCLZ	68	-1	137.0	138.4	1.5	0.0	20	1.24	0.01	58
49-646	0	LCLZ	68	-1	138.4	139.9	1.5	0.0	99	5.00	0.03	251
49-646	0	LCLZ	68	-1	139.9	141.5	1.5	0.0	56	3.19	<0.01	152
49-646	0	LCLZ	68	-1	141.5	142.5	1.1	0.0	50	1.66	0.03	103
49-646	0	LCLZ	68	-1	144.3	144.6	0.3	0.0	17	<0.10	<0.01	<22
49-647	0	LCLZ	70	15	111.6	112.2	0.6	0.0	17	<0.10	<0.01	<22
49-647	130_100	LCLZ	70	15	112.2	113.0	0.9	0.0	103	3.52	0.02	210
49-647	0	LCLZ	70	15	113.0	113.7	0.6	0.0	17	<0.10	<0.01	<22
49-647	0	LCLZ	70	15	143.6	144.2	0.6	0.0	17	<0.10	<0.01	<22
49-647	0	LCLZ	70	15	144.2	145.7	1.5	0.0	91	2.83	0.03	179
49-647	0	LCLZ	70	15	145.7	147.3	1.5	0.0	17	<0.10	<0.01	<22
49-647	0	LCLZ	70	15	147.3	148.4	1.2	0.0	75	4.50	0.02	211
49-647	0	LCLZ	70	15	148.4	148.5	0.1	0.0	82	6.89	<0.01	287
49-647	0	LCLZ	70	15	148.5	149.4	0.9	0.0	26	1.89	<0.01	83
49-647	0	LCLZ	70	15	149.4	150.1	0.7	0.0	51	3.69	<0.01	161
49-647	0	LCLZ	70	15	150.1	151.4	1.3	0.0	22	1.53	<0.01	68
49-647	0	LCLZ	70	15	151.4	151.6	0.2	0.0	17	0.19	<0.01	24
49-647	0	LCLZ	70	15	151.6	152.3	0.7	0.0	17	0.22	<0.01	25
49-647	0	LCLZ	70	15	152.3	153.8	1.5	0.0	17	0.48	<0.01	33
49-647	0	LCLZ	70	15	153.8	154.6	0.8	0.0	69	4.36	0.03	201
49-647	0	LCLZ	70	15	154.6	155.6	1.1	0.0	17	<0.10	0.01	<22
49-648	0	LCLZ	80	2	111.1	111.7	0.6	0.0	17	<0.10	<0.01	<22
49-648	0	LCLZ	80	2	111.7	112.9	1.1	0.0	28	1.26	<0.01	67
49-648	130_100	LCLZ	80	2	112.9	114.0	1.2	0.0	82	3.94	0.01	200
49-648	0	LCLZ	80	2	114.0	115.2	1.2	0.0	31	1.10	0.01	65
49-648	0	LCLZ	80	2	115.2	115.5	0.4	0.0	17	<0.10	<0.01	<22
49-648	0	LCLZ	80	2	144.1	144.7	0.6	0.0	17	<0.10	<0.01	<22
49-648	0	LCLZ	80	2	144.7	145.9	1.2	0.0	17	0.37	<0.01	29
49-648	165_100	LCLZ	80	2	145.9	146.3	0.5	0.0	219	13.20	0.09	621

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-648	0	LCLZ	80	2	146.3	147.7	1.4	0.0	55	3.18	<0.01	150
49-648	0	LCLZ	80	2	147.7	149.1	1.4	0.0	81	5.56	0.01	247
49-648	0	LCLZ	80	2	149.1	149.5	0.5	0.0	70	4.16	0.01	195
49-648	0	LCLZ	80	2	149.5	150.9	1.4	0.0	17	0.96	<0.01	47
49-648	0	LCLZ	80	2	150.9	152.4	1.5	0.0	19	1.28	<0.01	58
49-648	0	LCLZ	80	2	152.4	153.0	0.5	0.0	20	1.41	<0.01	63
49-648	0	LCLZ	80	2	153.0	153.5	0.5	0.0	17	<0.10	<0.01	<22
49-648	0	LCLZ	80	2	153.5	154.3	0.8	0.0	93	6.92	<0.01	299
49-648	0	LCLZ	80	2	154.3	155.6	1.3	0.0	27	1.86	0.01	83
49-648	0	LCLZ	80	2	155.6	156.3	0.7	0.0	86	1.76	0.18	159
49-648	0	LCLZ	80	2	156.3	157.0	0.6	0.0	17	<0.10	<0.01	<22
49-649	0	LCLZ	42	8	35.9	36.6	0.6	0.0	17	<0.10	<0.01	<22
49-649	174_100	LCLZ	42	8	36.6	37.2	0.6	0.0	75	3.73	<0.01	187
49-649	174_100	LCLZ	42	8	37.2	37.5	0.3	0.2	655	28.10	0.06	1,494
49-649	174_100	LCLZ	42	8	37.5	39.0	1.5	1.0	302	12.50	0.03	675
49-649	174_100	LCLZ	42	8	39.0	39.4	0.4	0.2	231	3.75	0.19	365
49-649	130_100	LCLZ	42	8	39.4	40.9	1.5	0.0	122	4.68	0.04	265
49-649	130_100	LCLZ	42	8	40.9	41.8	0.9	0.0	388	16.40	0.01	875
49-649	130_100	LCLZ	42	8	41.8	43.3	1.5	0.0	99	4.24	<0.01	226
49-649	0	LCLZ	42	8	43.3	43.8	0.5	0.0	31	1.51	<0.01	77
49-649	0	LCLZ	42	8	43.9	45.4	1.5	0.0	91	4.12	<0.01	214
49-649	0	LCLZ	42	8	45.4	46.3	0.9	0.0	110	3.86	0.04	228
49-649	1752_100	LCLZ	42	8	46.3	46.6	0.3	0.3	377	20.80	0.01	995
49-649	1752_100	LCLZ	42	8	46.6	47.5	0.9	0.7	82	3.90	<0.01	198
49-649	1752_100	LCLZ	42	8	47.5	48.3	0.8	0.6	274	13.60	0.01	679
49-649	0	LCLZ	42	8	48.3	48.8	0.5	0.0	110	1.63	0.16	176
49-649	0	LCLZ	42	8	48.8	50.3	1.5	0.0	75	3.78	<0.01	189
49-649	0	LCLZ	42	8	50.3	51.0	0.7	0.0	45	1.97	<0.01	105
49-649	0	LCLZ	42	8	51.0	51.6	0.6	0.0	17	0.18	<0.01	24
49-649	176_100	LCLZ	42	8	57.4	58.1	0.7	0.0	79	3.33	<0.01	179
49-649	0	LCLZ	42	8	66.4	67.1	0.8	0.0	22	0.72	<0.01	44
49-649	0	LCLZ	42	8	68.3	68.6	0.3	0.0	22	0.68	<0.01	43
49-649	0	LCLZ	42	8	68.6	69.8	1.2	0.0	66	2.36	<0.01	137
49-649	0	LCLZ	42	8	69.8	70.7	0.9	0.0	25	0.95	<0.01	54
49-649	165_100	LCLZ	42	8	70.7	70.9	0.2	0.0	187	8.98	<0.01	454
49-649	0	LCLZ	42	8	76.9	77.2	0.3	0.0	58	2.21	<0.01	125
49-649	0	LCLZ	42	8	82.0	83.4	1.4	0.0	18	0.55	<0.01	36
49-649	0	LCLZ	42	8	83.4	84.7	1.2	0.0	17	0.15	<0.01	23
49-649	0	LCLZ	42	8	84.7	85.8	1.2	0.0	41	1.34	<0.01	82
49-649	0	LCLZ	42	8	85.8	87.3	1.5	0.0	17	0.47	<0.01	32
49-649	0	LCLZ	42	8	92.4	92.8	0.5	0.0	17	<0.10	<0.01	<22
49-649	0	LCLZ	42	8	97.1	97.3	0.2	0.0	46	1.41	<0.01	89
49-649	0	LCLZ	42	8	97.4	98.4	1.0	0.0	17	0.10	<0.01	<22
49-649	0	LCLZ	42	8	98.4	99.0	0.6	0.0	17	0.14	<0.01	23
49-649	0	LCLZ	42	8	99.0	99.7	0.7	0.0	17	<0.10	<0.01	<22
49-649	0	LCLZ	42	8	99.7	101.2	1.5	0.0	23	0.62	<0.01	43
49-649	168hw_100	LCLZ	42	8	101.2	102.3	1.1	0.0	302	9.84	<0.01	594
49-649	168hw_100	LCLZ	42	8	102.3	103.4	1.1	0.0	92	2.09	0.02	156
49-649	0	LCLZ	42	8	103.4	104.3	0.9	0.0	47	1.15	0.02	84
49-649	168_100	LCLZ	42	8	104.3	104.7	0.5	0.0	76	2.16	0.02	143
49-649	0	LCLZ	42	8	111.6	112.2	0.6	0.0	17	<0.10	<0.01	<22
49-649	0	LCLZ	42	8	112.2	112.7	0.5	0.0	270	15.10	0.04	722
49-649	0	LCLZ	42	8	112.7	113.3	0.6	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	31.8	32.4	0.6	0.0	17	<0.10	<0.01	<22
49-650	174_100	LCLZ	40	-2	32.4	33.5	1.1	0.0	118	3.80	<0.01	231
49-650	174_100	LCLZ	40	-2	33.5	33.8	0.3	0.3	837	40.40	0.04	2,038
49-650	174_100	LCLZ	40	-2	33.8	34.4	0.5	0.5	105	4.72	0.04	249
49-650	174_100	LCLZ	40	-2	34.4	34.5	0.2	0.2	103	2.85	0.49	244
49-650	174_100	LCLZ	40	-2	34.5	35.4	0.9	0.9	247	3.96	0.42	413
49-650	174_100	LCLZ	40	-2	35.4	36.1	0.8	0.8	17	0.88	<0.01	44
49-650	130_100	LCLZ	40	-2	36.1	36.4	0.2	0.2	113	1.56	0.03	163
49-650	130_100	LCLZ	40	-2	36.4	36.7	0.4	0.2	782	35.50	0.04	1,838
49-650	130_100	LCLZ	40	-2	36.7	37.1	0.3	0.2	429	19.00	<0.01	992

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-650	130_100	LCLZ	40	-2	37.1	37.7	0.6	0.4	240	6.88	0.11	457
49-650	130_100	LCLZ	40	-2	37.7	38.9	1.2	0.8	84	3.88	<0.01	200
49-650	130_100	LCLZ	40	-2	38.9	39.5	0.6	0.4	332	16.30	<0.01	816
49-650	130_100	LCLZ	40	-2	39.5	39.7	0.2	0.1	217	6.04	0.08	405
49-650	0	LCLZ	40	-2	39.7	40.5	0.9	0.0	53	2.72	<0.01	135
49-650	0	LCLZ	40	-2	40.5	42.1	1.5	0.0	17	0.58	<0.01	35
49-650	0	LCLZ	40	-2	42.1	42.2	0.2	0.0	187	8.04	0.01	426
49-650	0	LCLZ	40	-2	42.2	43.3	1.1	0.0	72	3.48	<0.01	176
49-650	0	LCLZ	40	-2	43.3	43.9	0.6	0.0	94	4.60	<0.01	232
49-650	0	LCLZ	40	-2	43.9	44.6	0.7	0.0	51	2.43	<0.01	124
49-650	0	LCLZ	40	-2	44.6	45.2	0.6	0.0	24	1.16	<0.01	60
49-650	0	LCLZ	40	-2	45.7	46.8	1.1	0.0	21	1.10	<0.01	55
49-650	0	LCLZ	40	-2	46.8	47.4	0.5	0.0	28	1.18	<0.01	64
49-650	0	LCLZ	40	-2	47.4	48.2	0.8	0.0	17	0.63	<0.01	37
49-650	0	LCLZ	40	-2	48.2	48.5	0.4	0.0	55	0.69	0.27	107
49-650	165_100	LCLZ	40	-2	59.3	59.5	0.2	0.0	288	8.48	0.07	548
49-650	0	LCLZ	40	-2	66.8	67.7	0.9	0.0	17	0.21	<0.01	25
49-650	0	LCLZ	40	-2	69.7	69.9	0.2	0.0	46	0.74	0.07	77
49-650	0	LCLZ	40	-2	69.9	71.3	1.4	0.0	17	0.32	<0.01	28
49-650	0	LCLZ	40	-2	71.3	72.0	0.6	0.0	46	1.07	0.02	80
49-650	0	LCLZ	40	-2	72.0	72.4	0.5	0.0	38	1.10	<0.01	71
49-650	0	LCLZ	40	-2	72.4	72.9	0.5	0.0	17	0.39	<0.01	30
49-650	0	LCLZ	40	-2	75.0	75.6	0.6	0.0	17	0.79	<0.01	42
49-650	169_100	LCLZ	40	-2	75.6	75.9	0.3	0.0	198	6.28	0.04	388
49-650	0	LCLZ	40	-2	75.9	76.7	0.8	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	76.7	78.0	1.4	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	78.0	78.4	0.3	0.0	94	1.09	0.04	131
49-650	0	LCLZ	40	-2	78.4	79.1	0.8	0.0	17	<0.10	0.01	<22
49-650	0	LCLZ	40	-2	79.3	79.7	0.5	0.0	45	0.34	0.04	60
49-650	0	LCLZ	40	-2	79.7	80.2	0.5	0.0	138	3.11	0.05	235
49-650	0	LCLZ	40	-2	80.2	81.4	1.2	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	81.4	82.3	0.9	0.0	46	0.21	0.05	58
49-650	0	LCLZ	40	-2	82.3	82.5	0.2	0.0	19	1.01	0.29	82
49-650	0	LCLZ	40	-2	82.5	83.8	1.4	0.0	31	0.23	0.05	44
49-650	164_100	LCLZ	40	-2	83.8	84.8	0.9	0.0	172	1.18	0.22	233
49-650	0	LCLZ	40	-2	84.8	85.8	1.1	0.0	17	<0.10	0.01	<22
49-650	0	LCLZ	40	-2	85.8	87.2	1.4	0.0	18	<0.10	0.02	23
49-650	0	LCLZ	40	-2	87.2	88.4	1.2	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	88.4	88.7	0.3	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	88.7	89.6	0.9	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	89.9	91.3	1.4	0.0	17	<0.10	<0.01	<22
49-650	168hw_100	LCLZ	40	-2	91.3	91.7	0.4	0.0	497	16.10	0.15	991
49-650	0	LCLZ	40	-2	91.7	92.4	0.6	0.0	17	<0.10	<0.01	<22
49-650	0	LCLZ	40	-2	93.8	95.0	1.2	0.0	17	0.26	<0.01	26
49-650	0	LCLZ	40	-2	96.5	97.7	1.2	0.0	17	<0.10	<0.01	<22
49-650	168_100	LCLZ	40	-2	97.7	99.2	1.5	0.0	128	4.56	0.02	265
49-650	0	LCLZ	40	-2	99.2	100.2	0.9	0.0	17	0.38	<0.01	29
49-651	0	LCLZ	40	8	35.4	36.0	0.6	0.0	17	<0.10	<0.01	<22
49-651	174_100	LCLZ	40	8	36.0	36.9	0.9	0.7	436	22.20	0.04	1,098
49-651	130_100	LCLZ	40	8	36.9	37.5	0.6	0.0	87	4.16	<0.01	211
49-651	0	LCLZ	40	8	37.5	39.0	1.5	0.0	46	2.40	<0.01	118
49-651	0	LCLZ	40	8	39.0	40.5	1.5	0.0	61	2.43	<0.01	134
49-651	0	LCLZ	40	8	40.5	41.8	1.2	0.0	17	0.79	<0.01	42
49-651	0	LCLZ	40	8	41.8	42.1	0.3	0.0	20	0.85	<0.01	46
49-651	0	LCLZ	40	8	42.1	43.6	1.5	0.0	19	0.80	<0.01	44
49-651	0	LCLZ	40	8	43.6	45.1	1.5	0.0	17	0.69	<0.01	39
49-651	0	LCLZ	40	8	45.1	46.5	1.4	0.0	38	2.14	<0.01	103
49-651	1752_100	LCLZ	40	8	46.5	48.0	1.5	0.0	74	3.86	<0.01	190
49-651	0	LCLZ	40	8	48.8	49.5	0.8	0.0	31	1.12	<0.01	65
49-651	0	LCLZ	40	8	49.5	51.1	1.5	0.0	17	<0.10	<0.01	<22
49-651	0	LCLZ	40	8	51.8	52.3	0.5	0.0	20	0.91	<0.01	48
49-651	0	LCLZ	40	8	52.3	53.8	1.5	0.0	17	0.24	<0.01	25
49-651	0	LCLZ	40	8	53.8	54.4	0.6	0.0	17	0.55	<0.01	35

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-651	0	LCLZ	40	8	54.9	55.5	0.6	0.0	17	<0.10	<0.01	<22
49-651	0	LCLZ	40	8	55.5	56.9	1.4	0.0	17	0.57	<0.01	35
49-651	0	LCLZ	40	8	61.0	62.5	1.5	0.0	52	2.04	<0.01	114
49-651	0	LCLZ	40	8	62.5	63.3	0.8	0.0	17	0.65	<0.01	38
49-651	167_100	LCLZ	40	8	68.6	69.5	0.9	0.0	86	4.20	<0.01	212
49-651	0	LCLZ	40	8	69.5	71.0	1.5	0.0	17	0.28	<0.01	27
49-651	0	LCLZ	40	8	71.0	72.6	1.5	0.0	20	0.81	<0.01	45
49-651	0	LCLZ	40	8	72.6	73.9	1.4	0.0	17	0.13	<0.01	22
49-651	0	LCLZ	40	8	73.9	75.5	1.5	0.0	17	0.37	<0.01	29
49-651	0	LCLZ	40	8	75.5	76.2	0.8	0.0	17	0.20	<0.01	24
49-651	0	LCLZ	40	8	76.2	77.6	1.4	0.0	17	0.47	0.01	33
49-651	0	LCLZ	40	8	80.8	82.0	1.2	0.0	17	0.37	0.01	29
49-651	0	LCLZ	40	8	82.0	82.6	0.6	0.0	62	0.55	0.09	88
49-651	0	LCLZ	40	8	82.6	83.2	0.6	0.0	123	0.16	0.14	144
49-651	0	LCLZ	40	8	83.2	83.8	0.6	0.0	314	0.54	0.36	373
49-651	0	LCLZ	40	8	83.8	85.1	1.2	0.0	27	0.26	0.02	38
49-651	0	LCLZ	40	8	87.8	88.4	0.6	0.0	17	<0.10	<0.01	<22
49-651	164_100	LCLZ	40	8	88.4	89.3	0.9	0.0	215	2.93	0.11	315
49-651	164_100	LCLZ	40	8	89.3	89.6	0.3	0.0	182	0.70	0.14	219
49-651	0	LCLZ	40	8	89.6	90.7	1.1	0.0	17	<0.10	0.01	<22
49-651	0	LCLZ	40	8	93.2	94.1	0.9	0.0	38	0.57	0.05	61
49-651	168hw_100	LCLZ	40	8	94.1	94.5	0.4	0.4	297	5.96	0.17	493
49-651	168hw_100	LCLZ	40	8	94.5	94.8	0.3	0.3	775	27.80	0.02	1,601
49-651	168hw_100	LCLZ	40	8	94.8	95.1	0.2	0.2	813	29.10	0.03	1,678
49-651	168hw_100	LCLZ	40	8	95.1	96.6	1.5	1.5	151	5.12	<0.01	304
49-651	168hw_100	LCLZ	40	8	96.6	97.6	1.0	1.0	61	2.17	<0.01	127
49-651	0	LCLZ	40	8	97.6	98.2	0.6	0.0	28	0.83	0.01	55
49-651	0	LCLZ	40	8	98.2	99.4	1.2	0.0	17	0.12	<0.01	<22
49-651	0	LCLZ	40	8	99.4	100.6	1.2	0.0	17	<0.10	<0.01	<22
49-651	0	LCLZ	40	8	100.6	101.2	0.6	0.0	17	<0.10	0.02	22
49-651	0	LCLZ	40	8	101.2	102.4	1.2	0.0	17	<0.10	<0.01	<22
49-651	0	LCLZ	40	8	102.4	103.7	1.3	0.0	55	1.84	<0.01	110
49-651	0	LCLZ	40	8	103.7	104.4	0.8	0.0	17	0.21	<0.01	24
49-651	0	LCLZ	40	8	104.4	106.1	1.7	0.0	27	1.53	<0.01	74
49-651	0	LCLZ	40	8	106.1	107.2	1.1	0.0	133	8.34	0.03	384
49-651	0	LCLZ	40	8	107.2	108.1	0.9	0.0	31	1.16	<0.01	67
49-652	0	LCLZ	30	0	33.4	34.0	0.6	0.0	17	<0.10	<0.01	<22
49-652	174_100	LCLZ	30	0	34.0	35.2	1.2	0.0	102	3.47	<0.01	205
49-652	174_100	LCLZ	30	0	35.2	36.3	1.1	0.0	128	5.42	<0.01	289
49-652	0	LCLZ	30	0	36.3	37.8	1.5	0.0	52	1.94	<0.01	110
49-652	0	LCLZ	30	0	37.8	39.3	1.5	0.0	18	0.73	<0.01	41
49-652	0	LCLZ	30	0	39.3	40.9	1.5	0.0	17	0.77	<0.01	41
49-652	0	LCLZ	30	0	40.9	41.6	0.8	0.0	48	2.49	<0.01	123
49-652	0	LCLZ	30	0	41.6	42.7	1.1	0.0	17	0.61	<0.01	36
49-652	0	LCLZ	30	0	42.7	43.1	0.4	0.0	17	0.63	<0.01	37
49-652	0	LCLZ	30	0	48.8	50.2	1.4	0.0	17	0.54	<0.01	34
49-652	0	LCLZ	30	0	50.2	51.5	1.3	0.0	43	1.67	<0.01	93
49-652	1752_100	LCLZ	30	0	51.5	52.4	1.0	1.0	264	11.30	<0.01	600
49-652	0	LCLZ	30	0	52.4	53.0	0.6	0.0	17	0.36	<0.01	29
49-652	0	LCLZ	30	0	55.0	56.5	1.5	0.0	20	0.70	<0.01	42
49-652	176_100	LCLZ	30	0	56.5	57.6	1.1	1.1	192	7.15	0.01	405
49-652	0	LCLZ	30	0	57.6	58.2	0.6	0.0	17	0.43	<0.01	31
49-652	0	LCLZ	30	0	59.6	59.8	0.2	0.0	26	1.02	<0.01	57
49-652	0	LCLZ	30	0	61.4	61.6	0.2	0.0	39	1.37	<0.01	80
49-652	0	LCLZ	30	0	61.6	62.8	1.2	0.0	17	0.53	<0.01	34
49-652	0	LCLZ	30	0	62.8	63.4	0.6	0.0	51	2.29	0.01	120
49-652	167_100	LCLZ	30	0	63.4	64.0	0.6	0.0	84	3.61	0.02	193
49-652	167_100	LCLZ	30	0	64.0	65.2	1.2	0.0	160	6.99	<0.01	369
49-652	0	LCLZ	30	0	65.2	66.1	0.8	0.0	17	0.23	<0.01	25
49-652	0	LCLZ	30	0	66.1	67.6	1.5	0.0	30	1.23	<0.01	67
49-652	0	LCLZ	30	0	73.2	73.3	0.2	0.0	219	3.74	0.14	347
49-652	0	LCLZ	30	0	73.3	74.5	1.2	0.0	17	0.39	<0.01	30
49-652	0	LCLZ	30	0	74.5	76.1	1.5	0.0	67	2.69	<0.01	147

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-652	0	LCLZ	30	0	76.1	77.6	1.5	0.0	151	6.07	0.03	334
49-652	0	LCLZ	30	0	77.6	78.7	1.1	0.0	59	2.54	<0.01	135
49-652	0	LCLZ	30	0	78.7	79.4	0.8	0.0	137	5.49	<0.01	301
49-652	0	LCLZ	30	0	79.4	80.9	1.5	0.0	26	0.99	<0.01	57
49-652	0	LCLZ	30	0	80.9	81.6	0.6	0.0	51	2.15	<0.01	116
49-653	0	LCLZ	30	8	36.8	37.4	0.6	0.0	17	<0.10	<0.01	<22
49-653	174_100	LCLZ	30	8	37.4	37.8	0.4	0.0	78	4.32	<0.01	207
49-653	0	LCLZ	30	8	37.8	39.3	1.5	0.0	33	1.43	<0.01	77
49-653	0	LCLZ	30	8	39.3	40.9	1.5	0.0	20	0.78	<0.01	45
49-653	0	LCLZ	30	8	40.9	42.4	1.5	0.0	21	0.97	<0.01	51
49-653	0	LCLZ	30	8	42.4	43.6	1.2	0.0	30	1.46	<0.01	75
49-653	0	LCLZ	30	8	43.6	44.7	1.1	0.0	38	1.88	<0.01	95
49-653	1752_100	LCLZ	30	8	44.7	45.2	0.5	0.5	93	3.72	0.01	205
49-653	1752_100	LCLZ	30	8	45.2	45.3	0.2	0.2	782	44.00	0.03	2,088
49-653	1752_100	LCLZ	30	8	45.3	45.7	0.4	0.4	100	4.40	<0.01	232
49-653	1752_100	LCLZ	30	8	45.7	46.8	1.1	0.0	31	1.34	<0.01	72
49-653	1752_100	LCLZ	30	8	46.8	47.3	0.5	0.0	123	5.52	0.02	289
49-653	0	LCLZ	30	8	47.3	47.9	0.6	0.0	17	0.20	<0.01	24
49-653	0	LCLZ	30	8	50.7	51.2	0.5	0.0	40	1.74	<0.01	92
49-653	0	LCLZ	30	8	54.6	55.8	1.2	0.0	21	0.70	<0.01	43
49-653	0	LCLZ	30	8	55.8	56.9	1.1	0.0	17	0.42	<0.01	31
49-653	176_100	LCLZ	30	8	56.9	57.9	1.0	0.0	97	2.53	0.01	173
49-653	176_100	LCLZ	30	8	57.9	58.0	0.2	0.2	425	19.50	0.05	1,009
49-653	176_100	LCLZ	30	8	58.0	58.4	0.4	0.4	21	0.81	<0.01	46
49-653	176_100	LCLZ	30	8	58.4	58.8	0.4	0.4	242	12.80	0.02	624
49-653	0	LCLZ	30	8	58.8	59.8	0.9	0.0	17	0.39	<0.01	30
49-653	0	LCLZ	30	8	59.8	60.7	0.9	0.0	34	1.44	<0.01	78
49-653	0	LCLZ	30	8	61.0	62.5	1.5	0.0	32	1.32	<0.01	73
49-653	0	LCLZ	30	8	62.5	63.4	0.9	0.0	17	0.56	<0.01	35
49-653	0	LCLZ	30	8	63.4	64.2	0.9	0.0	17	0.42	<0.01	31
49-653	0	LCLZ	30	8	68.2	68.4	0.2	0.0	162	6.52	0.02	357
49-653	0	LCLZ	30	8	68.4	69.4	1.0	0.0	19	0.72	<0.01	42
49-653	167_100	LCLZ	30	8	69.4	69.8	0.5	0.0	152	6.92	<0.01	358
49-653	167_100	LCLZ	30	8	69.8	71.3	1.5	0.0	70	2.40	<0.01	142
49-653	167_100	LCLZ	30	8	71.3	72.1	0.8	0.0	147	4.92	<0.01	294
49-653	0	LCLZ	30	8	72.1	73.2	1.1	0.0	64	2.13	0.02	130
49-653	0	LCLZ	30	8	73.2	74.7	1.5	0.0	67	2.15	<0.01	132
49-653	169_100	LCLZ	30	8	74.7	75.6	0.9	0.1	456	18.80	<0.01	1,014
49-653	0	LCLZ	30	8	75.6	76.2	0.6	0.0	46	1.51	<0.01	91
49-653	0	LCLZ	30	8	76.2	77.1	0.9	0.0	17	0.18	<0.01	23
49-654	0	LCLZ	30	15	39.5	40.1	0.6	0.0	17	<0.10	<0.01	<22
49-654	0	LCLZ	30	15	40.1	41.2	1.0	0.0	24	1.00	<0.01	55
49-654	0	LCLZ	30	15	41.2	42.7	1.5	0.0	86	3.42	<0.01	189
49-654	1753_100	LCLZ	30	15	42.7	43.6	0.9	0.0	190	8.25	<0.01	435
49-654	0	LCLZ	30	15	43.6	44.8	1.2	0.0	100	4.56	<0.01	237
49-654	0	LCLZ	30	15	44.8	45.3	0.5	0.0	59	2.42	<0.01	132
49-654	1752_100	LCLZ	30	15	45.3	46.5	1.2	0.0	127	6.27	<0.01	314
49-654	0	LCLZ	30	15	46.5	47.0	0.5	0.0	88	3.64	<0.01	197
49-654	0	LCLZ	30	15	47.0	48.2	1.3	0.0	17	0.58	<0.01	35
49-654	0	LCLZ	30	15	48.2	48.9	0.7	0.0	17	0.37	<0.01	29
49-654	0	LCLZ	30	15	48.9	50.0	1.1	0.0	20	0.91	<0.01	48
49-654	0	LCLZ	30	15	50.0	50.3	0.3	0.0	86	4.35	<0.01	216
49-654	0	LCLZ	30	15	50.3	51.5	1.2	0.0	17	0.71	<0.01	39
49-654	0	LCLZ	30	15	53.8	54.6	0.8	0.0	44	1.79	<0.01	98
49-654	0	LCLZ	30	15	54.9	55.8	0.9	0.0	55	2.15	<0.01	119
49-654	0	LCLZ	30	15	55.8	57.3	1.5	0.0	17	0.23	<0.01	25
49-654	0	LCLZ	30	15	57.3	58.8	1.5	0.0	17	0.14	<0.01	22
49-654	0	LCLZ	30	15	58.8	59.8	0.9	0.0	17	<0.10	<0.01	<22
49-654	0	LCLZ	30	15	59.8	60.4	0.6	0.0	126	4.44	0.01	259
49-654	0	LCLZ	30	15	60.4	60.8	0.5	0.0	76	2.81	<0.01	161
49-654	0	LCLZ	30	15	60.8	62.0	1.2	0.0	17	0.27	<0.01	26
49-654	176_100	LCLZ	30	15	62.0	62.6	0.6	0.0	143	6.66	<0.01	341
49-654	0	LCLZ	30	15	62.6	63.8	1.3	0.0	17	0.35	<0.01	29

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-654	0	LCLZ	30	15	63.8	64.5	0.6	0.0	64	2.22	<0.01	131
49-654	0	LCLZ	30	15	64.5	65.9	1.4	0.0	17	<0.10	<0.01	<22
49-654	0	LCLZ	30	15	65.9	67.1	1.2	0.0	17	0.25	<0.01	26
49-654	0	LCLZ	30	15	67.1	68.0	0.9	0.0	17	0.65	<0.01	38
49-654	0	LCLZ	30	15	68.0	69.1	1.1	0.0	26	1.03	<0.01	58
49-654	165_100	LCLZ	30	15	69.1	70.1	1.0	0.4	621	25.80	<0.01	1,386
49-654	165_100	LCLZ	30	15	70.1	70.4	0.3	0.1	809	27.50	0.03	1,627
49-654	0	LCLZ	30	15	70.4	71.0	0.6	0.0	17	0.10	<0.01	<22
49-654	0	LCLZ	30	15	71.0	72.3	1.2	0.0	17	0.26	<0.01	26
49-654	167_100	LCLZ	30	15	72.3	73.5	1.2	0.0	108	2.97	<0.01	197
49-654	167_100	LCLZ	30	15	73.5	75.0	1.5	1.0	384	14.50	<0.01	815
49-654	167_100	LCLZ	30	15	75.0	75.6	0.6	0.4	624	22.90	0.14	1,319
49-654	0	LCLZ	30	15	75.6	77.1	1.5	0.0	31	1.10	<0.01	65
49-654	0	LCLZ	30	15	77.1	77.7	0.6	0.0	23	0.76	<0.01	47
49-654	0	LCLZ	30	15	79.8	80.0	0.2	0.0	17	0.12	<0.01	<22
49-654	0	LCLZ	30	15	82.6	84.0	1.4	0.0	17	0.13	<0.01	22
49-654	164_100	LCLZ	30	15	84.0	85.1	1.1	0.0	169	6.12	0.12	364
49-654	0	LCLZ	30	15	85.1	85.7	0.6	0.0	35	0.86	0.01	62
49-654	0	LCLZ	30	15	85.7	87.2	1.5	0.0	75	3.33	<0.01	175
49-654	0	LCLZ	30	15	87.2	88.7	1.5	0.0	29	1.33	<0.01	70
49-654	0	LCLZ	30	15	88.7	89.3	0.6	0.0	32	1.40	<0.01	74
49-654	0	LCLZ	30	15	89.3	90.2	0.9	0.0	97	4.20	<0.01	223
49-654	0	LCLZ	30	15	90.2	91.5	1.2	0.0	21	0.92	<0.01	49
49-654	0	LCLZ	30	15	91.5	92.2	0.8	0.0	82	3.84	<0.01	196
49-654	0	LCLZ	30	15	92.2	93.8	1.5	0.0	45	1.90	<0.01	102
49-654	0	LCLZ	30	15	93.8	95.3	1.5	0.0	98	3.83	<0.01	212
49-654	0	LCLZ	30	15	95.3	96.3	1.1	0.0	49	1.94	<0.01	107
49-654	0	LCLZ	30	15	96.3	97.5	1.1	0.0	50	1.30	<0.01	90
49-654	new_100	LCLZ	30	15	97.5	98.4	0.9	0.9	159	4.44	0.02	293
49-654	new_100	LCLZ	30	15	98.4	99.6	1.2	1.2	328	6.64	0.27	556
49-654	0	LCLZ	30	15	99.6	100.9	1.3	0.0	17	0.18	<0.01	24
49-654	0	LCLZ	30	15	100.9	102.4	1.5	0.0	20	0.29	<0.01	29
49-654	168_100	LCLZ	30	15	102.4	102.9	0.5	0.4	1,235	7.36	1.26	1,600
49-654	168_100	LCLZ	30	15	102.9	103.7	0.8	0.6	17	0.37	<0.01	29
49-654	0	LCLZ	30	15	103.7	104.7	1.1	0.0	17	0.44	0.02	33
49-654	0	LCLZ	30	15	104.7	105.8	1.1	0.0	66	2.65	0.03	147
49-654	0	LCLZ	30	15	105.8	106.8	1.0	0.0	25	1.28	<0.01	64
49-654	0	LCLZ	30	15	106.8	108.3	1.5	0.0	43	2.38	<0.01	114
49-654	0	LCLZ	30	15	108.3	109.2	0.9	0.0	24	1.15	<0.01	59
49-655	0	LCLZ	50	20	44.2	44.8	0.6	0.0	17	<0.10	<0.01	<22
49-655	1753_100	LCLZ	50	20	44.8	45.7	0.9	0.0	44	1.97	<0.01	104
49-655	1753_100	LCLZ	50	20	45.7	47.0	1.2	0.0	102	3.48	0.02	207
49-655	0	LCLZ	50	20	47.0	48.5	1.5	0.0	17	0.81	<0.01	42
49-655	1752_100	LCLZ	50	20	48.5	49.7	1.2	0.0	44	1.93	<0.01	102
49-655	1752_100	LCLZ	50	20	49.7	50.6	0.9	0.9	240	10.80	0.01	561
49-655	1752_100	LCLZ	50	20	50.6	51.8	1.2	0.0	44	1.84	<0.01	99
49-655	0	LCLZ	50	20	51.8	52.6	0.8	0.0	19	0.96	<0.01	49
49-655	0	LCLZ	50	20	52.6	53.7	1.1	0.0	17	0.34	<0.01	28
49-655	0	LCLZ	50	20	53.7	55.2	1.5	0.0	17	0.93	<0.01	46
49-655	0	LCLZ	50	20	55.2	56.7	1.5	0.0	17	0.76	<0.01	41
49-655	0	LCLZ	50	20	56.7	57.9	1.2	0.0	17	0.51	<0.01	33
49-655	0	LCLZ	50	20	57.9	59.3	1.4	0.0	50	2.02	<0.01	111
49-655	0	LCLZ	50	20	59.3	59.9	0.6	0.0	17	0.57	<0.01	35
49-655	0	LCLZ	50	20	63.1	63.7	0.6	0.0	17	<0.10	<0.01	<22
49-655	0	LCLZ	50	20	63.7	64.0	0.3	0.0	17	0.62	<0.01	37
49-655	0	LCLZ	50	20	64.0	65.2	1.2	0.0	17	0.44	<0.01	31
49-655	0	LCLZ	50	20	65.2	66.8	1.5	0.0	17	0.54	<0.01	34
49-655	176_100	LCLZ	50	20	66.8	67.7	0.9	0.0	84	3.06	<0.01	175
49-655	176_100	LCLZ	50	20	67.7	68.0	0.4	0.0	141	4.65	0.01	280
49-655	0	LCLZ	50	20	68.0	68.9	0.9	0.0	20	0.77	<0.01	44
49-655	0	LCLZ	50	20	68.9	69.5	0.6	0.0	20	0.67	<0.01	41
49-655	0	LCLZ	50	20	69.5	69.7	0.2	0.0	71	2.59	<0.01	149
49-655	0	LCLZ	50	20	69.7	70.7	1.1	0.0	18	0.57	<0.01	36

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-655	0	LCLZ	50	20	70.7	72.0	1.2	0.0	20	0.71	<0.01	42
49-655	0	LCLZ	50	20	72.0	73.2	1.2	0.0	85	3.46	<0.01	188
49-655	0	LCLZ	50	20	73.2	74.7	1.5	0.0	48	1.84	<0.01	104
49-655	0	LCLZ	50	20	74.7	75.3	0.6	0.0	32	1.15	<0.01	68
49-655	0	LCLZ	50	20	75.3	76.5	1.2	0.0	32	1.18	<0.01	68
49-655	0	LCLZ	50	20	76.5	77.7	1.2	0.0	49	1.82	<0.01	104
49-655	0	LCLZ	50	20	77.7	78.4	0.6	0.0	56	1.99	<0.01	116
49-655	0	LCLZ	50	20	78.4	78.5	0.2	0.0	590	23.60	0.02	1,291
49-655	0	LCLZ	50	20	78.5	78.8	0.3	0.0	18	0.59	<0.01	36
49-655	0	LCLZ	50	20	78.8	80.3	1.5	0.0	38	1.27	<0.01	77
49-655	0	LCLZ	50	20	80.3	81.4	1.1	0.0	17	0.24	<0.01	25
49-655	0	LCLZ	50	20	84.8	85.4	0.5	0.0	17	0.52	<0.01	34
49-655	165_100	LCLZ	50	20	88.4	89.6	1.2	0.3	151	3.93	0.02	269
49-655	165_100	LCLZ	50	20	89.6	90.2	0.6	0.2	17	0.53	<0.01	34
49-655	165_100	LCLZ	50	20	90.2	91.5	1.2	0.3	17	0.46	<0.01	32
49-655	165_100	LCLZ	50	20	91.5	92.1	0.6	0.2	1,372	52.40	0.07	2,931
49-655	165_100	LCLZ	50	20	92.1	93.0	0.9	0.0	56	2.45	<0.01	130
49-655	0	LCLZ	50	20	93.0	94.5	1.5	0.0	31	1.28	<0.01	70
49-655	0	LCLZ	50	20	94.5	96.0	1.5	0.0	96	4.24	<0.01	223
49-655	0	LCLZ	50	20	96.0	97.6	1.5	0.0	28	1.24	<0.01	66
49-655	0	LCLZ	50	20	97.6	99.1	1.5	0.0	17	0.43	<0.01	31
49-655	0	LCLZ	50	20	99.1	100.3	1.2	0.0	17	0.33	<0.01	28
49-655	0	LCLZ	50	20	100.3	100.9	0.6	0.0	42	1.56	0.01	90
49-655	0	LCLZ	50	20	100.9	102.6	1.7	0.0	22	0.83	<0.01	48
49-655	0	LCLZ	50	20	102.6	103.7	1.1	0.0	17	0.53	<0.01	34
49-655	0	LCLZ	50	20	103.7	104.9	1.2	0.0	17	0.22	<0.01	25
49-655	0	LCLZ	50	20	104.9	106.4	1.5	0.0	23	0.83	<0.01	49
49-655	0	LCLZ	50	20	106.4	107.9	1.5	0.0	62	1.75	<0.01	115
49-655	0	LCLZ	50	20	107.9	109.5	1.5	0.0	17	0.20	<0.01	24
49-655	0	LCLZ	50	20	109.5	110.5	1.1	0.0	26	0.70	<0.01	48
49-655	0	LCLZ	50	20	110.5	112.0	1.4	0.0	17	0.13	<0.01	22
49-655	0	LCLZ	50	20	112.0	113.2	1.2	0.0	36	1.02	<0.01	68
49-655	0	LCLZ	50	20	113.2	114.2	1.0	0.0	26	0.85	<0.01	52
49-655	0	LCLZ	50	20	114.2	115.2	1.0	0.0	31	0.84	<0.01	57
49-655	169_100	LCLZ	50	20	115.2	115.5	0.2	0.0	219	5.71	0.02	391
49-655	0	LCLZ	50	20	115.5	116.3	0.9	0.0	38	1.07	<0.01	71
49-655	0	LCLZ	50	20	116.3	117.4	1.1	0.0	17	0.48	<0.01	32
49-655	0	LCLZ	50	20	117.4	118.8	1.4	0.0	19	0.55	<0.01	36
49-655	164_100	LCLZ	50	20	118.8	119.8	1.1	0.0	82	2.53	<0.01	158
49-655	0	LCLZ	50	20	119.8	120.3	0.5	0.0	30	0.91	<0.01	58
49-655	0	LCLZ	50	20	120.3	120.9	0.6	0.0	57	1.63	<0.01	107
49-655	0	LCLZ	50	20	120.9	122.3	1.4	0.0	17	0.14	<0.01	22
49-655	0	LCLZ	50	20	122.3	123.2	0.9	0.0	17	0.62	<0.01	37
49-655	0	LCLZ	50	20	123.2	124.4	1.2	0.0	17	0.26	<0.01	26
49-655	0	LCLZ	50	20	124.4	125.6	1.2	0.0	19	0.46	<0.01	33
49-655	0	LCLZ	50	20	125.6	126.7	1.1	0.0	17	<0.10	<0.01	<22
49-655	0	LCLZ	50	20	126.7	127.6	0.9	0.0	17	<0.10	<0.01	<22
49-655	168_100	LCLZ	50	20	127.6	127.7	0.2	0.0	388	14.90	<0.01	830
49-655	168_100	LCLZ	50	20	127.7	129.1	1.3	0.0	17	0.12	<0.01	<22
49-655	168_100	LCLZ	50	20	129.1	129.6	0.5	0.0	105	2.54	0.10	192
49-655	0	LCLZ	50	20	129.6	130.9	1.4	0.0	17	<0.10	<0.01	<22
49-655	0	LCLZ	50	20	130.9	131.9	0.9	0.0	17	<0.10	<0.01	<22
49-656	0	LCLZ	50	12	39.0	39.6	0.6	0.0	17	<0.10	<0.01	<22
49-656	0	LCLZ	50	12	39.6	41.0	1.4	0.0	66	4.29	<0.01	194
49-656	174_100	LCLZ	50	12	41.0	41.5	0.5	0.3	1,012	50.50	0.05	2,513
49-656	174_100	LCLZ	50	12	41.5	42.1	0.6	0.4	367	16.10	0.07	852
49-656	174_100	LCLZ	50	12	42.1	43.0	0.9	0.5	115	5.20	<0.01	270
49-656	174_100	LCLZ	50	12	43.0	43.9	0.9	0.5	117	5.70	<0.01	287
49-656	174_100	LCLZ	50	12	43.9	44.5	0.6	0.4	436	24.30	<0.01	1,156
49-656	174_100	LCLZ	50	12	44.5	45.4	0.9	0.0	89	4.28	<0.01	217
49-656	0	LCLZ	50	12	45.4	47.0	1.5	0.0	39	1.62	<0.01	88
49-656	0	LCLZ	50	12	47.0	48.5	1.5	0.0	30	1.31	<0.01	70
49-656	0	LCLZ	50	12	48.5	50.0	1.5	0.0	26	1.17	<0.01	62

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-656	130_100	LCLZ	50	12	50.0	51.8	1.8	0.0	71	3.77	<0.01	183
49-656	130_100	LCLZ	50	12	51.8	53.4	1.5	0.0	59	2.65	<0.01	139
49-656	130_100	LCLZ	50	12	53.4	54.0	0.6	0.0	83	4.21	<0.01	208
49-656	0	LCLZ	50	12	54.0	55.0	1.1	0.0	38	1.67	<0.01	88
49-656	0	LCLZ	50	12	55.0	56.4	1.4	0.0	17	<0.10	<0.01	<22
49-656	0	LCLZ	50	12	56.4	57.9	1.5	0.0	17	0.44	<0.01	31
49-656	0	LCLZ	50	12	57.9	59.1	1.2	0.0	23	0.85	<0.01	49
49-656	176_100	LCLZ	50	12	59.1	59.8	0.6	0.0	61	2.41	<0.01	134
49-656	0	LCLZ	50	12	59.8	61.3	1.5	0.0	22	0.85	<0.01	49
49-656	0	LCLZ	50	12	61.3	62.8	1.5	0.0	17	0.20	<0.01	24
49-656	0	LCLZ	50	12	62.8	64.3	1.5	0.0	29	0.95	<0.01	58
49-656	0	LCLZ	50	12	64.3	65.1	0.8	0.0	17	0.53	<0.01	34
49-656	0	LCLZ	50	12	65.5	67.1	1.5	0.0	54	2.20	<0.01	120
49-656	0	LCLZ	50	12	67.1	68.6	1.5	0.0	17	0.22	<0.01	25
49-656	0	LCLZ	50	12	68.6	68.9	0.3	0.0	39	1.71	<0.01	91
49-656	0	LCLZ	50	12	79.9	80.5	0.6	0.0	34	1.21	<0.01	71
49-656	165_100	LCLZ	50	12	80.5	81.6	1.1	0.0	549	23.80	0.02	1,256
49-656	0	LCLZ	50	12	81.6	82.3	0.8	0.0	44	1.80	<0.01	99
49-656	0	LCLZ	50	12	82.3	83.2	0.9	0.0	22	0.81	<0.01	47
49-656	0	LCLZ	50	12	83.2	84.5	1.2	0.0	17	0.18	<0.01	23
49-656	0	LCLZ	50	12	84.5	85.1	0.6	0.0	33	1.23	<0.01	70
49-656	0	LCLZ	50	12	88.6	89.6	1.1	0.0	17	0.44	<0.01	31
49-656	0	LCLZ	50	12	92.7	93.3	0.6	0.0	21	0.75	<0.01	44
49-656	0	LCLZ	50	12	96.8	97.4	0.6	0.0	76	2.44	<0.01	150
49-656	0	LCLZ	50	12	97.4	98.4	1.0	0.0	17	0.14	<0.01	23
49-656	169_100	LCLZ	50	12	100.6	101.2	0.6	0.0	98	2.76	0.03	184
49-656	0	LCLZ	50	12	101.2	102.3	1.1	0.0	17	<0.10	<0.01	<22
49-656	0	LCLZ	50	12	102.3	103.7	1.4	0.0	30	0.92	<0.01	59
49-656	0	LCLZ	50	12	103.7	104.6	0.9	0.0	31	0.88	<0.01	58
49-656	0	LCLZ	50	12	104.6	105.9	1.4	0.0	17	0.51	<0.01	33
49-656	164_100	LCLZ	50	12	105.9	106.6	0.6	0.0	103	2.96	0.01	192
49-656	0	LCLZ	50	12	106.6	107.6	1.1	0.0	18	0.49	<0.01	33
49-656	0	LCLZ	50	12	107.6	108.5	0.9	0.0	42	1.03	<0.01	74
49-656	0	LCLZ	50	12	108.5	109.5	0.9	0.0	17	0.41	<0.01	30
49-656	0	LCLZ	50	12	111.2	112.0	0.8	0.0	28	0.83	<0.01	54
49-656	168hw_10	LCLZ	50	12	112.0	113.6	1.6	0.0	92	2.14	<0.01	156
49-656	0	LCLZ	50	12	113.6	114.5	0.9	0.0	17	0.21	<0.01	25
49-656	0	LCLZ	50	12	114.5	115.2	0.8	0.0	17	0.24	<0.01	25
49-656	0	LCLZ	50	12	115.2	116.3	1.1	0.0	17	0.29	<0.01	27
49-656	0	LCLZ	50	12	116.3	117.4	1.1	0.0	27	<0.10	0.02	33
49-656	0	LCLZ	50	12	117.4	118.9	1.5	0.0	105	0.16	0.09	120
49-656	0	LCLZ	50	12	118.9	119.4	0.5	0.0	24	0.43	<0.01	38
49-656	0	LCLZ	50	12	119.4	120.7	1.4	0.0	17	<0.10	<0.01	<22
49-656	168_100	LCLZ	50	12	120.7	121.3	0.6	0.0	24	0.51	<0.01	40
49-656	168_100	LCLZ	50	12	121.3	121.9	0.5	0.0	213	4.56	0.09	358
49-656	0	LCLZ	50	12	121.9	122.3	0.4	0.0	17	<0.10	<0.01	<22
49-656	0	LCLZ	50	12	122.3	123.8	1.5	0.0	17	<0.10	<0.01	<22
49-657	0	LCLZ	40	25	46.5	47.4	0.9	0.0	17	<0.10	<0.01	<22
49-657	174_100	LCLZ	40	25	47.4	48.8	1.4	1.4	147	6.43	<0.01	338
49-657	174_100	LCLZ	40	25	48.8	49.4	0.6	0.6	391	15.90	0.02	864
49-657	174_100	LCLZ	40	25	49.4	49.5	0.2	0.2	562	37.00	<0.01	1,659
49-657	0	LCLZ	40	25	49.5	50.0	0.5	0.0	50	1.90	<0.01	107
49-657	1752_100	LCLZ	40	25	50.0	50.8	0.8	0.0	77	3.08	<0.01	169
49-657	1752_100	LCLZ	40	25	50.8	51.4	0.7	0.6	104	5.26	<0.01	261
49-657	1752_100	LCLZ	40	25	51.4	51.7	0.2	0.2	1,204	58.20	0.02	2,929
49-657	130_100	LCLZ	40	25	51.7	52.3	0.7	0.6	118	5.36	<0.01	278
49-657	130_100	LCLZ	40	25	52.3	52.5	0.2	0.2	916	46.40	0.03	2,293
49-657	130_100	LCLZ	40	25	52.5	53.7	1.2	1.1	117	5.36	<0.01	276
49-657	130_100	LCLZ	40	25	53.7	55.0	1.3	1.2	138	5.52	<0.01	302
49-657	130_100	LCLZ	40	25	55.0	55.9	0.9	0.8	313	14.40	0.02	742
49-657	130_100	LCLZ	40	25	55.9	56.4	0.5	0.0	36	1.62	<0.01	85
49-657	130_100	LCLZ	40	25	56.4	57.3	0.9	0.0	95	4.48	<0.01	228
49-657	130_100	LCLZ	40	25	57.3	58.5	1.2	0.9	224	13.40	<0.01	622

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-657	0	LCLZ	40	25	58.5	60.1	1.5	0.0	56	2.77	<0.01	139
49-657	0	LCLZ	40	25	60.1	60.7	0.6	0.0	46	1.68	<0.01	97
49-657	0	LCLZ	40	25	60.7	62.2	1.5	0.0	105	4.28	<0.01	233
49-657	0	LCLZ	40	25	62.2	63.1	0.9	0.0	36	1.12	0.02	71
49-657	0	LCLZ	40	25	63.1	63.6	0.5	0.0	83	3.58	0.02	191
49-657	0	LCLZ	40	25	68.3	68.7	0.4	0.0	78	3.39	<0.01	179
49-657	0	LCLZ	40	25	70.3	71.2	0.9	0.0	26	1.36	<0.01	67
49-657	176_100	LCLZ	40	25	71.2	71.6	0.5	0.4	508	19.30	0.04	1,084
49-657	176_100	LCLZ	40	25	71.6	72.6	0.9	0.8	17	0.74	<0.01	40
49-657	176_100	LCLZ	40	25	72.6	73.1	0.5	0.5	315	13.20	0.02	708
49-657	0	LCLZ	40	25	73.1	74.1	1.0	0.0	81	3.90	<0.01	198
49-657	0	LCLZ	40	25	74.1	74.4	0.3	0.0	37	1.72	<0.01	89
49-657	0	LCLZ	40	25	81.3	81.6	0.3	0.0	46	2.25	<0.01	114
49-657	0	LCLZ	40	25	81.6	82.9	1.4	0.0	17	0.62	<0.01	37
49-657	0	LCLZ	40	25	82.9	83.8	0.9	0.0	17	0.46	<0.01	32
49-657	0	LCLZ	40	25	83.8	84.8	0.9	0.0	35	1.51	<0.01	81
49-657	0	LCLZ	40	25	84.8	85.7	0.9	0.0	27	1.17	<0.01	63
49-657	0	LCLZ	40	25	85.7	86.8	1.1	0.0	53	2.37	<0.01	125
49-657	0	LCLZ	40	25	86.8	88.0	1.2	0.0	25	0.99	<0.01	55
49-657	165_100	LCLZ	40	25	88.0	88.9	0.9	0.0	126	6.33	0.01	315
49-657	167_100	LCLZ	40	25	95.3	96.3	1.1	0.0	81	3.50	<0.01	185
49-657	167_100	LCLZ	40	25	96.3	97.5	1.1	0.0	17	0.39	<0.01	30
49-657	167_100	LCLZ	40	25	97.5	97.8	0.3	0.0	99	4.31	<0.01	228
49-657	0	LCLZ	40	25	105.2	105.3	0.2	0.0	30	1.08	<0.01	63
49-657	0	LCLZ	40	25	106.7	108.2	1.5	0.0	26	0.82	<0.01	51
49-657	169_100	LCLZ	40	25	111.8	112.4	0.6	0.6	17	0.31	<0.01	27
49-657	169_100	LCLZ	40	25	112.4	113.0	0.6	0.6	713	30.80	0.08	1,634
49-657	0	LCLZ	40	25	113.0	114.3	1.3	0.0	28	1.11	<0.01	62
49-657	164_100	LCLZ	40	25	114.3	115.2	0.9	0.0	62	2.27	<0.01	131
49-657	0	LCLZ	40	25	115.2	116.5	1.2	0.0	20	0.64	<0.01	40
49-657	0	LCLZ	40	25	116.5	117.5	1.1	0.0	50	1.35	0.02	92
49-657	0	LCLZ	40	25	117.5	118.8	1.2	0.0	131	2.40	0.17	221
49-657	0	LCLZ	40	25	118.8	120.3	1.5	0.0	17	0.47	0.02	33
49-657	168hw_100	LCLZ	40	25	120.3	121.6	1.4	0.0	126	2.83	0.07	219
49-657	168hw_100	LCLZ	40	25	121.6	122.7	1.1	1.0	367	10.70	0.11	696
49-657	168hw_100	LCLZ	40	25	122.7	123.0	0.3	0.3	693	17.40	0.25	1,237
49-657	168hw_100	LCLZ	40	25	123.0	123.9	0.9	0.8	150	4.00	0.03	272
49-657	168hw_100	LCLZ	40	25	123.9	124.8	0.9	0.8	154	6.52	0.04	351
49-657	0	LCLZ	40	25	124.8	125.6	0.8	0.0	50	1.71	0.02	103
49-658	0	LCLZ	40	13	38.2	38.8	0.6	0.0	17	<0.10	<0.01	<22
49-658	130_100	LCLZ	40	13	38.8	39.6	0.8	0.7	268	10.70	0.04	589
49-658	130_100	LCLZ	40	13	39.6	40.6	1.0	0.8	576	28.50	0.04	1,425
49-658	130_100	LCLZ	40	13	40.6	42.0	1.4	0.0	97	5.58	<0.01	263
49-658	0	LCLZ	40	13	42.7	43.9	1.2	0.0	103	4.93	<0.01	250
49-658	0	LCLZ	40	13	43.9	45.4	1.5	0.0	43	1.97	<0.01	102
49-658	0	LCLZ	40	13	45.4	47.0	1.5	0.0	33	1.44	<0.01	76
49-658	0	LCLZ	40	13	47.0	48.5	1.5	0.0	19	1.00	<0.01	50
49-658	0	LCLZ	40	13	48.5	49.8	1.4	0.0	31	1.34	<0.01	72
49-658	0	LCLZ	40	13	49.8	51.2	1.4	0.0	17	0.59	<0.01	36
49-658	0	LCLZ	40	13	51.2	52.2	1.0	0.0	17	0.19	<0.01	24
49-658	0	LCLZ	40	13	52.2	53.4	1.2	0.0	17	0.28	<0.01	27
49-658	0	LCLZ	40	13	65.2	65.9	0.6	0.0	56	2.29	<0.01	125
49-658	0	LCLZ	40	13	75.1	76.2	1.1	0.0	17	0.41	<0.01	30
49-658	167_100	LCLZ	40	13	76.2	76.5	0.3	0.3	162	5.87	0.02	338
49-658	167_100	LCLZ	40	13	76.5	76.8	0.2	0.2	466	20.30	<0.01	1,069
49-658	167_100	LCLZ	40	13	76.8	78.2	1.5	1.4	89	3.31	<0.01	188
49-658	167_100	LCLZ	40	13	78.2	78.7	0.5	0.5	300	11.20	<0.01	633
49-658	167_100	LCLZ	40	13	78.7	79.2	0.5	0.5	480	21.10	<0.01	1,106
49-658	0	LCLZ	40	13	79.2	80.5	1.3	0.0	17	0.26	<0.01	26
49-658	0	LCLZ	40	13	80.5	81.7	1.2	0.0	17	0.33	<0.01	28
49-658	0	LCLZ	40	13	89.3	90.1	0.8	0.0	37	1.20	<0.01	74
49-658	0	LCLZ	40	13	90.1	91.2	1.1	0.0	31	1.03	<0.01	63
49-658	164_100	LCLZ	40	13	93.4	94.5	1.1	1.1	905	0.47	0.68	998

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-658	0	LCLZ	40	13	94.5	95.8	1.3	0.0	121	0.43	0.10	145
49-658	0	LCLZ	40	13	99.9	100.6	0.7	0.0	34	0.62	0.02	55
49-658	0	LCLZ	40	13	100.6	101.5	0.9	0.0	30	0.70	<0.01	52
49-658	168_100	LCLZ	40	13	103.7	103.9	0.2	0.2	1,879	0.75	1.53	2,080
49-658	0	LCLZ	40	13	103.9	104.9	1.0	0.9	39	0.64	<0.01	59
49-658	0	LCLZ	40	13	110.1	110.7	0.6	0.0	17	<0.10	<0.01	<22
49-658	0	LCLZ	40	13	110.7	111.4	0.8	0.0	56	2.42	<0.01	129
49-658	0	LCLZ	40	13	111.4	112.2	0.8	0.0	165	10.20	0.04	471
49-658	0	LCLZ	40	13	112.2	113.7	1.5	0.0	61	4.35	0.01	191
49-658	0	LCLZ	40	13	113.7	114.9	1.2	0.0	29	1.70	0.04	84
49-658	0	LCLZ	40	13	114.9	116.3	1.4	0.0	17	<0.10	<0.01	<22
49-659	0	LCLZ	35	35	55.8	57.3	1.5	0.0	17	0.72	<0.01	40
49-659	0	LCLZ	35	35	57.3	58.8	1.5	0.0	23	1.10	<0.01	57
49-659	0	LCLZ	35	35	58.8	60.1	1.2	0.0	21	1.25	<0.01	60
49-659	0	LCLZ	35	35	60.1	60.7	0.6	0.0	17	0.28	<0.01	27
49-659	0	LCLZ	35	35	60.7	61.9	1.2	0.0	17	0.75	<0.01	40
49-659	0	LCLZ	35	35	61.9	63.4	1.5	0.0	38	1.78	<0.01	92
49-659	0	LCLZ	35	35	63.4	64.5	1.1	0.0	41	1.91	<0.01	99
49-659	0	LCLZ	35	35	64.5	65.9	1.4	0.0	29	1.18	0.01	65
49-659	0	LCLZ	35	35	65.9	67.4	1.5	0.0	17	0.45	<0.01	32
49-659	0	LCLZ	35	35	67.4	68.9	1.5	0.0	29	1.32	<0.01	69
49-659	0	LCLZ	35	35	68.9	70.1	1.2	0.0	32	1.54	<0.01	79
49-659	0	LCLZ	35	35	70.1	71.2	1.1	0.0	17	0.82	<0.01	43
49-659	130_100	LCLZ	35	35	71.2	71.8	0.6	0.0	113	4.45	0.04	250
49-659	130_100	LCLZ	35	35	71.8	72.9	1.1	0.4	309	13.50	<0.01	710
49-659	0	LCLZ	35	35	72.9	73.8	0.9	0.0	17	<0.10	<0.01	<22
49-659	0	LCLZ	35	35	77.0	78.4	1.4	0.0	17	0.61	<0.01	36
49-659	0	LCLZ	35	35	78.4	79.3	0.9	0.0	17	0.19	<0.01	24
49-659	0	LCLZ	35	35	79.3	80.8	1.5	0.0	37	1.72	<0.01	89
49-659	0	LCLZ	35	35	80.8	82.3	1.5	0.0	34	1.64	<0.01	84
49-659	0	LCLZ	35	35	82.3	83.8	1.5	0.0	23	0.94	<0.01	52
49-659	0	LCLZ	35	35	83.8	84.9	1.1	0.0	17	0.40	<0.01	30
49-659	0	LCLZ	35	35	84.9	86.0	1.1	0.0	17	0.49	<0.01	33
49-659	176_100	LCLZ	35	35	86.0	86.6	0.6	0.0	53	1.71	<0.01	105
49-659	0	LCLZ	35	35	86.6	88.1	1.5	0.0	17	0.20	<0.01	24
49-659	0	LCLZ	35	35	88.1	89.0	0.9	0.0	17	0.24	<0.01	26
49-659	0	LCLZ	35	35	99.4	100.0	0.6	0.0	25	1.13	<0.01	60
49-659	165_100	LCLZ	35	35	100.0	101.1	1.1	0.1	145	5.92	<0.01	321
49-659	165_100	LCLZ	35	35	101.1	102.0	0.9	0.1	1,536	34.90	1.24	2,715
49-659	0	LCLZ	35	35	102.0	102.7	0.8	0.0	22	0.77	0.01	47
49-659	0	LCLZ	35	35	102.7	103.8	1.1	0.0	23	0.82	<0.01	49
49-659	0	LCLZ	35	35	103.8	104.1	0.3	0.0	56	1.85	<0.01	112
49-659	0	LCLZ	35	35	104.1	105.3	1.2	0.0	17	0.35	<0.01	29
49-659	0	LCLZ	35	35	105.3	106.7	1.4	0.0	31	0.98	<0.01	61
49-659	0	LCLZ	35	35	109.8	111.0	1.2	0.0	28	0.91	<0.01	57
49-659	0	LCLZ	35	35	111.0	111.4	0.5	0.0	27	0.96	0.01	56
49-659	0	LCLZ	35	35	111.4	111.9	0.5	0.0	43	1.35	<0.01	84
49-659	167_100	LCLZ	35	35	114.8	115.0	0.2	0.0	439	17.90	0.11	982
49-659	167_100	LCLZ	35	35	115.0	116.5	1.5	0.0	75	3.15	0.01	169
49-659	167_100	LCLZ	35	35	116.5	117.1	0.5	0.0	22	0.86	<0.01	49
49-659	167_100	LCLZ	35	35	117.1	117.7	0.6	0.0	74	2.75	<0.01	157
49-659	167_100	LCLZ	35	35	117.7	118.1	0.5	0.3	135	5.97	<0.01	313
49-659	167_100	LCLZ	35	35	118.1	118.4	0.3	0.2	1,180	49.80	0.47	2,709
49-659	167_100	LCLZ	35	35	118.4	118.9	0.5	0.3	274	10.40	0.20	606
49-659	0	LCLZ	35	35	118.9	119.7	0.8	0.0	24	0.80	<0.01	48
49-659	0	LCLZ	35	35	119.7	120.6	0.9	0.0	64	2.08	<0.01	127
49-659	0	LCLZ	35	35	120.6	121.3	0.8	0.0	17	0.26	<0.01	26
49-659	0	LCLZ	35	35	121.3	122.6	1.2	0.0	17	0.43	<0.01	31
49-659	0	LCLZ	35	35	122.6	124.1	1.5	0.0	21	0.81	<0.01	47
49-659	0	LCLZ	35	35	124.1	125.3	1.2	0.0	36	1.08	<0.01	69
49-659	0	LCLZ	35	35	125.3	126.8	1.5	0.0	17	0.27	<0.01	26
49-659	0	LCLZ	35	35	126.8	127.5	0.7	0.0	27	0.77	0.02	52
49-659	0	LCLZ	35	35	130.8	131.4	0.6	0.0	17	0.79	<0.01	42

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-660	0	LCLZ	25	-3	33.8	35.2	1.4	0.0	59	1.86	0.02	116
49-660	174_100	LCLZ	25	-3	35.2	36.6	1.4	0.0	83	2.93	<0.01	171
49-660	174_100	LCLZ	25	-3	36.6	38.1	1.5	0.0	113	4.60	<0.01	250
49-660	0	LCLZ	25	-3	38.1	39.6	1.5	0.0	43	1.55	<0.01	90
49-660	0	LCLZ	25	-3	39.6	40.2	0.6	0.0	31	1.78	<0.01	85
49-660	0	LCLZ	25	-3	40.2	40.7	0.5	0.0	132	5.00	0.03	283
49-660	0	LCLZ	25	-3	40.7	42.0	1.3	0.0	17	<0.10	<0.01	<22
49-660	0	LCLZ	25	-3	42.0	42.6	0.6	0.0	41	0.64	0.06	67
49-660	0	LCLZ	25	-3	50.0	51.1	1.1	0.0	19	0.92	<0.01	47
49-660	1752_100	LCLZ	25	-3	51.1	52.3	1.2	0.0	168	6.32	0.04	360
49-660	0	LCLZ	25	-3	52.3	52.9	0.6	0.0	17	0.42	<0.01	31
49-660	176_100	LCLZ	25	-3	56.7	56.8	0.2	0.0	189	6.80	0.04	395
49-660	0	LCLZ	25	-3	57.6	58.9	1.3	0.0	62	1.96	<0.01	121
49-660	0	LCLZ	25	-3	58.9	60.2	1.4	0.0	26	0.96	<0.01	56
49-660	167_100	LCLZ	25	-3	60.2	61.7	1.4	0.0	72	1.68	<0.01	123
49-660	167_100	LCLZ	25	-3	61.7	63.1	1.4	0.0	109	4.56	0.01	245
49-660	0	LCLZ	25	-3	63.1	64.6	1.5	0.0	50	1.84	<0.01	106
49-660	0	LCLZ	25	-3	64.6	66.1	1.4	0.0	65	1.90	<0.01	122
49-660	0	LCLZ	25	-3	66.1	67.7	1.5	0.0	112	0.80	0.07	144
49-660	164_100	LCLZ	25	-3	67.7	69.2	1.6	0.0	117	2.33	0.05	191
49-660	164_100	LCLZ	25	-3	69.2	70.5	1.3	1.3	231	7.76	0.11	474
49-660	164_100	LCLZ	25	-3	70.5	71.2	0.7	0.0	17	<0.10	<0.01	<22
49-660	164_100	LCLZ	25	-3	71.2	72.1	1.0	0.0	131	4.84	<0.01	275
49-660	0	LCLZ	25	-3	72.1	73.2	1.0	0.0	22	0.64	<0.01	42
49-660	0	LCLZ	25	-3	73.2	73.9	0.8	0.0	23	0.96	<0.01	53
49-660	0	LCLZ	25	-3	73.9	75.2	1.2	0.0	17	0.54	<0.01	34
49-660	0	LCLZ	25	-3	75.2	75.3	0.2	0.0	204	8.60	0.02	461
49-660	0	LCLZ	25	-3	78.5	78.7	0.2	0.0	157	4.44	0.14	304
49-660	0	LCLZ	25	-3	83.0	83.8	0.8	0.0	22	0.74	<0.01	45
49-660	0	LCLZ	25	-3	83.8	85.1	1.3	0.0	33	1.19	<0.01	69
49-660	0	LCLZ	25	-3	85.1	85.7	0.6	0.0	68	2.30	0.03	140
49-660	0	LCLZ	25	-3	85.7	86.7	1.0	0.0	35	1.11	<0.01	69
49-660	0	LCLZ	25	-3	86.7	87.7	0.9	0.0	47	1.32	<0.01	88
49-660	0	LCLZ	25	-3	87.7	88.7	1.1	0.0	29	0.82	<0.01	54
49-660	0	LCLZ	25	-3	88.7	89.3	0.6	0.0	17	<0.10	<0.01	<22
49-660	168_100	LCLZ	25	-3	89.3	89.9	0.6	0.0	242	9.08	0.01	513
49-660	0	LCLZ	25	-3	89.9	91.5	1.5	0.0	17	0.52	0.01	34
49-660	0	LCLZ	25	-3	91.5	91.6	0.2	0.0	31	0.78	0.04	58
49-661	0	LCLZ	31	40	76.2	76.6	0.4	0.0	17	<0.10	<0.01	<22
49-661	0	LCLZ	31	40	76.6	77.2	0.6	0.0	45	1.94	<0.01	103
49-661	0	LCLZ	31	40	77.2	78.1	0.9	0.0	22	0.27	0.02	32
49-661	0	LCLZ	31	40	78.1	79.1	1.0	0.0	25	<0.10	0.02	31
49-661	1752_100	LCLZ	31	40	79.1	80.7	1.5	0.9	357	7.73	0.06	593
49-661	1752_100	LCLZ	31	40	80.7	82.1	1.5	0.8	49	0.93	<0.01	77
49-661	1752_100	LCLZ	31	40	82.1	83.1	1.0	0.6	569	3.31	0.40	714
49-661	0	LCLZ	31	40	83.1	84.5	1.4	0.0	17	0.52	<0.01	34
49-661	0	LCLZ	31	40	84.5	85.4	0.9	0.0	28	1.42	<0.01	71
49-661	0	LCLZ	31	40	85.4	86.9	1.5	0.0	69	1.65	0.03	122
49-661	0	LCLZ	31	40	86.9	88.4	1.5	0.0	39	1.82	<0.01	94
49-661	0	LCLZ	31	40	88.4	89.9	1.5	0.0	37	1.79	<0.01	91
49-661	130_100	LCLZ	31	40	89.9	91.3	1.3	0.0	64	3.94	<0.01	182
49-661	130_100	LCLZ	31	40	91.3	91.8	0.5	0.2	576	29.10	0.05	1,443
49-661	130_100	LCLZ	31	40	91.8	93.0	1.2	0.4	1,070	48.80	0.13	2,530
49-661	0	LCLZ	31	40	93.0	94.5	1.5	0.0	35	1.42	<0.01	78
49-661	0	LCLZ	31	40	94.5	96.0	1.5	0.0	17	0.21	<0.01	25
49-661	0	LCLZ	31	40	100.0	100.5	0.5	0.0	17	<0.10	<0.01	<22
49-661	0	LCLZ	31	40	100.5	101.2	0.8	0.0	17	0.14	<0.01	23
49-661	0	LCLZ	31	40	101.2	102.7	1.5	0.0	17	<0.10	<0.01	<22
49-661	0	LCLZ	31	40	102.7	103.7	1.0	0.0	17	<0.10	<0.01	<22
49-661	0	LCLZ	31	40	103.7	105.2	1.5	0.0	17	0.12	<0.01	<22
49-661	0	LCLZ	31	40	105.2	106.7	1.5	0.0	33	1.28	<0.01	72
49-661	176_100	LCLZ	31	40	106.7	107.9	1.2	0.0	87	3.74	<0.01	199
49-661	0	LCLZ	31	40	107.9	109.3	1.4	0.0	20	0.79	<0.01	45

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-661	0	LCLZ	31	40	109.3	110.8	1.5	0.0	19	0.70	<0.01	40
49-661	0	LCLZ	31	40	119.2	120.4	1.2	0.0	76	3.11	<0.01	169
49-661	165_100	LCLZ	31	40	123.3	124.3	1.0	0.0	113	4.40	<0.01	245
49-661	165_100	LCLZ	31	40	124.3	125.6	1.3	0.2	291	12.80	0.18	692
49-661	165_100	LCLZ	31	40	125.6	126.8	1.2	0.2	511	26.20	<0.01	1,288
49-661	165_100	LCLZ	31	40	126.8	128.0	1.2	0.2	789	40.80	<0.01	1,998
49-661	165_100	LCLZ	31	40	128.0	128.4	0.3	0.0	114	5.32	0.11	284
49-661	0	LCLZ	31	40	128.4	129.6	1.2	0.0	26	0.86	<0.01	53
49-661	0	LCLZ	31	40	132.9	133.4	0.5	0.0	20	0.71	<0.01	42
49-661	167_100	LCLZ	31	40	133.4	134.9	1.5	0.0	129	4.08	<0.01	251
49-661	167_100	LCLZ	31	40	134.9	136.1	1.2	0.2	802	26.20	0.12	1,592
49-661	167_100	LCLZ	31	40	136.1	137.2	1.1	1.1	439	12.70	0.05	821
49-661	167_100	LCLZ	31	40	137.2	138.2	1.0	1.0	124	2.87	0.03	213
49-661	167_100	LCLZ	31	40	138.2	139.3	1.2	1.2	374	9.20	0.09	656
49-661	167_100	LCLZ	31	40	139.3	140.2	0.9	0.0	126	4.60	0.04	267
49-661	167_100	LCLZ	31	40	140.2	140.6	0.3	0.0	116	5.48	0.06	285
49-662	0	LCLZ	20	-1	32.8	33.8	1.1	0.0	17	0.30	<0.01	27
49-662	0	LCLZ	20	-1	33.8	34.1	0.3	0.0	23	0.54	0.02	42
49-662	0	LCLZ	20	-1	34.1	35.4	1.2	0.0	52	2.28	<0.01	121
49-662	174_100	LCLZ	20	-1	35.4	36.6	1.2	0.0	97	3.27	<0.01	195
49-662	174_100	LCLZ	20	-1	36.6	37.8	1.2	0.0	73	1.94	0.02	133
49-662	0	LCLZ	20	-1	37.8	39.3	1.5	0.0	20	0.80	<0.01	45
49-662	0	LCLZ	20	-1	39.3	40.9	1.5	0.0	22	0.81	<0.01	47
49-662	0	LCLZ	20	-1	40.9	42.4	1.5	0.0	44	1.26	<0.01	82
49-662	0	LCLZ	20	-1	42.4	43.0	0.6	0.0	105	3.50	<0.01	209
49-662	0	LCLZ	20	-1	43.0	44.5	1.5	0.0	17	0.37	<0.01	29
49-662	0	LCLZ	20	-1	44.5	45.1	0.6	0.0	96	4.08	0.02	219
49-662	0	LCLZ	20	-1	45.1	46.3	1.2	0.0	89	3.08	<0.01	181
49-662	0	LCLZ	20	-1	46.3	47.6	1.2	0.0	17	0.40	<0.01	30
49-662	0	LCLZ	20	-1	47.6	48.8	1.2	0.0	28	1.09	<0.01	61
49-662	0	LCLZ	20	-1	48.8	50.3	1.5	0.0	17	0.46	<0.01	32
49-662	0	LCLZ	20	-1	50.3	51.8	1.5	0.0	17	0.28	<0.01	27
49-662	0	LCLZ	20	-1	51.8	52.4	0.6	0.0	17	0.65	<0.01	38
49-662	1752_100	LCLZ	20	-1	52.4	53.0	0.6	0.5	346	15.30	0.01	801
49-662	1752_100	LCLZ	20	-1	53.0	53.7	0.6	0.5	261	9.47	0.02	544
49-662	0	LCLZ	20	-1	53.7	55.2	1.5	0.0	32	1.22	0.01	70
49-662	0	LCLZ	20	-1	55.2	56.7	1.5	0.0	76	1.38	0.07	125
49-662	167_100	LCLZ	20	-1	56.7	57.9	1.2	0.0	88	2.46	0.02	164
49-662	167_100	LCLZ	20	-1	57.9	58.8	0.9	0.0	92	1.99	0.04	155
49-662	167_100	LCLZ	20	-1	58.8	60.4	1.5	0.0	109	3.94	0.01	228
49-662	0	LCLZ	20	-1	60.4	61.9	1.5	0.0	51	1.85	<0.01	107
49-662	0	LCLZ	20	-1	61.9	63.1	1.2	0.0	17	<0.10	<0.01	<22
49-662	0	LCLZ	20	-1	63.1	63.7	0.6	0.0	17	0.11	<0.01	<22
49-662	169_100	LCLZ	20	-1	63.7	64.3	0.6	0.5	1,235	6.82	0.83	1,533
49-662	169_100	LCLZ	20	-1	64.3	65.4	1.1	0.8	17	<0.10	<0.01	<22
49-662	164_100	LCLZ	20	-1	65.4	66.0	0.6	0.5	631	20.10	0.04	1,231
49-662	164_100	LCLZ	20	-1	66.0	67.1	1.1	0.8	85	3.05	0.02	178
49-662	164_100	LCLZ	20	-1	67.1	68.0	0.9	0.7	130	5.55	<0.01	296
49-662	164_100	LCLZ	20	-1	68.0	68.5	0.5	0.4	343	14.50	0.10	784
49-662	0	LCLZ	20	-1	68.5	69.7	1.2	0.0	69	2.88	0.07	163
49-662	0	LCLZ	20	-1	69.7	71.0	1.4	0.0	74	2.54	<0.01	151
49-662	0	LCLZ	20	-1	71.0	72.6	1.5	0.0	47	1.97	<0.01	106
49-662	0	LCLZ	20	-1	72.6	73.8	1.2	0.0	19	0.91	<0.01	48
49-662	0	LCLZ	20	-1	73.8	75.3	1.5	0.0	17	0.59	<0.01	36
49-662	0	LCLZ	20	-1	75.3	76.8	1.5	0.0	27	1.34	<0.01	68
49-662	0	LCLZ	20	-1	76.8	78.0	1.2	0.0	28	1.31	<0.01	68
49-662	0	LCLZ	20	-1	78.0	79.0	0.9	0.0	81	2.51	0.05	160
49-662	0	LCLZ	20	-1	79.0	80.5	1.5	0.0	17	0.29	<0.01	27
49-662	0	LCLZ	20	-1	80.5	82.0	1.5	0.0	35	1.28	0.02	75
49-662	0	LCLZ	20	-1	82.0	83.5	1.5	0.0	17	0.42	<0.01	31
49-662	168hw_10	LCLZ	20	-1	83.5	84.9	1.4	0.0	170	5.18	0.01	325
49-662	0	LCLZ	20	-1	84.9	86.0	1.1	0.0	22	0.83	<0.01	48
49-662	0	LCLZ	20	-1	86.0	87.5	1.5	0.0	29	1.21	<0.01	66

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-662	0	LCLZ	20	-1	87.5	87.8	0.3	0.0	60	2.51	<0.01	136
49-662	0	LCLZ	20	-1	87.8	89.3	1.5	0.0	32	1.23	<0.01	70
49-662	168_100	LCLZ	20	-1	89.3	90.4	1.1	0.0	100	3.06	0.03	194
49-663	0	LCLZ	20	-5	9.4	10.2	0.8	0.0	61	1.47	0.08	114
49-663	0	LCLZ	20	-5	31.4	32.9	1.5	0.0	23	0.69	<0.01	45
49-663	0	LCLZ	20	-5	32.9	33.7	0.8	0.0	17	0.35	<0.01	29
49-663	0	LCLZ	20	-5	33.7	35.1	1.4	0.0	27	0.80	<0.01	52
49-663	0	LCLZ	20	-5	40.1	40.4	0.4	0.0	56	1.85	<0.01	112
49-663	0	LCLZ	20	-5	48.5	49.6	1.2	0.0	30	1.05	<0.01	62
49-663	0	LCLZ	20	-5	52.5	53.0	0.5	0.0	367	5.27	0.55	587
49-663	0	LCLZ	20	-5	58.2	58.8	0.5	0.0	182	4.10	0.09	314
49-663	0	LCLZ	20	-5	58.8	59.6	0.8	0.0	91	2.20	0.03	160
49-663	0	LCLZ	20	-5	59.6	61.0	1.4	0.0	55	1.15	0.01	90
49-663	0	LCLZ	20	-5	61.0	62.0	1.1	0.0	48	0.56	0.04	69
49-663	0	LCLZ	20	-5	62.0	63.3	1.3	0.0	63	0.46	0.05	83
49-663	0	LCLZ	20	-5	63.3	64.4	1.1	0.0	17	<0.10	<0.01	<22
49-663	0	LCLZ	20	-5	64.4	65.4	1.0	0.0	151	4.12	<0.01	274
49-663	0	LCLZ	20	-5	65.4	66.3	0.9	0.0	107	3.59	<0.01	214
49-663	0	LCLZ	20	-5	66.3	66.8	0.5	0.0	29	1.02	<0.01	60
49-663	0	LCLZ	20	-5	66.8	68.0	1.2	0.0	53	1.75	0.02	107
49-663	0	LCLZ	20	-5	72.0	73.3	1.4	0.0	46	1.90	<0.01	104
49-663	new_100	LCLZ	20	-5	73.3	73.5	0.2	0.1	412	17.80	<0.01	940
49-663	new_100	LCLZ	20	-5	73.5	74.1	0.6	0.5	39	1.41	<0.01	82
49-663	new_100	LCLZ	20	-5	74.1	74.3	0.2	0.2	960	40.80	0.24	2,196
49-663	0	LCLZ	20	-5	74.3	75.4	1.1	0.0	69	2.51	<0.01	144
49-663	0	LCLZ	20	-5	79.0	79.5	0.5	0.0	29	1.12	<0.01	64
49-663	0	LCLZ	20	-5	79.5	79.8	0.3	0.0	329	10.90	0.02	655
49-663	0	LCLZ	20	-5	79.8	81.0	1.2	0.0	17	0.67	<0.01	38
49-663	0	LCLZ	20	-5	81.0	82.0	1.0	0.0	17	0.74	<0.01	40
49-663	0	LCLZ	20	-5	82.0	82.1	0.2	0.0	17	0.51	<0.01	33
49-663	0	LCLZ	20	-5	82.1	82.7	0.6	0.0	60	2.66	<0.01	140
49-663	0	LCLZ	20	-5	86.0	87.5	1.5	0.0	29	1.45	<0.01	73
49-663	0	LCLZ	20	-5	87.5	88.6	1.1	0.0	27	1.44	<0.01	71
49-664	0	Central Zone	288	-10	14.4	15.3	0.9	0.0	48	0.15	0.05	59
49-664	0	Central Zone	288	-10	22.5	23.3	0.8	0.0	330	<0.10	0.30	367
49-664	0	Central Zone	288	-10	35.1	35.3	0.2	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	37.0	37.2	0.2	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	40.4	40.6	0.2	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	44.9	45.0	0.1	0.0	1,221	<0.10	0.93	1,332
49-664	150_100	Central Zone	288	-10	57.9	58.3	0.4	0.0	460	0.11	0.27	494
49-664	146_100	Central Zone	288	-10	66.6	66.7	0.1	0.0	782	<0.10	0.38	830
49-664	0	Central Zone	288	-10	73.3	73.6	0.3	0.0	1,255	0.12	0.65	1,335
49-664	0	Central Zone	288	-10	75.8	75.9	0.2	0.0	357	8.50	0.02	611
49-664	0	Central Zone	288	-10	75.9	77.1	1.2	0.0	17	0.22	<0.01	25
49-664	0	Central Zone	288	-10	77.1	78.4	1.3	0.0	17	0.35	<0.01	29
49-664	0	Central Zone	288	-10	78.4	78.7	0.2	0.0	69	1.93	0.03	129
49-664	0	Central Zone	288	-10	78.7	79.3	0.6	0.0	17	0.52	<0.01	34
49-664	0	Central Zone	288	-10	79.3	80.4	1.1	0.0	25	0.83	<0.01	51
49-664	0	Central Zone	288	-10	80.4	80.5	0.2	0.0	150	3.80	0.06	270
49-664	0	Central Zone	288	-10	80.5	81.3	0.8	0.0	17	0.37	<0.01	29
49-664	0	Central Zone	288	-10	81.3	81.6	0.3	0.0	74	2.01	0.06	141
49-664	0	Central Zone	288	-10	81.6	82.6	0.9	0.0	17	0.66	<0.01	38
49-664	0	Central Zone	288	-10	85.9	87.4	1.5	0.0	17	0.48	<0.01	33
49-664	0	Central Zone	288	-10	89.3	89.8	0.5	0.0	85	2.78	0.01	169
49-664	0	Central Zone	288	-10	94.3	94.5	0.2	0.0	151	4.53	0.05	291
49-664	0	Central Zone	288	-10	94.5	95.9	1.4	0.0	47	1.89	<0.01	104
49-664	0	Central Zone	288	-10	99.2	99.8	0.6	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	99.8	100.7	0.8	0.0	381	<0.10	0.43	433
49-664	0	Central Zone	288	-10	100.7	101.3	0.6	0.0	17	<0.10	0.01	<22
49-664	0	Central Zone	288	-10	101.3	102.7	1.4	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	102.7	102.8	0.2	0.0	157	4.60	0.02	295
49-664	0	Central Zone	288	-10	102.8	103.7	0.8	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	103.7	103.9	0.2	0.0	42	0.24	0.04	54

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-664	0	Central Zone	288	-10	103.9	104.3	0.4	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	104.3	104.4	0.2	0.0	112	2.96	<0.01	201
49-664	0	Central Zone	288	-10	104.4	105.5	1.1	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	105.5	105.8	0.3	0.0	141	0.30	0.05	155
49-664	0	Central Zone	288	-10	105.8	106.9	1.1	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	106.9	107.4	0.5	0.0	408	<0.10	0.20	434
49-664	0	Central Zone	288	-10	110.7	112.1	1.4	0.0	17	<0.10	<0.01	<22
49-664	137_100	Central Zone	288	-10	112.1	112.4	0.3	0.0	782	0.25	1.64	981
49-664	0	Central Zone	288	-10	112.4	112.8	0.4	0.0	17	<0.10	<0.01	<22
49-664	0	Central Zone	288	-10	119.9	121.5	1.5	0.0	45	1.51	<0.01	90
49-664	0	Central Zone	288	-10	121.5	122.5	1.0	0.0	17	0.33	<0.01	28
49-664	0	Central Zone	288	-10	122.5	124.0	1.5	0.0	57	1.13	0.03	94
49-664	0	Central Zone	288	-10	124.0	125.4	1.4	0.0	17	0.44	<0.01	31
49-664	0	Central Zone	288	-10	125.4	125.6	0.3	0.0	224	6.33	0.04	416
49-664	0	Central Zone	288	-10	129.2	130.3	1.1	0.0	17	<0.10	0.01	<22
49-664	new_100	Central Zone	288	-10	130.3	131.1	0.8	0.5	658	<0.10	0.80	755
49-664	new_100	Central Zone	288	-10	131.1	132.3	1.2	0.8	4,870	4.22	5.83	5,676
49-664	0	Central Zone	288	-10	132.3	132.9	0.6	0.0	17	<0.10	0.03	23
49-664	0	Central Zone	288	-10	145.0	146.3	1.4	0.0	100	<0.10	0.07	112
49-664	0	Central Zone	288	-10	146.3	147.4	1.1	0.0	116	<0.10	0.09	129
49-664	0	Central Zone	288	-10	150.9	152.1	1.3	0.0	55	0.87	0.02	83
49-664	105_100	Central Zone	288	-10	152.1	153.0	0.9	0.8	631	<0.10	0.19	656
49-664	105_100	Central Zone	288	-10	153.0	153.6	0.6	0.5	18	<0.10	<0.01	<22
49-664	105_100	Central Zone	288	-10	153.6	154.7	1.1	1.0	439	0.25	0.13	461
49-664	105_100	Central Zone	288	-10	154.7	154.9	0.2	0.0	218	0.11	0.06	229
49-664	105_100	Central Zone	288	-10	154.9	155.2	0.3	0.0	287	0.26	0.09	305
49-664	120_100	Central Zone	288	-10	164.8	164.9	0.2	0.0	278	<0.10	0.21	306
49-664	120_100	Central Zone	288	-10	164.9	165.9	1.0	0.0	17	<0.10	<0.01	<22
49-664	120_100	Central Zone	288	-10	165.9	166.1	0.2	0.0	460	0.17	0.36	506
49-664	0	Central Zone	288	-10	169.6	169.8	0.2	0.0	1,783	0.18	1.65	1,982
49-664	0	Central Zone	288	-10	209.9	210.2	0.2	0.0	280	0.16	0.14	300
49-664	0	Central Zone	288	-10	214.6	215.2	0.6	0.0	17	<0.10	0.01	<22
49-664	104_100	Central Zone	288	-10	215.2	215.5	0.3	0.0	317	<0.10	0.30	355
49-664	0	Central Zone	288	-10	215.5	216.8	1.3	0.0	17	<0.10	0.02	23
49-665	0	Central Zone	295	-10	9.6	10.5	0.9	0.0	30	1.03	<0.01	61
49-665	0	Central Zone	295	-10	13.0	14.2	1.2	0.0	23	0.80	<0.01	48
49-665	0	Central Zone	295	-10	14.2	15.4	1.2	0.0	17	0.42	<0.01	31
49-665	0	Central Zone	295	-10	15.4	16.2	0.8	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	16.2	16.4	0.2	0.0	1,118	0.43	0.98	1,245
49-665	0	Central Zone	295	-10	16.4	17.0	0.6	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	21.0	22.6	1.5	0.0	53	0.17	0.05	64
49-665	0	Central Zone	295	-10	37.3	37.8	0.5	0.0	370	0.31	0.42	429
49-665	0	Central Zone	295	-10	37.8	39.3	1.5	0.0	17	0.40	<0.01	30
49-665	0	Central Zone	295	-10	39.3	40.9	1.5	0.0	17	0.26	<0.01	26
49-665	0	Central Zone	295	-10	50.3	50.8	0.5	0.0	22	<0.10	0.02	27
49-665	0	Central Zone	295	-10	53.0	53.4	0.3	0.0	199	<0.10	0.18	222
49-665	0	Central Zone	295	-10	54.9	55.9	1.0	0.0	17	<0.10	0.01	<22
49-665	150_100	Central Zone	295	-10	55.9	56.6	0.6	0.0	336	0.23	0.19	365
49-665	150_100	Central Zone	295	-10	56.6	57.3	0.8	0.0	17	<0.10	<0.01	<22
49-665	150_100	Central Zone	295	-10	57.3	57.9	0.6	0.0	514	0.15	0.40	565
49-665	0	Central Zone	295	-10	57.9	59.5	1.5	0.0	30	<0.10	0.03	35
49-665	0	Central Zone	295	-10	61.1	61.7	0.6	0.0	26	<0.10	0.02	32
49-665	0	Central Zone	295	-10	61.7	62.2	0.5	0.0	176	<0.10	0.10	191
49-665	0	Central Zone	295	-10	68.0	68.3	0.2	0.0	45	0.98	0.02	76
49-665	0	Central Zone	295	-10	72.9	74.1	1.2	0.0	17	0.29	<0.01	27
49-665	0	Central Zone	295	-10	78.0	78.3	0.2	0.0	213	<0.10	0.25	245
49-665	0	Central Zone	295	-10	83.8	84.5	0.6	0.0	17	<0.10	0.02	22
49-665	0	Central Zone	295	-10	84.5	85.4	0.9	0.0	44	<0.10	0.05	52
49-665	0	Central Zone	295	-10	85.4	85.7	0.3	0.0	933	<0.10	0.95	1,047
49-665	0	Central Zone	295	-10	85.7	86.9	1.2	0.0	39	<0.10	0.05	47
49-665	0	Central Zone	295	-10	86.9	88.1	1.2	0.0	64	1.08	0.02	99
49-665	0	Central Zone	295	-10	88.1	89.4	1.3	0.0	33	0.80	<0.01	58
49-665	0	Central Zone	295	-10	89.4	90.7	1.3	0.0	201	4.29	0.09	338

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-665	0	Central Zone	295	-10	90.7	91.8	1.1	0.0	23	0.57	<0.01	41
49-665	0	Central Zone	295	-10	91.8	93.0	1.2	0.0	17	0.42	<0.01	31
49-665	0	Central Zone	295	-10	93.0	93.9	0.9	0.0	51	3.14	<0.01	145
49-665	0	Central Zone	295	-10	93.9	94.2	0.3	0.0	251	5.14	0.16	422
49-665	0	Central Zone	295	-10	94.2	95.7	1.5	0.0	17	0.14	<0.01	22
49-665	0	Central Zone	295	-10	95.7	96.0	0.3	0.0	36	0.97	0.05	70
49-665	0	Central Zone	295	-10	96.0	96.6	0.5	0.0	370	<0.10	0.22	398
49-665	0	Central Zone	295	-10	96.6	97.7	1.2	0.0	17	<0.10	0.01	<22
49-665	0	Central Zone	295	-10	97.7	99.2	1.5	0.0	42	<0.10	0.10	57
49-665	0	Central Zone	295	-10	105.2	106.4	1.2	0.0	17	0.51	<0.01	33
49-665	0	Central Zone	295	-10	106.4	106.9	0.5	0.0	104	2.83	<0.01	189
49-665	0	Central Zone	295	-10	106.9	108.4	1.5	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	113.1	113.7	0.6	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	113.7	115.1	1.4	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	117.4	118.6	1.2	0.0	30	1.43	<0.01	74
49-665	0	Central Zone	295	-10	120.7	121.2	0.5	0.0	46	1.33	<0.01	87
49-665	0	Central Zone	295	-10	122.3	123.8	1.5	0.0	17	0.43	<0.01	31
49-665	105_100	Central Zone	295	-10	123.8	125.3	1.5	0.0	263	0.51	0.12	292
49-665	0	Central Zone	295	-10	125.3	126.1	0.8	0.0	54	1.70	<0.01	105
49-665	0	Central Zone	295	-10	129.0	130.0	1.1	0.0	112	3.69	0.03	225
49-665	0	Central Zone	295	-10	133.8	135.4	1.5	0.0	143	1.57	0.07	197
49-665	0	Central Zone	295	-10	135.4	135.9	0.5	0.0	112	3.01	<0.01	202
49-665	0	Central Zone	295	-10	143.5	145.1	1.5	0.0	17	0.73	<0.01	40
49-665	0	Central Zone	295	-10	145.1	145.6	0.5	0.0	98	4.10	0.04	224
49-665	0	Central Zone	295	-10	145.6	146.5	0.9	0.0	35	1.63	<0.01	84
49-665	0	Central Zone	295	-10	146.5	147.4	0.9	0.0	27	1.18	<0.01	63
49-665	0	Central Zone	295	-10	147.4	148.0	0.6	0.0	179	8.37	<0.01	428
49-665	0	Central Zone	295	-10	148.0	149.1	1.1	0.0	28	1.24	<0.01	66
49-665	0	Central Zone	295	-10	149.1	149.5	0.5	0.0	55	2.40	<0.01	127
49-665	new_100	Central Zone	295	-10	149.5	150.8	1.2	1.1	398	18.90	0.02	959
49-665	new_100	Central Zone	295	-10	150.8	151.7	0.9	0.8	17	0.49	<0.01	33
49-665	new_100	Central Zone	295	-10	151.7	152.1	0.5	0.4	178	7.69	0.02	408
49-665	0	Central Zone	295	-10	152.1	153.4	1.2	0.0	22	1.00	<0.01	52
49-665	120_100	Central Zone	295	-10	153.4	154.4	1.1	0.9	40	1.80	<0.01	94
49-665	120_100	Central Zone	295	-10	154.4	154.7	0.3	0.3	686	30.90	0.02	1,603
49-665	0	Central Zone	295	-10	156.6	157.3	0.8	0.0	33	1.38	<0.01	75
49-665	0	Central Zone	295	-10	157.3	158.8	1.5	0.0	17	0.79	<0.01	42
49-665	0	Central Zone	295	-10	161.7	163.1	1.4	0.0	33	1.39	<0.01	75
49-665	0	Central Zone	295	-10	163.1	164.3	1.2	0.0	50	2.47	<0.01	125
49-665	0	Central Zone	295	-10	173.0	173.6	0.6	0.0	86	3.76	<0.01	199
49-665	0	Central Zone	295	-10	184.5	184.6	0.2	0.0	268	0.20	0.24	302
49-665	0	Central Zone	295	-10	197.1	197.6	0.5	0.0	51	0.53	0.08	75
49-665	0	Central Zone	295	-10	198.9	199.2	0.3	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	211.4	212.0	0.6	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	212.0	213.1	1.1	0.0	69	0.12	0.04	78
49-665	0	Central Zone	295	-10	213.1	214.0	0.9	0.5	229	0.12	0.14	249
49-665	0	Central Zone	295	-10	214.0	214.9	0.9	0.4	487	<0.10	0.32	527
49-665	0	Central Zone	295	-10	214.9	216.1	1.2	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	216.1	216.6	0.5	0.0	138	0.18	0.13	158
49-665	0	Central Zone	295	-10	226.8	228.0	1.2	0.0	50	1.74	<0.01	102
49-665	0	Central Zone	295	-10	228.0	229.6	1.5	0.0	23	0.91	<0.01	52
49-665	0	Central Zone	295	-10	229.6	231.1	1.5	0.0	26	1.02	<0.01	57
49-665	0	Central Zone	295	-10	231.1	232.0	0.9	0.0	67	2.28	<0.01	135
49-665	0	Central Zone	295	-10	232.0	232.9	0.9	0.0	26	0.87	<0.01	53
49-665	0	Central Zone	295	-10	238.7	239.0	0.3	0.3	51	1.98	<0.01	111
49-665	167_100	Central Zone	295	-10	239.0	239.3	0.3	0.3	535	20.20	0.01	1,134
49-665	0	Central Zone	295	-10	239.3	239.6	0.3	0.3	56	2.06	<0.01	118
49-665	0	Central Zone	295	-10	267.5	268.3	0.8	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	268.3	269.7	1.4	0.0	17	0.11	<0.01	<22
49-665	0	Central Zone	295	-10	269.7	270.7	1.1	0.0	17	0.11	<0.01	<22
49-665	0	Central Zone	295	-10	271.7	272.0	0.3	0.0	17	0.37	<0.01	29
49-665	0	Central Zone	295	-10	272.0	273.2	1.2	0.0	17	<0.10	<0.01	<22
49-665	0	Central Zone	295	-10	273.2	274.4	1.2	0.0	32	1.35	0.02	74

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-666	0	Central Zone	275	-10	10.7	12.2	1.5	0.0	26	0.74	<0.01	49
49-666	0	Central Zone	275	-10	13.7	14.7	1.0	0.0	864	20.40	0.19	1,491
49-666	0	Central Zone	275	-10	14.7	15.9	1.2	0.0	2,016	0.95	1.47	2,216
49-666	0	Central Zone	275	-10	15.9	17.2	1.2	0.0	22	<0.10	0.01	26
49-666	0	Central Zone	275	-10	26.5	27.4	0.9	0.0	31	<0.10	0.03	37
49-666	0	Central Zone	275	-10	27.4	28.0	0.6	0.0	353	<0.10	0.30	391
49-666	0	Central Zone	275	-10	28.0	28.7	0.6	0.0	23	<0.10	0.02	29
49-666	0	Central Zone	275	-10	61.0	61.6	0.6	0.0	214	0.10	0.19	239
49-666	0	Central Zone	275	-10	61.6	62.0	0.5	0.0	1,056	0.48	0.91	1,176
49-666	0	Central Zone	275	-10	62.0	62.3	0.3	0.0	17	<0.10	<0.01	<22
49-666	150_100	Central Zone	275	-10	62.3	63.2	0.8	0.0	87	<0.10	0.07	97
49-666	150_100	Central Zone	275	-10	63.2	63.3	0.2	0.1	1,944	0.41	1.66	2,151
49-666	150_100	Central Zone	275	-10	63.3	63.6	0.2	0.1	341	<0.10	0.26	373
49-666	150_100	Central Zone	275	-10	63.6	64.8	1.2	0.6	364	<0.10	0.19	388
49-666	150_100	Central Zone	275	-10	64.8	65.7	0.9	0.4	1,454	0.18	0.80	1,553
49-666	0	Central Zone	275	-10	65.7	66.3	0.6	0.0	30	<0.10	0.02	35
49-666	0	Central Zone	275	-10	76.8	77.3	0.5	0.0	93	<0.10	0.08	105
49-666	0	Central Zone	275	-10	79.5	80.0	0.5	0.0	70	<0.10	0.05	78
49-666	0	Central Zone	275	-10	85.9	86.4	0.5	0.0	17	0.22	0.02	26
49-666	0	Central Zone	275	-10	87.7	89.2	1.5	0.0	18	<0.10	0.02	23
49-666	0	Central Zone	275	-10	89.2	90.2	1.0	0.0	350	0.82	0.21	399
49-666	0	Central Zone	275	-10	90.2	91.2	1.1	0.0	22	0.53	<0.01	38
49-666	0	Central Zone	275	-10	107.7	107.9	0.2	0.0	323	7.54	0.05	552
49-666	137_100	Central Zone	275	-10	118.6	119.7	1.1	0.0	224	0.11	0.20	250
49-666	0	Central Zone	275	-10	127.7	128.2	0.5	0.0	285	7.34	0.04	507
49-666	0	Central Zone	275	-10	150.9	151.5	0.6	0.0	17	<0.10	<0.01	<22
49-666	119_100	Central Zone	275	-10	151.5	152.4	0.9	0.0	212	0.10	0.13	230
49-666	119_100	Central Zone	275	-10	152.4	153.5	1.1	0.0	30	<0.10	0.02	35
49-666	119_100	Central Zone	275	-10	153.5	153.8	0.3	0.0	17	<0.10	<0.01	<22
49-666	119_100	Central Zone	275	-10	153.8	154.3	0.5	0.4	1,852	0.15	1.75	2,061
49-666	119_100	Central Zone	275	-10	154.3	154.6	0.3	0.3	583	<0.10	0.50	645
49-666	119_100	Central Zone	275	-10	154.6	155.2	0.6	0.5	17	<0.10	<0.01	<22
49-666	0	Central Zone	275	-10	187.2	187.9	0.7	0.0	44	<0.10	0.04	51
49-666	0	Central Zone	275	-10	204.6	204.8	0.2	0.0	97	1.23	0.05	138
49-666	0	Central Zone	275	-10	226.7	227.1	0.5	0.0	140	<0.10	0.12	158
49-666	0	Central Zone	275	-10	231.9	232.8	0.9	0.0	17	<0.10	<0.01	<22
49-666	0	Central Zone	275	-10	263.6	265.1	1.5	0.0	17	<0.10	<0.01	<22
49-666	0	Central Zone	275	-10	265.1	265.9	0.8	0.0	171	<0.10	0.25	203
49-666	0	Central Zone	275	-10	265.9	266.9	1.0	0.0	46	<0.10	0.06	55
49-666	097_100	Central Zone	275	-10	266.9	267.7	0.8	0.3	617	<0.10	0.73	706
49-666	097_100	Central Zone	275	-10	267.7	268.3	0.6	0.3	17	<0.10	0.02	22
49-666	097_100	Central Zone	275	-10	268.3	269.8	1.5	0.0	301	<0.10	0.38	349
49-666	097_100	Central Zone	275	-10	269.8	270.7	0.9	0.0	439	<0.10	0.79	534
49-666	097_100	Central Zone	275	-10	270.7	272.1	1.4	0.0	126	<0.10	0.11	142
49-666	097_100	Central Zone	275	-10	272.1	272.7	0.6	0.0	569	0.13	0.93	682
49-666	0	Central Zone	275	-10	272.7	274.2	1.5	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	20.1	21.0	0.9	0.0	133	<0.10	0.08	145
49-667	new_100	Central Zone	278	-29	23.5	24.8	1.4	0.8	1,317	<0.10	0.99	1,436
49-667	0	Central Zone	278	-29	39.9	41.2	1.2	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	66.8	67.1	0.3	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	70.3	71.2	0.9	0.0	19	<0.10	0.01	24
49-667	0	Central Zone	278	-29	71.2	72.3	1.1	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	79.1	80.2	1.1	0.0	62	<0.10	0.07	73
49-667	0	Central Zone	278	-29	83.2	83.4	0.2	0.0	139	0.25	0.12	161
49-667	0	Central Zone	278	-29	85.1	86.0	0.9	0.6	35	<0.10	0.05	44
49-667	146_100	Central Zone	278	-29	86.0	86.4	0.5	0.3	1,166	<0.10	0.78	1,260
49-667	0	Central Zone	278	-29	86.4	87.8	1.4	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	87.8	88.4	0.6	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	88.4	89.6	1.2	0.0	17	<0.10	0.02	22
49-667	0	Central Zone	278	-29	89.6	91.2	1.5	0.0	18	<0.10	0.03	24
49-667	0	Central Zone	278	-29	91.2	91.4	0.2	0.0	129	3.06	0.02	222
49-667	0	Central Zone	278	-29	91.4	92.0	0.6	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	92.0	92.7	0.7	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-667	0	Central Zone	278	-29	92.7	93.6	0.9	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	95.3	95.9	0.7	0.0	17	0.13	<0.01	22
49-667	0	Central Zone	278	-29	95.9	96.3	0.4	0.0	26	0.67	<0.01	47
49-667	0	Central Zone	278	-29	98.5	99.1	0.6	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	99.1	99.4	0.3	0.0	357	0.56	0.20	396
49-667	0	Central Zone	278	-29	99.4	100.0	0.6	0.0	27	0.68	<0.01	48
49-667	0	Central Zone	278	-29	101.5	101.8	0.3	0.0	65	1.91	0.02	123
49-667	0	Central Zone	278	-29	101.8	103.4	1.5	0.0	17	0.23	<0.01	25
49-667	0	Central Zone	278	-29	103.4	103.8	0.5	0.0	17	0.53	<0.01	34
49-667	0	Central Zone	278	-29	106.4	107.0	0.6	0.0	70	2.02	0.08	138
49-667	0	Central Zone	278	-29	107.0	107.8	0.8	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	107.8	109.1	1.4	0.0	20	0.79	<0.01	45
49-667	0	Central Zone	278	-29	109.1	110.4	1.2	0.0	17	0.31	<0.01	27
49-667	0	Central Zone	278	-29	110.4	111.1	0.8	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	111.1	112.5	1.4	0.0	17	0.21	<0.01	25
49-667	0	Central Zone	278	-29	112.5	114.0	1.5	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	114.0	115.4	1.4	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	115.4	115.9	0.5	0.0	17	0.16	<0.01	23
49-667	0	Central Zone	278	-29	120.6	120.9	0.3	0.0	145	1.90	0.10	213
49-667	0	Central Zone	278	-29	120.9	121.5	0.6	0.0	84	1.28	<0.01	123
49-667	0	Central Zone	278	-29	126.2	127.3	1.0	0.0	17	0.14	<0.01	22
49-667	0	Central Zone	278	-29	133.2	134.8	1.5	0.0	17	0.31	<0.01	27
49-667	0	Central Zone	278	-29	134.8	135.4	0.6	0.0	17	0.43	<0.01	31
49-667	0	Central Zone	278	-29	137.7	139.2	1.5	0.0	17	0.35	<0.01	29
49-667	0	Central Zone	278	-29	139.2	140.5	1.4	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	145.4	146.4	1.0	0.0	54	1.99	<0.01	114
49-667	0	Central Zone	278	-29	150.3	150.9	0.6	0.0	35	0.47	0.02	51
49-667	0	Central Zone	278	-29	156.9	157.0	0.2	0.0	69	0.90	0.24	123
49-667	0	Central Zone	278	-29	159.4	159.8	0.4	0.0	128	2.37	0.08	207
49-667	0	Central Zone	278	-29	177.3	177.7	0.5	0.0	28	<0.10	0.05	37
49-667	0	Central Zone	278	-29	177.7	178.9	1.1	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	199.7	200.9	1.2	0.0	24	0.53	<0.01	41
49-667	0	Central Zone	278	-29	203.8	204.3	0.5	0.0	194	1.63	0.09	253
49-667	0	Central Zone	278	-29	204.3	205.6	1.4	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	214.6	216.2	1.5	0.0	43	1.18	<0.01	79
49-667	0	Central Zone	278	-29	259.9	260.1	0.2	0.0	17	<0.10	<0.01	<22
49-667	0	Central Zone	278	-29	265.9	266.3	0.5	0.0	24	<0.10	0.04	31
49-668	0	Central Zone	280	-20	12.4	14.0	1.5	0.0	52	0.88	0.04	84
49-668	0	Central Zone	280	-20	14.0	15.5	1.5	0.0	31	0.43	0.03	47
49-668	new_100	Central Zone	280	-20	23.8	24.3	0.5	0.3	17	<0.10	0.01	<22
49-668	new_100	Central Zone	280	-20	24.3	24.8	0.4	0.2	19,375	0.39	13.90	21,011
49-668	new_100	Central Zone	280	-20	24.8	25.3	0.5	0.3	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	40.2	41.2	1.0	0.0	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	41.2	41.4	0.2	0.0	364	3.70	0.44	525
49-668	0	Central Zone	280	-20	41.4	42.4	1.0	0.0	81	<0.10	0.09	95
49-668	0	Central Zone	280	-20	50.1	50.5	0.4	0.0	30	<0.10	0.03	36
49-668	0	Central Zone	280	-20	52.3	52.8	0.5	0.0	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	70.1	70.6	0.5	0.0	17	<0.10	<0.01	<22
49-668	146_100	Central Zone	280	-20	70.6	72.1	1.5	1.1	1,012	<0.10	0.64	1,089
49-668	0	Central Zone	280	-20	72.1	72.6	0.5	0.0	100	<0.10	0.08	112
49-668	0	Central Zone	280	-20	81.2	81.3	0.1	0.0	252	<0.10	0.35	296
49-668	0	Central Zone	280	-20	87.3	87.8	0.5	0.0	149	2.28	0.03	219
49-668	0	Central Zone	280	-20	87.8	88.2	0.3	0.0	151	0.71	0.06	179
49-668	0	Central Zone	280	-20	88.2	89.5	1.3	0.0	21	0.50	<0.01	37
49-668	0	Central Zone	280	-20	89.5	89.7	0.2	0.0	288	12.00	0.01	645
49-668	0	Central Zone	280	-20	89.7	91.2	1.4	0.0	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	91.2	91.7	0.5	0.0	52	1.63	<0.01	101
49-668	0	Central Zone	280	-20	91.7	93.1	1.4	0.0	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	93.1	94.6	1.5	0.0	53	2.01	<0.01	113
49-668	0	Central Zone	280	-20	102.0	103.0	1.0	0.0	29	<0.10	0.02	35
49-668	0	Central Zone	280	-20	118.8	119.0	0.2	0.0	55	<0.10	0.06	65
49-668	0	Central Zone	280	-20	120.4	122.0	1.5	0.0	97	2.24	0.02	166
49-668	0	Central Zone	280	-20	122.0	123.2	1.2	0.0	40	<0.10	0.04	47

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-668	0	Central Zone	280	-20	123.2	123.8	0.6	0.0	480	<0.10	0.44	535
49-668	0	Central Zone	280	-20	128.4	130.0	1.5	0.0	76	0.45	0.10	101
49-668	0	Central Zone	280	-20	147.7	148.1	0.4	0.0	40	<0.10	0.03	47
49-668	0	Central Zone	280	-20	150.7	151.2	0.4	0.0	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	196.2	196.5	0.3	0.0	17	<0.10	<0.01	<22
49-668	0	Central Zone	280	-20	222.6	223.0	0.5	0.0	17	0.11	<0.01	<22
49-668	0	Central Zone	280	-20	244.1	245.3	1.2	0.0	39	<0.10	0.04	47
49-668	097_100	Central Zone	280	-20	283.7	284.3	0.6	0.6	193	0.37	0.09	214
49-668	097_100	Central Zone	280	-20	284.3	284.8	0.5	0.5	13,786	10.50	5.60	14,751
49-668	097_100	Central Zone	280	-20	284.8	285.5	0.8	0.8	686	<0.10	0.28	721
49-669	0	Central Zone	287	-18	17.2	18.4	1.2	0.0	33	0.11	0.02	39
49-669	new_100	Central Zone	287	-18	18.4	19.2	0.8	0.2	988	0.21	0.61	1,065
49-669	0	Central Zone	287	-18	19.2	20.0	0.8	0.2	155	<0.10	0.10	170
49-669	0	Central Zone	287	-18	42.2	43.4	1.2	0.0	31	<0.10	0.03	38
49-669	0	Central Zone	287	-18	53.4	54.0	0.6	0.0	17	0.14	<0.01	22
49-669	0	Central Zone	287	-18	64.9	65.1	0.2	0.0	624	0.10	0.58	695
49-669	146_100	Central Zone	287	-18	69.8	70.5	0.7	0.6	81	<0.10	0.06	91
49-669	146_100	Central Zone	287	-18	70.5	70.8	0.2	0.2	1,893	0.13	2.29	2,164
49-669	146_100	Central Zone	287	-18	70.8	71.2	0.4	0.4	64	<0.10	0.07	75
49-669	146_100	Central Zone	287	-18	71.2	71.3	0.2	0.1	1,632	<0.10	1.80	1,846
49-669	0	Central Zone	287	-18	71.3	72.3	0.9	0.0	20	<0.10	0.01	25
49-669	0	Central Zone	287	-18	72.3	72.9	0.6	0.0	17	<0.10	0.02	<22
49-669	0	Central Zone	287	-18	72.9	74.4	1.5	0.0	17	<0.10	0.02	<22
49-669	0	Central Zone	287	-18	74.4	74.5	0.2	0.0	528	<0.10	0.49	589
49-669	0	Central Zone	287	-18	74.5	75.3	0.8	0.0	68	<0.10	0.06	77
49-669	0	Central Zone	287	-18	75.3	75.7	0.4	0.0	34	0.15	0.02	41
49-669	0	Central Zone	287	-18	81.1	81.4	0.3	0.0	150	0.46	0.10	175
49-669	0	Central Zone	287	-18	81.4	82.9	1.5	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	82.9	84.5	1.5	0.0	22	0.48	<0.01	37
49-669	0	Central Zone	287	-18	84.5	85.8	1.4	0.0	59	0.15	0.03	67
49-669	0	Central Zone	287	-18	85.8	86.6	0.8	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	86.6	87.2	0.6	0.0	60	1.26	0.03	101
49-669	0	Central Zone	287	-18	87.2	88.4	1.2	0.0	17	0.22	<0.01	25
49-669	0	Central Zone	287	-18	88.4	88.7	0.3	0.0	134	4.76	0.01	276
49-669	0	Central Zone	287	-18	88.7	89.4	0.7	0.0	22	0.68	<0.01	43
49-669	0	Central Zone	287	-18	91.2	91.9	0.8	0.0	17	0.29	<0.01	27
49-669	0	Central Zone	287	-18	93.4	94.7	1.3	0.0	25	0.77	<0.01	49
49-669	0	Central Zone	287	-18	94.7	95.7	1.1	0.0	17	0.67	<0.01	38
49-669	0	Central Zone	287	-18	95.7	97.4	1.7	0.0	31	1.32	<0.01	71
49-669	0	Central Zone	287	-18	99.1	99.7	0.6	0.0	17	0.49	<0.01	33
49-669	0	Central Zone	287	-18	99.7	100.2	0.5	0.0	35	1.11	0.01	70
49-669	0	Central Zone	287	-18	100.2	101.2	1.0	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	101.2	101.4	0.2	0.0	343	14.40	0.05	775
49-669	0	Central Zone	287	-18	101.4	102.0	0.6	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	106.6	106.9	0.2	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	108.5	109.6	1.1	0.0	17	0.61	<0.01	36
49-669	0	Central Zone	287	-18	109.6	110.9	1.2	0.0	17	0.69	<0.01	39
49-669	0	Central Zone	287	-18	110.9	111.1	0.3	0.0	17	0.17	0.02	24
49-669	0	Central Zone	287	-18	111.1	112.1	1.0	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	112.1	112.3	0.2	0.0	137	0.57	0.12	168
49-669	0	Central Zone	287	-18	112.3	113.9	1.5	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	113.9	114.4	0.5	0.0	17	0.20	<0.01	24
49-669	0	Central Zone	287	-18	114.4	115.2	0.8	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	115.2	115.5	0.3	0.0	360	0.19	0.26	396
49-669	0	Central Zone	287	-18	117.2	117.4	0.2	0.0	156	5.49	0.02	320
49-669	0	Central Zone	287	-18	118.9	120.4	1.5	0.0	17	0.57	<0.01	35
49-669	0	Central Zone	287	-18	123.5	124.9	1.4	0.0	17	0.70	<0.01	39
49-669	0	Central Zone	287	-18	124.9	125.3	0.4	0.0	194	7.80	<0.01	427
49-669	0	Central Zone	287	-18	125.3	126.1	0.8	0.0	28	1.01	<0.01	59
49-669	0	Central Zone	287	-18	129.4	129.9	0.5	0.0	22	<0.10	0.02	27
49-669	0	Central Zone	287	-18	129.9	131.4	1.5	0.0	17	<0.10	0.02	<22
49-669	0	Central Zone	287	-18	131.4	132.0	0.6	0.0	72	<0.10	0.14	91
49-669	0	Central Zone	287	-18	132.0	132.6	0.6	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-669	0	Central Zone	287	-18	140.2	140.5	0.3	0.0	17	0.58	<0.01	35
49-669	0	Central Zone	287	-18	142.7	144.2	1.5	0.0	17	0.27	<0.01	26
49-669	0	Central Zone	287	-18	146.6	147.0	0.3	0.0	27	0.63	<0.01	47
49-669	119_100	Central Zone	287	-18	156.1	157.0	0.9	0.0	72	1.97	<0.01	132
49-669	0	Central Zone	287	-18	160.5	161.3	0.8	0.0	49	1.88	<0.01	106
49-669	0	Central Zone	287	-18	162.5	164.0	1.5	0.0	53	1.79	<0.01	107
49-669	0	Central Zone	287	-18	168.6	169.2	0.6	0.0	48	1.56	<0.01	95
49-669	0	Central Zone	287	-18	169.2	170.1	0.9	0.0	17	0.40	<0.01	30
49-669	0	Central Zone	287	-18	170.1	171.6	1.5	0.0	29	0.82	<0.01	55
49-669	120_100	Central Zone	287	-18	180.9	181.6	0.6	0.0	59	2.95	<0.01	148
49-669	0	Central Zone	287	-18	190.2	191.3	1.1	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	191.3	191.9	0.6	0.0	17	<0.10	<0.01	<22
49-669	0	Central Zone	287	-18	225.6	225.9	0.3	0.0	96	<0.10	0.06	106
49-669	0	Central Zone	287	-18	227.7	227.9	0.2	0.0	17	<0.10	0.02	<22
49-670	0	Central Zone	292	-12	7.8	7.9	0.2	0.0	80	1.33	0.27	151
49-670	0	Central Zone	292	-12	11.6	11.7	0.2	0.0	88	2.63	<0.01	167
49-670	0	Central Zone	292	-12	11.7	12.5	0.8	0.0	17	0.16	<0.01	23
49-670	0	Central Zone	292	-12	12.5	14.0	1.5	0.0	17	0.17	<0.01	23
49-670	0	Central Zone	292	-12	14.0	14.2	0.2	0.0	150	3.17	0.09	255
49-670	0	Central Zone	292	-12	14.2	15.1	0.9	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	15.1	15.4	0.3	0.0	130	0.30	0.10	150
49-670	0	Central Zone	292	-12	15.4	16.6	1.3	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	29.1	29.9	0.8	0.0	69	0.28	0.05	84
49-670	0	Central Zone	292	-12	45.9	47.4	1.5	0.0	122	<0.10	0.07	133
49-670	0	Central Zone	292	-12	47.4	48.8	1.4	0.0	41	<0.10	0.03	47
49-670	0	Central Zone	292	-12	52.6	53.8	1.2	0.0	27	<0.10	0.02	32
49-670	0	Central Zone	292	-12	59.3	60.1	0.8	0.5	782	0.11	0.79	877
49-670	0	Central Zone	292	-12	62.0	62.5	0.5	0.0	17	<0.10	<0.01	<22
49-670	146_100	Central Zone	292	-12	64.3	64.5	0.2	0.0	394	<0.10	0.32	435
49-670	0	Central Zone	292	-12	67.2	67.5	0.3	0.0	535	2.13	0.29	632
49-670	0	Central Zone	292	-12	67.5	69.1	1.5	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	69.1	70.3	1.2	0.0	17	0.19	<0.01	24
49-670	0	Central Zone	292	-12	70.3	71.5	1.2	0.0	17	0.20	<0.01	24
49-670	0	Central Zone	292	-12	71.5	72.0	0.5	0.0	41	1.05	0.02	74
49-670	0	Central Zone	292	-12	72.0	72.6	0.6	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	73.2	73.6	0.5	0.0	31	1.14	0.02	66
49-670	0	Central Zone	292	-12	75.3	76.5	1.2	0.0	17	0.43	<0.01	31
49-670	0	Central Zone	292	-12	76.5	77.8	1.3	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	77.8	79.4	1.5	0.0	24	0.56	<0.01	42
49-670	0	Central Zone	292	-12	79.4	80.5	1.1	0.0	17	0.30	<0.01	27
49-670	0	Central Zone	292	-12	80.5	81.7	1.2	0.0	17	0.34	<0.01	28
49-670	0	Central Zone	292	-12	81.7	82.6	0.9	0.0	20	0.74	<0.01	43
49-670	0	Central Zone	292	-12	82.8	84.3	1.5	0.0	18	0.51	<0.01	34
49-670	0	Central Zone	292	-12	84.3	85.7	1.4	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	85.7	86.6	0.9	0.0	20	0.61	<0.01	39
49-670	0	Central Zone	292	-12	86.6	87.8	1.2	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	87.8	89.3	1.5	0.0	17	0.36	<0.01	29
49-670	0	Central Zone	292	-12	89.3	89.9	0.6	0.0	152	5.75	<0.01	323
49-670	0	Central Zone	292	-12	89.9	91.5	1.5	0.0	17	0.21	0.02	25
49-670	0	Central Zone	292	-12	91.5	92.7	1.2	0.0	17	0.21	<0.01	24
49-670	0	Central Zone	292	-12	92.7	94.1	1.4	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	94.1	95.0	0.9	0.0	117	3.54	0.02	224
49-670	0	Central Zone	292	-12	97.7	98.2	0.5	0.0	46	2.85	<0.01	132
49-670	0	Central Zone	292	-12	99.8	101.2	1.4	0.0	27	<0.10	0.02	32
49-670	0	Central Zone	292	-12	101.2	101.8	0.6	0.0	48	0.22	0.05	61
49-670	0	Central Zone	292	-12	101.8	103.1	1.3	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	103.1	103.4	0.2	0.0	217	7.99	0.02	456
49-670	0	Central Zone	292	-12	103.4	104.9	1.5	0.0	17	0.17	<0.01	23
49-670	0	Central Zone	292	-12	104.9	106.1	1.2	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	106.1	107.5	1.4	0.0	18	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	107.5	107.7	0.2	0.0	303	<0.10	0.16	324
49-670	0	Central Zone	292	-12	107.7	108.1	0.4	0.0	20	<0.10	<0.01	24
49-670	0	Central Zone	292	-12	112.1	112.5	0.4	0.0	86	0.13	0.06	97

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-670	0	Central Zone	292	-12	117.0	117.3	0.3	0.0	163	4.46	0.03	299
49-670	0	Central Zone	292	-12	117.3	118.4	1.1	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	118.4	119.5	1.1	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	121.3	122.6	1.2	0.0	17	<0.10	<0.01	<22
49-670	new_100	Central Zone	292	-12	122.6	123.9	1.3	0.9	256	<0.10	0.18	281
49-670	new_100	Central Zone	292	-12	123.9	124.0	0.2	0.1	7,544	0.12	7.11	8,379
49-670	new_100	Central Zone	292	-12	124.0	124.5	0.4	0.3	2,400	<0.10	2.69	2,718
49-670	new_100	Central Zone	292	-12	124.5	124.7	0.2	0.2	4,355	6.16	5.24	5,150
49-670	new_100	Central Zone	292	-12	124.7	125.2	0.5	0.4	1,577	<0.10	2.10	1,826
49-670	0	Central Zone	292	-12	125.2	126.5	1.3	0.0	17	<0.10	0.02	23
49-670	0	Central Zone	292	-12	126.5	126.9	0.4	0.0	81	<0.10	0.32	122
49-670	0	Central Zone	292	-12	130.9	132.5	1.5	0.0	26	1.08	<0.01	60
49-670	0	Central Zone	292	-12	134.1	134.3	0.2	0.0	47	1.62	<0.01	96
49-670	0	Central Zone	292	-12	137.2	137.3	0.2	0.0	148	2.59	<0.01	226
49-670	0	Central Zone	292	-12	140.4	140.6	0.3	0.0	251	2.98	0.14	355
49-670	0	Central Zone	292	-12	143.0	144.3	1.3	0.0	61	<0.10	0.05	70
49-670	0	Central Zone	292	-12	144.3	144.8	0.5	0.0	50	<0.10	0.04	57
49-670	0	Central Zone	292	-12	144.8	146.0	1.2	0.0	17	<0.10	<0.01	<22
49-670	0	Central Zone	292	-12	146.0	147.2	1.2	0.0	156	<0.10	0.12	174
49-670	new_100	Central Zone	292	-12	153.4	154.5	1.2	1.1	157	5.57	<0.01	323
49-670	new_100	Central Zone	292	-12	154.5	154.9	0.4	0.3	384	16.20	0.02	866
49-670	new_100	Central Zone	292	-12	154.9	155.2	0.4	0.3	149	7.46	<0.01	371
49-670	0	Central Zone	292	-12	158.7	160.2	1.5	0.0	21	0.50	0.01	37
49-670	0	Central Zone	292	-12	190.9	191.1	0.2	0.0	129	5.04	<0.01	279
49-670	0	Central Zone	292	-12	193.9	194.1	0.2	0.0	81	3.28	<0.01	179
49-670	0	Central Zone	292	-12	212.8	214.3	1.5	0.0	25	<0.10	0.01	30
49-670	104_100	Central Zone	292	-12	214.3	214.7	0.4	0.4	3,320	0.12	1.41	3,488
49-670	104_100	Central Zone	292	-12	214.7	216.2	1.5	1.4	38	<0.10	0.02	43
49-670	104_100	Central Zone	292	-12	216.2	216.5	0.3	0.3	1,855	0.41	1.28	2,017
49-670	104_100	Central Zone	292	-12	216.5	217.0	0.5	0.5	281	<0.10	0.22	310
49-670	0	Central Zone	292	-12	217.0	217.6	0.6	0.0	17	<0.10	<0.01	<22
52-502	0	Central Zone	290	-8	3.0	4.4	1.3	0.0	28	<0.10	0.01	32
52-502	0	Central Zone	290	-8	12.1	12.7	0.7	0.0	49	<0.10	0.02	55
52-502	0	Central Zone	290	-8	13.7	15.2	1.5	0.0	25	<0.10	0.01	29
52-502A	0	Central Zone	110	-8	4.0	4.9	0.9	0.0	30	0.13	0.01	35
52-502A	0	Central Zone	110	-8	4.9	6.1	1.2	0.0	189	<0.10	0.07	201
52-502A	0	Central Zone	110	-8	6.1	7.3	1.2	0.0	60	<0.10	0.02	66
52-502A	0	Central Zone	110	-8	9.9	11.0	1.1	0.0	31	<0.10	0.01	36
52-502A	0	Central Zone	110	-8	14.2	14.9	0.7	0.0	17	<0.10	<0.01	<22
52-502A	0	Central Zone	110	-8	14.9	15.8	0.9	0.0	17	<0.10	<0.01	<22
52-502A	0	Central Zone	110	-8	15.8	16.4	0.6	0.0	38	<0.10	0.02	43
52-502A	0	Central Zone	110	-8	24.8	25.2	0.4	0.0	17	<0.10	<0.01	<22
52-502A	0	Central Zone	110	-8	40.0	40.4	0.4	0.0	17	0.11	<0.01	<22
52-502A	0	Central Zone	110	-8	49.2	49.6	0.4	0.0	17	<0.10	<0.01	<22
52-502A	0	Central Zone	110	-8	119.7	120.0	0.3	0.0	118	0.11	0.05	128
52-502A	0	Central Zone	110	-8	120.2	120.8	0.6	0.0	18	0.15	0.01	24
52-502A	0	Central Zone	110	-8	144.5	146.1	1.5	0.0	17	<0.10	<0.01	<22
52-502A	0	Central Zone	110	-8	155.7	155.9	0.3	0.0	48	0.41	0.04	64
52-502A	0	Central Zone	110	-8	169.4	169.7	0.2	0.0	2,239	6.21	1.45	2,593
52-503	0	Central Zone	105	-16	4.6	5.2	0.6	0.0	19	<0.10	<0.01	23
52-503	0	Central Zone	105	-16	5.2	6.7	1.5	0.0	37	0.13	0.02	43
52-503	0	Central Zone	105	-16	6.7	7.9	1.2	0.0	24	<0.10	<0.01	28
52-503	0	Central Zone	105	-16	7.9	8.5	0.6	0.0	19	<0.10	<0.01	23
52-503	0	Central Zone	105	-16	14.5	14.8	0.3	0.0	988	<0.10	0.39	1,036
52-503	0	Central Zone	105	-16	19.9	20.1	0.2	0.0	2,058	<0.10	0.86	2,162
52-503	0	Central Zone	105	-16	25.0	25.6	0.6	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	26.2	27.4	1.2	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	29.8	31.0	1.2	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	31.0	31.6	0.6	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	31.6	31.9	0.2	0.0	521	<0.10	0.23	551
52-503	0	Central Zone	105	-16	31.9	33.4	1.5	0.0	17	<0.10	<0.01	<22
52-503	new_100	Central Zone	105	-16	42.8	43.0	0.2	0.1	4,389	0.43	2.01	4,637
52-503	0	Central Zone	105	-16	53.7	53.8	0.2	0.0	140	<0.10	0.09	153

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
52-503	0	Central Zone	105	-16	57.9	59.0	1.1	0.0	17	<0.10	0.01	<22
52-503	0	Central Zone	105	-16	59.0	59.5	0.5	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	76.2	77.4	1.2	0.0	53	0.13	0.03	60
52-503	0	Central Zone	105	-16	77.4	78.7	1.2	0.0	44	<0.10	0.02	50
52-503	0	Central Zone	105	-16	80.3	80.6	0.3	0.0	31	0.20	0.06	44
52-503	0	Central Zone	105	-16	87.8	88.0	0.2	0.0	331	0.35	0.20	365
52-503	0	Central Zone	105	-16	90.9	91.2	0.3	0.0	152	0.18	0.13	173
52-503	0	Central Zone	105	-16	101.2	102.7	1.5	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	102.7	104.1	1.4	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	110.5	110.8	0.3	0.0	33	0.36	0.02	46
52-503	0	Central Zone	105	-16	123.6	124.0	0.4	0.0	60	0.22	0.03	70
52-503	0	Central Zone	105	-16	152.3	153.7	1.4	0.0	17	<0.10	<0.01	<22
52-503	0	Central Zone	105	-16	159.8	160.4	0.6	0.0	21	<0.10	<0.01	25
52-503	0	Central Zone	105	-16	160.4	161.6	1.2	0.0	22	<0.10	<0.01	26
52-504	0	Central Zone	112	-8	4.9	5.1	0.2	0.0	246	0.18	0.09	262
52-504	0	Central Zone	112	-8	7.1	7.3	0.2	0.0	148	0.17	0.05	159
52-504	0	Central Zone	112	-8	10.4	10.9	0.5	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	14.5	15.0	0.5	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	15.0	16.4	1.5	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	16.4	17.0	0.5	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	22.8	23.3	0.5	0.0	17	0.11	<0.01	<22
52-504	0	Central Zone	112	-8	38.1	38.3	0.2	0.0	521	0.19	0.27	558
52-504	0	Central Zone	112	-8	48.8	49.9	1.2	0.0	80	<0.10	0.04	87
52-504	0	Central Zone	112	-8	54.9	55.6	0.7	0.0	42	<0.10	0.02	47
52-504	0	Central Zone	112	-8	57.9	59.1	1.3	0.0	23	<0.10	0.01	28
52-504	0	Central Zone	112	-8	63.3	63.6	0.3	0.0	27	<0.10	0.01	32
52-504	0	Central Zone	112	-8	64.6	65.3	0.7	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	73.0	73.6	0.6	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	94.6	96.1	1.5	0.0	67	<0.10	0.03	74
52-504	new_100	Central Zone	112	-8	96.1	96.4	0.3	0.2	161	0.17	0.06	173
52-504	new_100	Central Zone	112	-8	96.4	96.7	0.4	0.3	24	<0.10	0.01	29
52-504	new_100	Central Zone	112	-8	96.7	96.9	0.2	0.2	4,938	0.60	1.55	5,137
52-504	new_100	Central Zone	112	-8	96.9	97.9	0.9	0.8	782	<0.10	0.30	820
52-504	0	Central Zone	112	-8	97.9	99.4	1.5	0.0	22	<0.10	0.01	27
52-504	0	Central Zone	112	-8	99.4	99.6	0.2	0.0	436	0.13	0.14	456
52-504	0	Central Zone	112	-8	109.0	109.9	0.9	0.0	28	<0.10	0.01	32
52-504	0	Central Zone	112	-8	109.9	111.1	1.3	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	111.1	112.3	1.2	0.4	377	<0.10	0.14	397
52-504	0	Central Zone	112	-8	125.2	126.5	1.3	0.0	46	<0.10	0.02	51
52-504	0	Central Zone	112	-8	126.5	128.0	1.5	0.0	75	<0.10	0.03	82
52-504	0	Central Zone	112	-8	128.0	128.7	0.7	0.0	18	<0.10	0.01	22
52-504	0	Central Zone	112	-8	133.8	134.1	0.3	0.0	31	<0.10	0.02	36
52-504	0	Central Zone	112	-8	134.1	135.7	1.5	0.0	57	<0.10	0.03	63
52-504	0	Central Zone	112	-8	142.7	144.1	1.4	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	158.8	160.2	1.4	0.0	17	0.14	0.02	24
52-504	new_100	Central Zone	112	-8	172.7	173.4	0.7	0.6	17	<0.10	<0.01	<22
52-504	new_100	Central Zone	112	-8	173.4	173.8	0.4	0.3	3,841	0.37	1.06	3,976
52-504	0	Central Zone	112	-8	173.8	174.4	0.6	0.0	17	<0.10	<0.01	<22
52-504	0	Central Zone	112	-8	176.8	177.0	0.2	0.0	21	<0.10	<0.01	25
52-504	0	Central Zone	112	-8	183.6	184.8	1.2	0.0	39	<0.10	0.01	44
52-504	0	Central Zone	112	-8	202.7	204.3	1.5	0.0	49	<0.10	0.02	54
52-504	0	Central Zone	112	-8	204.3	205.3	1.0	0.0	22	<0.10	0.01	27
52-504	0	Central Zone	112	-8	205.3	205.5	0.3	0.0	418	0.13	0.19	445
52-504	0	Central Zone	112	-8	205.5	206.8	1.2	0.0	27	<0.10	<0.01	31
52-504	0	Central Zone	112	-8	206.8	207.5	0.7	0.0	191	<0.10	0.08	204
52-505	0	Central Zone	115	-12	10.3	10.5	0.2	0.0	131	0.13	0.06	142
52-505	0	Central Zone	115	-12	12.3	12.9	0.6	0.0	24	<0.10	<0.01	28
52-505	0	Central Zone	115	-12	12.9	13.4	0.5	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	13.4	13.7	0.2	0.0	22	<0.10	<0.01	26
52-505	0	Central Zone	115	-12	13.7	14.9	1.3	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	14.9	15.4	0.5	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	15.4	16.8	1.4	0.0	75	0.10	0.03	82
52-505	0	Central Zone	115	-12	20.6	22.0	1.4	0.0	17	<0.10	<0.01	<22

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
52-505	0	Central Zone	115	-12	25.9	26.3	0.4	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	42.1	43.0	0.9	0.0	27	<0.10	0.01	32
52-505	0	Central Zone	115	-12	60.1	61.5	1.4	0.0	25	<0.10	<0.01	29
52-505	0	Central Zone	115	-12	66.2	67.2	1.0	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	67.2	68.3	1.1	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	68.3	68.7	0.4	0.0	38	<0.10	0.01	43
52-505	0	Central Zone	115	-12	74.7	75.2	0.5	0.0	243	0.11	0.10	259
52-505	0	Central Zone	115	-12	81.2	82.0	0.8	0.0	97	<0.10	0.04	104
52-505	0	Central Zone	115	-12	82.0	82.3	0.3	0.0	342	0.11	0.15	362
52-505	0	Central Zone	115	-12	95.7	96.0	0.4	0.0	50	0.23	0.01	58
52-505	0	Central Zone	115	-12	96.0	96.8	0.7	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	96.8	97.7	1.0	0.0	273	0.11	0.12	291
52-505	0	Central Zone	115	-12	97.7	98.2	0.4	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	109.0	110.0	1.0	0.0	39	<0.10	0.02	44
52-505	0	Central Zone	115	-12	124.9	125.3	0.4	0.0	20	0.12	<0.01	25
52-505	0	Central Zone	115	-12	147.7	148.4	0.7	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	148.4	149.1	0.7	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	149.1	149.4	0.2	0.0	61	<0.10	0.02	67
52-505	0	Central Zone	115	-12	149.4	150.4	1.0	0.0	31	<0.10	<0.01	35
52-505	0	Central Zone	115	-12	150.4	151.8	1.4	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	151.8	153.0	1.2	0.0	60	<0.10	0.02	65
52-505	0	Central Zone	115	-12	153.0	154.5	1.5	0.0	104	<0.10	0.03	111
52-505	0	Central Zone	115	-12	154.5	155.0	0.5	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	157.2	157.7	0.6	0.0	18	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	169.7	171.1	1.5	0.0	17	<0.10	<0.01	<22
52-505	0	Central Zone	115	-12	200.3	200.4	0.2	0.0	176	0.12	0.08	188
52-505	0	Central Zone	115	-12	212.5	212.7	0.2	0.0	38	0.12	0.02	43
52-506	0	Central Zone	115	-16	4.7	4.9	0.2	0.0	480	<0.10	0.14	499
52-506	0	Central Zone	115	-16	5.4	5.5	0.2	0.0	32	<0.10	0.01	37
52-506	0	Central Zone	115	-16	6.6	6.7	0.2	0.0	100	0.36	0.03	114
52-506	0	Central Zone	115	-16	10.7	10.9	0.2	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	13.2	13.5	0.3	0.0	38	0.12	0.01	43
52-506	0	Central Zone	115	-16	15.3	16.6	1.3	0.0	26	<0.10	<0.01	30

Galena Complex Drill Results - January 23, 2024

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
52-506	0	Central Zone	115	-16	18.7	19.0	0.3	0.0	73	<0.10	0.03	79
52-506	0	Central Zone	115	-16	22.3	22.7	0.5	0.0	26	<0.10	<0.01	30
52-506	0	Central Zone	115	-16	27.3	27.5	0.2	0.0	18	<0.10	<0.01	22
52-506	0	Central Zone	115	-16	29.4	29.6	0.2	0.0	25	<0.10	0.01	30
52-506	0	Central Zone	115	-16	46.5	48.0	1.4	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	51.4	52.4	1.1	0.0	38	0.12	0.02	44
52-506	0	Central Zone	115	-16	52.4	53.6	1.2	0.0	30	<0.10	0.01	34
52-506	0	Central Zone	115	-16	54.9	55.5	0.6	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	62.2	62.6	0.4	0.0	104	<0.10	0.04	111
52-506	0	Central Zone	115	-16	63.3	64.2	0.9	0.0	36	<0.10	0.02	41
52-506	0	Central Zone	115	-16	65.6	65.8	0.2	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	72.9	73.4	0.6	0.0	180	<0.10	0.06	190
52-506	0	Central Zone	115	-16	75.8	76.2	0.4	0.0	850	0.11	0.33	892
52-506	0	Central Zone	115	-16	81.4	81.6	0.2	0.0	338	0.16	0.12	357
52-506	0	Central Zone	115	-16	85.1	86.0	0.9	0.0	271	<0.10	0.10	285
52-506	0	Central Zone	115	-16	86.0	87.2	1.3	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	87.2	87.7	0.5	0.2	1,180	0.13	0.45	1,237
52-506	0	Central Zone	115	-16	90.4	90.6	0.2	0.0	196	0.13	0.08	210
52-506	0	Central Zone	115	-16	102.2	102.3	0.2	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	106.9	107.9	1.1	0.0	25	0.12	<0.01	30
52-506	0	Central Zone	115	-16	107.9	108.8	0.9	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	114.3	115.2	0.9	0.0	19	0.15	<0.01	25
52-506	0	Central Zone	115	-16	118.0	118.6	0.6	0.0	501	<0.10	0.20	527
52-506	0	Central Zone	115	-16	124.1	125.3	1.2	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	143.3	144.5	1.2	0.0	35	0.13	0.02	40
52-506	0	Central Zone	115	-16	146.6	147.3	0.6	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	147.3	148.8	1.5	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	148.8	149.7	0.9	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	149.7	150.6	0.9	0.0	29	0.18	<0.01	35
52-506	0	Central Zone	115	-16	150.6	151.7	1.1	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	154.6	155.2	0.6	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	157.3	158.2	0.9	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	161.3	161.9	0.6	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	169.5	170.4	0.9	0.0	81	<0.10	0.03	86
52-506	0	Central Zone	115	-16	170.4	171.6	1.2	0.0	39	<0.10	0.01	44
52-506	0	Central Zone	115	-16	171.6	173.2	1.5	0.0	17	<0.10	<0.01	<22
52-506	0	Central Zone	115	-16	173.2	174.7	1.5	0.0	86	<0.10	0.02	92
52-506	0	Central Zone	115	-16	206.3	207.3	1.1	0.0	183	0.20	0.08	198
52-506	0	Central Zone	115	-16	207.3	208.2	0.9	0.0	535	0.13	0.19	562
52-506	0	Central Zone	115	-16	225.9	226.8	0.9	0.0	160	<0.10	0.07	171
52-506	0	Central Zone	115	-16	230.0	230.5	0.5	0.0	186	<0.10	0.08	198
52-507	0	Central Zone	115	-8	37.8	38.0	0.2	0.0	17	<0.10	<0.01	<22
52-507	0	Central Zone	115	-8	84.5	85.7	1.2	0.0	19	<0.10	0.01	23
52-507	0	Central Zone	115	-8	85.7	87.0	1.3	0.0	25	<0.10	<0.01	29
52-507	0	Central Zone	115	-8	87.0	87.1	0.2	0.0	1,262	0.15	0.54	1,329
52-507	0	Central Zone	115	-8	87.1	88.4	1.3	0.0	105	0.11	0.04	114
52-507	0	Central Zone	115	-8	134.8	135.4	0.6	0.0	42	<0.10	0.02	47
52-507	0	Central Zone	115	-8	135.4	136.3	0.9	0.0	494	<0.10	0.13	512
52-507	0	Central Zone	115	-8	136.3	137.8	1.5	0.0	82	<0.10	0.02	88
52-507	0	Central Zone	115	-8	137.8	139.0	1.2	0.0	82	<0.10	0.03	87
52-507	new_100	Central Zone	115	-8	139.0	139.5	0.5	0.4	5,624	0.10	1.58	5,812
52-507	new_100	Central Zone	115	-8	139.5	139.8	0.3	0.3	7,750	0.10	2.08	7,996
52-507	0	Central Zone	115	-8	139.8	141.3	1.5	0.0	17	<0.10	<0.01	<22
52-507	0	Central Zone	115	-8	141.3	142.1	0.8	0.0	17	<0.10	<0.01	<22
52-507	0	Central Zone	115	-8	142.1	143.0	0.9	0.0	53	<0.10	0.02	58
52-507	0	Central Zone	115	-8	143.0	144.0	1.0	0.0	17	<0.10	<0.01	<22
52-507	0	Central Zone	115	-8	144.0	145.0	1.1	0.0	90	<0.10	0.03	96
52-507	0	Central Zone	115	-8	148.8	149.5	0.7	0.0	94	<0.10	0.03	100

- True Width is calculated for significant intercepts only and based on orientation axis of core across the estimated dip of the vein

- AgEq is calculated using metal prices of \$22.00/oz silver, \$3.75/lb copper and \$0.95/lb lead and equivalent metallurgical recoveries were assumed for all metals (silver, lead and copper)

- Numbers may not add up correctly due to rounding